

CES ENVIRONMENTAL SERVICES, INC.

39437

A J Truck & Trailer

Date	Type	Reference	Original Amt.	Balance Due	8/4/2008 Discount	Payment
5/20/2008	Bill	2905	6,652.06	6,652.06		6,652.06
				Check Amount		6,652.06

PAYMENT  
RECORD

CES Environmental S Truck repairs

6,652.06

A.J. TRUCK AND TRAILER  
3000 BATTLEGROUND RD.  
LAPORTE TX. 77571  
PHONE 713-269-9847

APR 26 2008

INVOICE # 2905  
DATE OF INVOICE 4-25-08

NAME <i>CES Environmental Ser. Inc.</i>	PHONE <sup>713</sup> <i>676-1460</i>	DATE <i>4-18-08</i>		
ADDRESS <i>4904 Griggs Rd.</i>	UNIT # <i>210</i>	S/N # <i>H38123</i>		
CITY <i>Houston</i> STATE <i>Tx</i> ZIP <i>77021</i>	MAKE <i>Heil</i>	YR <i>1980</i> LIC# <i>982 354</i>		
DESCRIPTION OF WORK	AMOUNT	QUAN.	DESCRIPTION	AMOUNT
Remove rear fenders, light boxes		1	Rt Frl hanger	154. <sup>00</sup>
hose tubes, ladder air inlet		1	Lt Frl hanger	154. <sup>00</sup>
pipings. Remove pump and bracket			equal. hangers	277. <sup>00</sup>
Cut out suspension frame		2	equal. bush kits	84. <sup>00</sup>
and rear bumper.		2	equalizers	256. <sup>80</sup>
Fabricate, and weld new		4	roller kits	12. <sup>20</sup>
116" L x 38" wide 12 1/2" H		8	Torque arm bushings	175. <sup>00</sup>
Suspension frame with new			Kits	
Reyco 21B spring hangers		1 lot	3/16" x 1/4 plate	97. <sup>70</sup>
Weld new frame to tank		1	channel 5' Long	
sub frame. Remove and replace			7' x 2" 3/16" thick	67. <sup>50</sup>
4 8 leaf springs and 11 bolts.		1	2' x 7 1/2" x 2' x 8'	
Replace 8 torque arm bushings			3/16" bumper	137. <sup>20</sup>
Prime and paint new steel		9 ft	5" channel.	108. <sup>10</sup>
Reweld fender braces and		1	FF2 relay vlv.	182. <sup>00</sup>
install fenders hose tubes light		4	8 leaf springs	706. <sup>80</sup>
box's and air inlet piping		18 ft	7 way cable.	24. <sup>08</sup>
		1 lot	paint Primer	156. <sup>63</sup>
Reweld pump bracket		8	11 bolts 7/8" x 1 1/2"	150. <sup>40</sup>
Replace 12 ft of elec. 7 way			LABOR	3600. <sup>00</sup>
cable. Replace 3 existing air			PARTS	2745. <sup>81</sup>
brake relay valves with (1)			DEGAS TANK	
FF2 relay valve.			MISC.	80. <sup>00</sup>
P.O. No. <i>374806</i>			TAXES	226. <sup>25</sup>
AUTHORIZED BY: <i>Steve</i>			TOTAL	6652. <sup>00</sup>

I HERBY AUTHORIZE THE ABOVE REPAIR WORK, TO BE DONE ALONG WITH NECESSARY MATERIALS. YOU AND YOUR EMPLOYEES MAY OPERATE ABOVE VEHICLE FOR PURPOSES OF TESTING, INSPECTION OR DELIVERY AT MY RISK AND EXPRESS MECHANICS LEIN IS AKNOWLEDGED ON ABOVE VEHICLE TO SECURE THE AMOUNT OF REPAIRS THERE TO

IT IS UNDERSTOOD THAT THIS COMPANY ASSUMES NO RESPONSIBILITY FOR LOSS OR DAMAGE BY THEFT, FIRE OR ACTS OF GOD TO VEHICLES PLACED WITH THEM FOR STORAGE, SALE, REPAIR OR WHILE ROAD TESTING

EPAHO055002315



CES ENVIRONMENTAL SERVICES, INC.

Internal Revenue Service

1/23/2008

35330

IRS (b)

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

552394 (6/07)

EPAHO055002316

CES ENVIRONMENTAL SERVICES, INC.

35583

Internal Revenue Service

2/6/2008

IRS (b) [REDACTED]

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) [REDACTED] 1040

30.00

552394 (6/07)

EPAHO055002317

CES ENVIRONMENTAL SERVICES, INC.

37915

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040 (b) (6)

5/23/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

560632 (1/08)

EPAHO055002318

CES ENVIRONMENTAL SERVICES, INC.

37944

Internal Revenue Service

5/30/2008

IRS (b) (6)

(b) (6)

1040

(b) (6)

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

37787

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040 (b) (6)

5/16/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

35849

Internal Revenue Service

2/13/2008

IRS (b)

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHO055002321

CES ENVIRONMENTAL SERVICES, INC.

2/20/2008

35916

Internal Revenue Service

30.00

IRS (b)

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHO055002322

CES ENVIRONMENTAL SERVICES, INC.

Internal Revenue Service

2/20/2008

35916

IRS (b) (6)

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHO055002323



CES ENVIRONMENTAL SERVICES, INC.

35143

Internal Revenue Service

1/9/2008

IRS (b)

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHO055002324

35178

1/15/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHQ055002325

CES ENVIRONMENTAL SERVICES, INC.

Internal Revenue Service

2/1/2008

35517

IRS (b) (6)

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

36538

Internal Revenue Service

3/21/2008

IRS (b) (6)

(b) (6)

1040

(b) (6)

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

36418

Internal Revenue Service

3/12/2008

IRS (b) (6)

(b) (6)

1040

(b) (6)

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

42460

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040A

(b) (6)

12/31/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

42321

Internal Revenue Service			12/24/2008	
IRS (b) (6)	(b) (6)	1040A	(b) (6)	30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

42127

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

12/19/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00



CES ENVIRONMENTAL SERVICES, INC.

41755

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040A

11/28/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

41878

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

12/5/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00



CES ENVIRONMENTAL SERVICES, INC.

41619

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

11/21/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

41514

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

11/14/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

41388

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

11/7/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00



CES ENVIRONMENTAL SERVICES, INC.

41275

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

10/31/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

41141

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

10/24/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

41049

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

10/17/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00



CES ENVIRONMENTAL SERVICES, INC.

40862

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

10/10/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00



CES ENVIRONMENTAL SERVICES, INC.

38988

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

7/11/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

38391

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040 (b) (6)

6/13/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1 1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

38131

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040

(b) (6)

6/6/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040

30.00

EPAHO055002343

CES ENVIRONMENTAL SERVICES, INC.

37611

Internal Revenue Service

5/9/2008

IRS (b) (6)

(b) (6) 1040 (b) (6)

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00



CES ENVIRONMENTAL SERVICES, INC.

37346

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040

(b) (6)

5/2/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

37275

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040 (b) (6)

4/25/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHO055002346

CES ENVIRONMENTAL SERVICES, INC.

37151

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040 (b) (6)

4/18/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHO055002347



CES ENVIRONMENTAL SERVICES, INC.

37115

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040 (b) (6)

4/10/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHO055002348

CES ENVIRONMENTAL SERVICES, INC.

36779

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040

(b) (6)

4/4/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040

30.00

EPAHO055002349

CES ENVIRONMENTAL SERVICES, INC.

36658

Internal Revenue Service

3/28/2008

IRS (b) (6)

(b) (6)

1040

(b) (6)

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040

30.00

EPAHO055002350

~~\_\_\_\_\_~~ CES ENVIRONMENTAL SERVICES, INC.

Internal Revenue Service

IRS (b) (6)

2/27/2008

36117

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHO055002351

CES ENVIRONMENTAL SERVICES, INC.

36298

Internal Revenue Service  
IRS (b) (6)

(b) (6) for 1040 (b) (6)

3/7/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

EPAHO055002352

CES ENVIRONMENTAL SERVICES, INC.

38728

Internal Revenue Service			6/27/2008	
IRS (b) (6)	(b) (6)	1040A	(b) (6)	30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

38561

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040

(b) (6)

6/20/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

38942

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

7/3/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00



CES ENVIRONMENTAL SERVICES, INC.

39085

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

7/18/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

40076

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

9/5/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00



CES ENVIRONMENTAL SERVICES, INC.

40743

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

10/3/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00



CES ENVIRONMENTAL SERVICES, INC.

40637

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

9/26/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

39932

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

8/29/2008

30.00

PAYMENT  
RECORD

CES Environmental S

(b) (6)

1040A

30.00

CES ENVIRONMENTAL SERVICES, INC.

39787

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040 (b) (6)

8/22/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00



CES ENVIRONMENTAL SERVICES, INC.

39570

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040 (b) (6)

8/8/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

39630

Internal Revenue Service  
IRS (b) (6)

(b) (6)

1040A

(b) (6)

8/15/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040A

30.00



CES ENVIRONMENTAL SERVICES, INC.

39354

Internal Revenue Service  
IRS (b) (6)

7/30/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040

30.00

CES ENVIRONMENTAL SERVICES, INC.

39235

Internal Revenue Service  
IRS (b) (6)

(b) (6) 1040A (b) (6)

7/25/2008

30.00

PAYMENT  
RECORD

CES Environmental S (b) (6) 1040A

30.00

All Around Handyman Co.

Date	Type	Reference	Original Amt.	Balance Due	9/4/2008 Discount	Payment
9/4/2008	Bill	tsts031956	4,800.00	4,800.00		4,800.00
				Check Amount		4,800.00

PAYMENT  
RECORD

CES Environmental S Contract Welding (PT ARTHUR) 8/25 - 8/3/08 4,800.00

560632 (1/08)

# INVOICE

**adams 5840**

All Around Handyman Co.

Date	Type	Reference	Original Amt.	Balance Due	5/23/2008 Discount	Payment
5/21/2008	Bill	TSTS 540618	125.00	125.00		125.00
				Check Amount		125.00

PAYMENT  
RECORD

CES Environmental S scrubber piping 125.00

560632 (1/08)

TSTS 540618

**a** *adams* 5840

All Around Handyman Co.

8/28/2008

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
8/26/2008	Bill	TSTS 031955	4,160.00	4,160.00		4,160.00
				Check Amount		4,160.00

PAYMENT  
RECORD

CES Environmental S PORT ARTHUR Contract Welding 8/18 - 8/24/0

4,160.00

560632 (1/08)

TSTS 031955

**INVOICE**

SOLD TO <b>CES Environmental Services</b>		SHIP TO <b>All Around Handyman Co.</b>			
ADDRESS <b>2904 Griggs Rd.</b>		ADDRESS <b>6430 CR 166</b>			
CITY, STATE, ZIP <b>Houston, TX 77021</b>		CITY, STATE, ZIP <b>Alvin, TX 77511</b>			
CUSTOMER ORDER NO.		SOLD BY	TERMS		
			F.O.B.		
		DATE <b>8-25-08</b>			
ORDERED	SHIPPED	DESCRIPTION	PRICE	UNIT	AMOUNT
8/18	10	Fitting & Welding new			
8/19	11	Pipe for Port Authority Job			
8/20	10				
8/21	11				
8/22	10				
52 hrs		(PLEASE leave check in Houston, wife Tracy is picking up) Thank You Mary Galaz			
<b>POSTED</b>					
		<b>\$ 4160.00</b>			

adams 5840

EPAHO055002371



All Around Handyman Co.

Date	Type	Reference	Original Amt.	Balance Due	8/21/2008 Discount	Payment
8/20/2008	Bill	TSTS031953	5,200.00	5,200.00		5,200.00
				Check Amount		5,200.00

PAYMENT  
RECORD

CES Environmental S Contract welding 8/11 - 8/17/08

5,200.00

560632 (1/08)

EPAHO055002372

# INVOICE

SOLD TO <b>C.E.S. Envir. Services</b>		SHIP TO <b>All Around Handyman Co.</b>	
ADDRESS <b>4904 GRIGGS Rd.</b>		ADDRESS <b>6430 CR 166</b>	
CITY, STATE, ZIP <b>Houston, TX 77021</b>		CITY, STATE, ZIP <b>Alvin, TX 77511</b>	
CUSTOMER ORDER NO.		F.O.B.	
SOLD BY		DATE <b>8-17-08</b>	
TERMS			
ORDERED	SHIPPED	DESCRIPTION	PRICE
8/11		8hrs New piping at	
8/12		10.5 Port Arthur project	
8/17		10.5	
8/14		10	
8/15		10	
8/16		8	
8/17		2	
		65hrs	
		Handyman	
		Mag Bala	
		PAID	
		CK NO.	
		5200.00	

All Around Handyman Co.

Date	Type	Reference	Original Amt.	Balance Due	9/11/2008 Discount	Payment
9/11/2008	Bill	TSTS031957	4,000.00	4,000.00		4,000.00
				Check Amount		4,000.00

PAYMENT  
RECORD

CES Environmental S Contract Welding 9/03 - 9/07/08

4,000.00

560632 (1/08)

EPAHO055002374

# INVOICE

<b>SOLD TO</b> C.E.S Services		<b>SHIP TO</b> <b>All Around Handyman Co.</b>			
<b>ADDRESS</b> 4904 GRIGGS Rd.		<b>ADDRESS</b> <b>6430 CR 186</b>			
<b>CITY, STATE, ZIP</b> Houston, TX. 77021		<b>CITY, STATE, ZIP</b> <b>Alvin, TX 77511</b>			
<b>CUSTOMER ORDER NO.</b>		<b>DATE</b> 9-8-08			
<b>SOLD BY</b>		<b>F.O.B.</b>			
ORDERED	SHIPPED	DESCRIPTION	PRICE	UNIT	AMOUNT
9-3	10	Welding Services			
9-4	10				
9-5	10				
9-6	10				
9-7	10				
50 hrs					
		Thank You Macy Sauter			
					\$ 4000.00

All Around Handyman Co.			9/18/2008			
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
9/18/2008	Bill		4,000.00	4,000.00		4,000.00
				Check Amount		4,000.00

PAYMENT  
RECORD

CES Environmental S Port Arthur Contract Welding 9/07 - 9/13/08

4,000.00

RECEIVED

TSTS 031964

# INVOICE

BY:

SOLD TO <b>C.E.S. Services</b>		SHIP TO <b>All Around Handyman Co.</b>			
ADDRESS <b>4904 Griggs Rd</b>		ADDRESS <b>6430 CR 166</b>			
CITY, STATE, ZIP <b>Houston, Tx. 77021</b>		CITY, STATE, ZIP <b>Alvin, TX 77511</b>			
CUSTOMER ORDER NO.	SOLD BY	TERMS	F.O.B.		
			DATE <b>9-11-08</b>		
ORDERED	SHIPPED	DESCRIPTION	PRICE	UNIT	AMOUNT
9/7	10	Welding & Fabrication			
9/8	10	Services			
9/9	10				
9/10	10				
9/11	10				
9/12	50 hrs	Shambhoo			
9/13		Shambhoo			

adams 5840

**INVOICE (RENTAL)**

Clerk	Date	Transaction no
KARINA	11/09/2007	01-10916

P.O. Box 266597, Houston, TX 77207 Phone: 713 641 3434 Fax: 713 641 3444

Page: 1

I N V O I C E	CES ENVIRONMENTAL SERVICES, INC			S H I P P E D	JORGE	<b>RECEIVED</b> NOV 14 2007 BY: _____
	4904 GRIGGS ROAD					
	HOUSTON TX 77021					
	KIM					
E	Tel. 713 676-1460 PO: 373684					
Quotation no	Cust. Order no	Reservation no	Contract no	Rental Period		
0-0	0-0	0-0	6335-0	From 11/02/2007 to 11/07/2007		
Customer no: 001094T			Terms: 30 Days	Telephone: 713 676-1460		

Registration	Description	Item	Price	Qty	Days	Wk	Month	Total
00001228	15T PORTAPOWER S/N: 1228	3000.0050-026	50.00	1	50.00	150.00	450.00	150.00*
00005630	HYDRAULIC ELECTRIC PUMP S/N: 823	3040.1000-045		1			0.00	

**POSTED**

**PAID**  
CK. NO. \_\_\_\_\_  
DATE \_\_\_\_\_

Shipping Notes	WILL CALL 5 DAY RENTAL
----------------	---------------------------

The renter, in his/her personal capacity and representative corporate capacity, hereby acknowledges and agrees as follows:

- 1) I have received adequate instructions regarding the use, operation and maintenance of the rented equipment;
- 2) Any credit card authorization, if applicable, will apply for all deposits, rentals, sales charges, if any, and damages;
- 3) I have read this rental agreement composed of this page and the reverse hereof and understands same and agrees to be bound by all terms, conditions and provisions;
- 4) I have received a true copy of this agreement at the time of execution hereof."

SIGNATURE: \_\_\_\_\_

ALL TIRE DAMAGE IS YOUR RESPONSIBILITY

Rental	150.00
Damage Waiver	
Shipping	
Cleaning & Labor	
Sales & Services	0.00
Subtotal	150.00
SALES TAX	12.38
SURC	
GRAND TOTAL	162.38
Deposit	0.00
Amount due	162.38

EPAHO055002378

# Order Request Form

P.O. Number: 373184

Date: 11-02-07

Vendor: Air Tool Exchange

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>(Porta-Power</u>	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	<u>for shredder</u>	_____	_____
_____	<u>on wheel</u>	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: \_\_\_\_\_

Approved By: [Signature]

## Office Use Only

Internal Expense:

- \_\_\_\_\_ CS
- \_\_\_\_\_ FS
- \_\_\_\_\_ Trans
- \_\_\_\_\_ SGA
- \_\_\_\_\_ MRI
- \_\_\_\_\_ DRM
- \_\_\_\_\_ DSP

Job Expense:

What Job? (Shredder)

- ☐ Give Vendor Re-Sale Certificate
- ☐ Vendor to Charge Sales Tax



## RENTAL CONTRACT

**P.O. Box 266597, Houston, TX 77207 Phone: 713 641 3434 Fax: 713 641 3444**

I N V O I C E	CES ENVIRONMENTAL SERVICES, INC				S H I P P E D	JORGE
	4904 GRIGGS ROAD					
	HOUSTON TX 77021					
	KIM					
	Tel. 713 676-1460 PO: 373684					
Quotation no		Cust. Order no	Reservation no	Contract no	Rental Period	
0-0		0-0	0-0	0-0	From 11/02/2007 to 11/30/2007	
Customer no: 001094T			Terms: 30 Days		Telephone: 713 676-1460	

Registration	Description	Item	Price	Qty	Days	Wk	Month	Total
00001228	15T PORTAPOWER S/N: 1228	3000.0050-026	50.00	1	50.00	150.00	450.00	
00005630	HYDRAULIC ELECTRIC PUMP WITH HYDRAULIC HOSE AND COUPLER S/N: 823	3040.1000-045		1			0.00	

**Shipping Notes** **WILL CALL**

**"The rentor, in his/her personal capacity and representative corporate capacity, hereby acknowledges and agrees as follows:**

- 1) I have received adequate instructions regarding the use, operation and maintenance of the rented equipment;
- 2) Any credit card authorization, if applicable, will apply for all deposits, rentals, sales charges, if any, and damages;
- 3) I have read this rental agreement composed of this page and the reverse hereof and understands same and agrees to be bound by all terms, conditions and provisions;
- 4) I have received a true copy of this agreement at the time of execution hereof."

EPAHQ055002380

All - Start

ALL  
612-  
Pa  
TX 77505

Invoice	IVC27380
Date	9/25/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

PAID

CC 12-19  
EXE

Bill To:

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

Ship To:

(Penny)  
CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

RECEIVED

SEP 26 2008

BY:

POSTED

Purchase Order No.	Customer ID	Salesperson ID	Shipping Method	Payment Terms	Ship Date
PO# 376162	CESENV11155	SOUTH007	OURTRUCK	Net 30	9/25/2008

Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price
1	1	0	UV980048R	Commercial Alternator 14V 135A	\$0.00	\$178.50	\$178.50
1	1	0	FS	fuel surcharge	\$0.00	\$2.00	\$2.00
678 TRAN PO# 376162 See							

Must Have PO# on invoice.

Subtotal	\$180.50
Misc	\$0.00
Tax	\$14.74
Freight	\$0.00
Trade Discount	\$0.00
Total	\$195.24

Thank You! We Appreciate Your Business.

EPAHO055002382

## Order Request Form

P.O. Number: 376162

Date: 9-26-08

Vendor: All Start

**Contact:**

**Phone:**

281 990 3382

Item #

### Description

Quantity

Cost \$

1

## Alternator Stock Replacement

Y

195.24

Submitted By:

Approved By:

## Office Use Only

**Internal Expense:**

**Job Expense:**

## What Job?

CS

FS

Trans

SGA

MIRI

DRM

21

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

ATTN: Anthony

Invoice	IVC27440
Date	9/30/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

Bill To:

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

Ship To:

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.	Customer ID	Salesperson ID	Shipping Method	Payment Terms	Reg Ship Date			
	CESENV11155	SOUTH007	OURTRUCK	Net 30	9/30/2008			
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price	
1	1	0	TL720019R	Industrial Starter 12V	\$0.00	\$169.00	\$169.00	
<div>POSTED OCT 14 2008</div> <div>REMOVED</div> <div>678 TRANS</div> <div>David, Carter</div>								

Must Have PO# on Invoice.

Call Tomorrow  
with PO

Subtotal	\$169.00
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$169.00

Thank You! We Appreciate Your Business. Anthony

## Purchase Order Request Form

P () Number:

376296

Date:

10-10-08

**Vendor:**

# All-Start

**Contact:**

Penny

**Phone:**

2819983382

Item #

### Description

Quantity

**Cost**

4

## Starter



169.<sup>00</sup>

Submitted By:

*[Handwritten signature]*

Approved By:

**For Office Use Only**

### Internal Expenses

CS

FS

Trans

SGA

MRI

DRM

DSP

Job Expense:

What Job?

### Give Vendor Re-Sale Certificate

## Vendor to Charge Sales Tax

ALL-STAR  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC27645
Date	10/14/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date		
376325		CESENV11155	SOUTH007	OURTRUCK	Net 30	10/14/2008		
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price	
1	1	0	UV980032R	Commercial Alternator 14V 130A	\$0.00	\$109.50	\$109.50	
1	1	0	FS	fuel surcharge	\$0.00	\$2.00	\$2.00	

**POSTED**  
OCT 14 2008

Must Have PO# on invoice.

Subtotal	\$111.50
Misc	\$0.00
Tax	\$9.05
Freight	\$0.00
Trade Discount	\$0.00
Total	\$120.55

**Thank You! We Appreciate Your Business.**

EPAHO055002386

## Order Request Form

P.O. Number:

Date:

Vendor:

# All-Start

**Contact:**

Penny

**Phone:**

2819983382

[illegible]

Submitted By:

Approved By:

**Office Use Only**

Internal Expense:

Chase

CS

FS

Trans

SGA

MRI =

DRIVE

Def

**Job Expense:**

## What Job?

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax



ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC27646
Date	10/14/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
3763264		CESENV11155		SOUTH007		OURTRUCK		Net 30		10/14/2008	
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price	
1	1	0	FD180022	Ford Starter NEW				\$0.000	\$188.550	\$188.55	
1	1	0	FS	fuel surcharge				\$0.00	\$2.00	\$2.00	
<div>POSTED OCT 14 2008</div>											
								Subtotal		\$190.55	
								Misc		\$0.00	
								Tax		\$15.57	
								Freight		\$0.00	
								Trade Discount		\$0.00	
								Total		\$206.12	

Must Have PO# on invoice.

Must Have PO# on invoice.

**Thank You! We Appreciate Your Business.**

## Order Request Form

P.O. Number: 376324

Date: 10-14-08

Vendor: All-Start

Contact: Penny

Phone: 281 998 3382

[illegible]

Submitted By: Bob

Approved By:                     

## Office Use Only

Internal Expense:

Chissey

CS

FS

Trans

SGA

NIRI =

DRIVE

12

100

**Job Expense:**

## What Job?

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC27111
Date	9/3/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
		CESENV11155		SOUTH007		OURTRUCK		Net 30		9/3/2008	
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price	
1	1	0	MT380009R	Mitsubishi Starter				\$0.00	\$179.00	\$179.00	
1	1	0	FS	fuel surcharge				\$0.00	\$2.00	\$2.00	

PO# 375982

689 Trans

POSTED  
OCT 15 2008

PO# 375982

689  
Trans



Must Have PO# on invoice.

Subtotal	\$181.00
Misc	\$0.00
Tax	\$14.78
Freight	\$0.00
Trade Discount	\$0.00
Total	\$195.78

Thank You! We Appreciate Your Business.

EPAHO055002390

# Purchase Order Request Form

P.O. Number: 375982

Date: 9-4-09

Vendor: All-Start

Contact: \_\_\_\_\_

Phone: Anthony

Item #	Description	Quantity	Cost
	<u>Starters for <del>8000</del> Stock</u>		<u>179.<sup>00</sup></u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Anthony

Approved By: \_\_\_\_\_

## For Office Use Only

### Internal Expense:

- ☐ CS
- ☐ FS
- ☒ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM
- ☐ DSP

### Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

ALU-START  
6121 Spencer Hwy  
Pasadena TX 77505


Invoice	IVC26806
Date	8/12/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free


**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021



**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021



Purchase Order No.		Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date	
		CESENV11155	SOUTH007	OURTRUCK	Net 30	8/12/2008	
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price
1	1	0	UV980097FR	Commercial Alternator 14 Volts	\$0.00	\$171.95	\$171.95
1	1	0	FS	fuel surcharge	\$0.00	\$2.00	\$2.00
<div style="text-align: center;"> <p><del>678</del> 678. TRAN</p> <p>LEE'S TRUCKING</p> </div>							

Must Have PO# on invoice.

Subtotal	\$173.95
Misc	\$0.00
Tax	\$14.19
Freight	\$0.00
Trade Discount	\$0.00
Total	\$188.14

**Thank You! We Appreciate Your Business.**

EPAHO055002392

## Order Request Form

P.O. Number: 375778

Date: 8-14-08

Vendor: All-Start

**Contact:**

**Phone:**

2819983382

[illegible]

**Submitted By:**

**Approved By:**

**Office Use Only**

**Internal Expense:**

**Job Expense:**

Chase

## What Job?

CS

FS

Trans

SGA

**MRI**

DRM

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

L-START  
 1 Spencer Hwy  
 Asadero TX 77505

Invoice	IVC26799
Date	8/12/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

Bill To:

CES Environmental Services  
 Attn: Accounts Payable  
 4904 Griggs Rd.  
 Houston TX 77021

**POSTED**  
 SEP 09 2008

Ship To:

CES Environmental Services  
 4904 Griggs Rd  
 Houston TX 77021

**RECEIVED**  
 AUG 16 2008  
 BY:

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
		CESENV11155		SOUTH007		OURTRUCK		Net 30		8/12/2008	
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price	
1	1	0	UV980032PR	Commercial Alternator				\$0.00	\$139.00	\$139.00	
1	1	0	FS	fuel surcharge				\$0.00	\$2.00	\$2.00	
678 TRAN											

Must Have PO# on invoice.

Subtotal	\$141.00
Misc	\$0.00
Tax	\$11.48
Freight	\$0.00
Trade Discount	\$0.00
Total	\$152.48

Thank You! We Appreciate Your Business.

EPAHO055002394

# Order Request Form

**P.O. Number:**

375777

Date: 8-14-08

**Vendor:**

# All-Start

**Contact:**

**Phone:**

281998 3382

**Item #**

### Description

Quantity

**Cost \$**

4

# Alternator

1

152.48

**Submitted By:**

**Approved By:**

**Office Use Only**

**Internal Expense:**

**Job Expense:**

## What Job?

CS

FS

Trans

SGA

**MRI**

DRM

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax



All-Start				10/9/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
7/28/2008	Bill	IVC26597	314.86	314.86		314.86
				Check Amount		314.86

CES Environmental S CESENV11155

314.86

565369 (5/08)

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC26597
Date	7/25/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
375553		CESENV11155		SOUTH007		OURTRUCK		Net 30		7/25/2008	
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price	
1	1	0	MT380029	Mitsubishi Starter NEW				\$0.00	\$289.00	\$289.00	
1	1	0	FS	fuel surcharge				\$0.00	\$2.00	\$2.00	

PAID

Unit # 302

Subtotal	\$291.00
Misc	\$0.00
Tax	\$23.86
Freight	\$0.00
Trade Discount	\$0.00
Total	\$314.86

Thank You! We Appreciate Your Business.

EPAHO055002397

# Order Request Form

P.O. Number: 375553

Date: 7-25-48


Vendor: ALL START

Contact: JOE

Phone: 281-998-3382

[illegible]

Submitted By: Glen

Approved By: 

**Office Use Only**

**Internal Expense:**

Class

CS

FS

Trans

SGA

MIRI

DRM

**Job Expense:**

## What Job?

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

EPAHQ055002398

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC26173
Date	6/18/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

Bill To:

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**PAID**  
Ship To:

9-2-08  
CLC

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date			
375268		CESENV11155		SOUTH007		OURTRUCK		Net 30		6/18/2008			
Ordered	Shipped	B/O	Item Number	Description					Discount	Unit Price	Ext. Price		
1	1	0	240-6211	GM ALT 150A					\$0.00	\$115.00	\$115.00		
1	1	0	FS	fuel surcharge					\$0.00	\$2.00	\$2.00		
<div>PO# 375268</div> <div>TRK #103</div> <div>689050 TRK Repair #103 TRANS</div>													
Subtotal									\$117.00				
Misc									\$0.00				
Tax									\$9.50				
Freight									\$0.00				
Trade Discount									\$0.00				
Total									\$126.50				

Must Have PO# on invoice.

Must Have PO# on invoice.

Thank You! We Appreciate Your Business.

EPAHO055002399

# Order Request Form

P.O. Number: 375268

Date: 6-18-08

Vendor: AL START

Contact: Jody

Phone: 281-998-3382

Item #	Description	Quantity	Cost \$
<u>1</u>	<u>Alternator</u>	<u>1</u>	<u>140<sup>00</sup></u>
	<u>TRK # 103</u>		

Submitted By: [Signature]

Approved By: [Signature]

## Office Use Only

Internal Expense:

Job Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM

What Job? \_\_\_\_\_

☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC26298
Date	9/18/08
Page	1

(281)998-3382 fax (281)998-1326

(877)998-3382 toll free

Bill To:

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

Ship To:

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

PAID

9/18/08  
C/C col

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date			
		CESENV11155		SOUTH007		OURTRUCK		Net 30		9/30/2008			
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price			
1	1	0	UV980032PR	Commercial Alternator				\$0.00	\$139.00	\$139.00			
1	1	0	FS	fuel surcharge				\$0.00	\$2.00	\$2.00			
<div>689-<del>850</del> 250</div> <div>Commercial Alternator</div>													

Must Have PO# on invoice.

~~PO# 375373~~  
NOT CES's

Thank You! We Appreciate Your Business.

Subtotal	\$141.00
Misc	\$0.00
Tax	\$11.48
Freight	\$0.00
Trade Discount	\$0.00
Total	\$152.48

PAID

EPAHO055002401

AL ART  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC26306
Date	6/30/2008
Page	1

(281)998-3382 fax(998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

PAID

9-18-08  
cle  
ed

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
		CESENV11155		SOUTH007		OURTRUCK		Net 30		6/30/2008	
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price	
1	1	0	UV990019R	Commercial Starter				\$0.00	\$149.00	\$149.00	
1	1	0	FS	fuel surcharge				\$0.00	\$2.00	\$2.00	
POSTED											

Must Have PO# on invoice.

Subtotal	\$151.00
Misc	\$0.00
Tax	\$12.31
Freight	\$0.00
Trade Discount	\$0.00
Total	\$163.31

**Thank You! We Appreciate Your Business.**

EPAHO055002402

## Order Request Form

**P.O. Number:**

375360

Date:

6-30-08

**Vendor:**

AES ALL-START

**Contact:**

**Phone:**[illegible]

Submitted By:

Approved By:

Planta

## Office Use Only

Trans.

**Internal Expense:**

Chlorides

CS

FS

Trans

SGA

## MRI

DRM

DZ

**Job Expense:**

## What Job?

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax



**CES ENVIRONMENTAL SERVICES, INC.**

**40561**

Allied Barton Security Services

9/24/2008

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
7/16/2008	Bill	3735471	1,871.11	1,871.11		1,871.11
				Check Amount		1,871.11

CES Environmental S 93890

1,871.11

565369 (5/08)

EPAHO055002404



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3735471
DATE	07/10/08

**CUSTOMER**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

JUL 16 2008

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 07/04/08 - 07/10/08				
Security Officer-Regular	69.000	HR	18.89	1,303.41
Security Officer-Holiday	15.000	HR	28.34	425.10
PAGE 1 OF 1			<b>Sub-Total</b>	1,728.51
			<b>Sales Tax</b>	142.60
			<b>TOTAL</b>	1,871.11

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

EPAHO055002405

ALL START  
6121 SPENCER HWY STE F  
PASADENA, TX 77505  
(201) 998-3382

TERMINAL ID.: 001  
MERCHANT #: 120000100582

VISA  
XXXXXXXXXXXX6554 \*

SALE  
BATCH: 000171 INU: 000003  
DATE: Jul 22, 08 TIME: 14:01  
RRN: 000003001661 AUTH: 009784

P.O. NUMBER: 311  
SALES TAX: \$11.48

TOTAL \$152.48

CUSTOMER COPY

ALL-STAR  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC25585
Date	5/5/2008
Page	1

(281)998-3382 fax(998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date			
374587		CESENV11155	SOUTH007	OURTRUCK	Net 30	5/5/2008			
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price		
1	1	0	1998391	Delco Starter	\$0.00	\$165.00	\$165.00		
1	1	0	FS	fuel surcharge	\$0.00	\$2.00	\$2.00		
<div>POSTED</div> <div>PAID</div> <div>CK. NO. _____</div> <div>DATE <u>7/21/08</u></div>									

TRL#206

Must Have PO# on invoice.

Subtotal	\$167.00
Misc	\$0.00
Tax	\$13.63
Freight	\$0.00
Trade Discount	\$0.00
Total	\$180.63

**Thank You! We Appreciate Your Business.**

EPAHO055002407

# Order Request Form

P.O. Number: 374881

Date: 5-5-08

Vendor: ALL START

Contact: Jody

Phone: 281-998-3382

Item #	Description	Quantity	Cost \$
<u>1</u>	<u>STARTER TRL# 206</u>	<u>1</u>	<u>180.63</u>

Submitted By: [Signature]

Approved By: [Signature]

## Office Use Only

Internal Expense:

Job Expense:

- ☐ CS
- ☐ ES
- ☐ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM

What Job? \_\_\_\_\_

- Exempt
- ☒ Give Vendor ~~Re-Sale~~ Certificate
  - ☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_  
(Description)

All-Start			7/25/2008			
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
5/21/2008	Bill	IVC25819	163.31	163.31		163.31
5/28/2008	Bill	IVC25904	120.55	120.55		120.55
5/30/2008	Bill	IVC25939	152.48	152.48		152.48
				Check Amount		436.34

CES Environmental S CESENV11155

436.34

560632 (1/08)

ALL-START  
6121 E. Lancer Hwy  
Pasadena TX 77505

5/29

Invoice	IVC25904
Date	5/28/2008
Page	1

(281)998-3382 fax (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date			
375095		CESENV11155		SOUTH007		OURTRUCK		Net 30		5/28/2008			
Ordered	Shipped	B/O	Item Number		Description				Discount	Unit Price		Ext. Price	
1	1	0	UV980032R		Commercial Alternator 14V 130A				\$0.00	\$109.50		\$109.50	
1	1	0	FS		fuel surcharge				\$0.00	\$2.00		\$2.00	
<div>POSTED</div> <div>P.O.?</div>													

Must Have PO# on invoice.

Subtotal	\$111.50
Misc	\$0.00
Tax	\$9.05
Freight	\$0.00
Trade Discount	\$0.00
Total	\$120.55

**Thank You! We Appreciate Your Business.**

EPAHO055002410

## Order Request Form

P.O. Number: 375 095

Date: 5-29-08

Vendor: ALL STAR

Contact: Jody

Phone: 281-998-3382

Item #

### Description

Quantity

Cost \$

# ALTERNATOR

truck

275

1

120.55

# Invoice

Submitted By:

Approved By:

## Office Use Only

Internal Expense:

**Job Expense:**

## What Job?

CS

FS

Trans

SGA

MRU

DRM

☒ Give Vendor ~~Re-Sale~~ Certificate

☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL:

(Description)



ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC25939
Date	5/30/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date			
374959		CESENV11155		SOUTH007		OURTRUCK		Net 30		5/30/2008			
Ordered	Shipped	B/O	Item Number		Description				Discount	Unit Price		Ext. Price	
1	1	0	FD190073R		Ford Alternator				\$0.00	\$139.00		\$139.00	
1	1	0	FS		fuel surcharge				\$0.00	\$2.00		\$2.00	
<div>PAID</div> <div>RECEIVED</div> <div>6/28/08</div> <div>SELL</div>													

Must Have PO# on invoice.

Subtotal	\$141.00
Misc	\$0.00
Tax	\$11.48
Freight	\$0.00
Trade Discount	\$0.00
Total	\$152.48

**Thank You! We Appreciate Your Business.**

EPAHO055002412

## Order Request Form

P.O. Number: 374959

Date: 5-13-08

Vendor: ALL START

Contact: Jody

Phone: 281-998-3382

Item #

### Description

Quantity

Cost \$

1

ALTERNATOR      TRK # 283

152,48

# INVOICE

Submitted By:

Approved By:

## Office Use Only

Internal Expense:

Job Expense:

## What Job?

CS

FS

Trans

SGA

MRI

DRM

☒ Give Vendor ~~Re-Sale~~ Certificate

☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL:

(Description)

ALL-START  
5121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC25939
Date	5/30/2008
Page	1

(281)998-3382 Fax: (281)998-1326


(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
324959		CESENV11155		SOUTH007		OURTRUCK		Net 30		5/30/2008	
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price	
1	1	0	FD190073R	Ford Alternator				\$0.00	\$139.00	\$139.00	
1	1	0	FS	fuel surcharge				\$0.00	\$2.00	\$2.00	
											

Must Have PO# on invoice.

Chris S

Subtotal	\$141.00
Misc	\$0.00
Tax	\$11.48
Freight	\$0.00
Trade Discount	\$0.00
Total	\$152.48

**Thank You! We Appreciate Your Business.**

EPAHO055002414

# Order Request Form

P.O. Number: 374959

Date: 5-13-08

Vendor: ALL START

Contact: Jody

Phone: 281-998-3382

Item #	Description	Quantity	Cost \$
<u>1</u>	<u>ALTERNATOR TRK# 283</u>	<u>1</u>	<u>152.48</u>
	<u>INVOICE</u>		

Submitted By: [Signature]

Approved By: [Signature]

## Office Use Only

Internal Expense:

Job Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM

What Job? \_\_\_\_\_

☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

EPAHO055002415

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC25819
Date	5/21/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date			
375020		CESENV11155		SOUTH007		OURTRUCK		Net 30		5/21/2008			
Ordered	Shipped	B/O	Item Number		Description				Discount	Unit Price		Ext. Price	
1	1	0	UV990019R		Commercial Starter				\$0.00	\$149.00		\$149.00	
1	1	0	FS		fuel surcharge				\$0.00	\$2.00		\$2.00	
<div>CERTIFIED</div> <div>MAY 21 2008</div> <div>COPY</div> <div>POSTED</div> <div>522060</div> <div>Spencer Shaw</div>													

Must Have PO# on invoice.

Subtotal	\$151.00
Misc	\$0.00
Tax	\$12.31
Freight	\$0.00
Trade Discount	\$0.00
Total	\$163.31

**Thank You! We Appreciate Your Business.**

EPAHO055002416

# Order Request Form

P.O. Number: 325020

Date: 5-21-08

Vendor: All-Start

Contact: \_\_\_\_\_

Phone: 281 998-3382

Item #	Description	Quantity	Cost \$
<u>1</u>	<u>Rebuilt Starter</u>	<u>1</u>	<u>163.31</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Scott Shimer

Approved By: [Signature]

Setor K

## Office Use Only

Internal Expense:

Job Expense:

\_\_\_\_ CS  
\_\_\_\_ FS  
\_\_\_\_ Trans  
\_\_\_\_ SGA  
\_\_\_\_ MRI  
\_\_\_\_ DRM

What Job? \_\_\_\_\_

Exempt  
☒ Give Vendor ~~Re-Sale~~ Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

All-Start				6/23/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
4/10/2008	Bill	IVC24805	161.30	161.30		161.30
4/11/2008	Bill	IVC25266	195.94	195.94		195.94
4/14/2008	Bill	IVC25174	152.64	152.64		152.64
				Check Amount		509.88

CES Environmental S CESENV11155

509.88

ALL-START  
121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC24805
Date	3/7/2008
Page	1

(281)998-3382 fax (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date		
		CESENV11155	SOUTH007	OURTRUCK	Net 30	3/7/2008		
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price	
1	1	0	UV990019R	Commercial Starter	\$0.00	\$149.00	\$149.00	
<div>POSTED</div> <div>4/10/08</div> <div>TRK# 283</div>								

Must Have PO# on invoice.

Subtotal	\$149.00
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$149.00

**Thank You! We Appreciate Your Business.**

12.30  
161.30  
EPAHO055002419



# Order Request Form

P.O. Number: 374426

Date: 3-12-08

Vendor: ALL START

Contact: PENNY

Phone: 281-998-3382

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
<u>1</u>	<u>STARTER TRK#283</u>	<u>1</u>	<u>149<sup>00</sup></u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: [Signature]

Approved By: [Signature]

## Office Use Only

Internal Expense:

☐ CS  
☐ FS  
☒ Trans  
☐ SGA  
☐ MRI  
☐ DRM

Job Expense:

What Job? \_\_\_\_\_

☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

CLART  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC25174
Date	4/3/2008
Page	1

(281)998-3382 fax (281)998-1326

TRKH 295

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
		CESENV11155		SOUTH007		OURTRUCK		Net 30		4/3/2008	
Ordered	Shipped	B/O	Item Number	Description					Discount	Unit Price	Ext. Price
1	1	0	UV980032PR	Commercial Alternator					\$0.00	\$139.00	\$139.00
1	1	0	FS	fuel surcharge					\$0.00	\$2.00	\$2.00
<div>POSTED</div>											

Must Have PO# on invoice.

Subtotal	\$141.00
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$141.00

**Thank You! We Appreciate Your Business.**

152.64

EPAHO055002421

# Order Request Form

P.O. Number: 374638

Date: 4-7-08

Vendor: ALL START

Contact: Jody

Phone: 281-998-3382

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
<u>1</u>	<u>Alternator</u>	<u>1</u>	<u>141.00</u>
	<u>TRK #295</u>		

Submitted By: Jody

Approved By: Guante

## Office Use Only

Internal Expense:

Classes

☐ CS

☐ FS

☐ Trans

☐ SGA

☐ MRI

☐ DRM

☐ DSP

Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC25266
Date	4/11/2008
Page	1

(281)998-3382 fax (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
		CESENV11155		SOUTH007		OURTRUCK		Net 30		4/11/2008	
Ordered	Shipped	B/O	Item Number	Description					Discount	Unit Price	Ext. Price
1	1	0	MT380009R	Mitsubishi Starter					\$0.00	\$179.00	\$179.00
1	1	0	FS	fuel surcharge					\$0.00	\$2.00	\$2.00
<div>POSTED</div> <div>4/11/08</div>											

Unit 302

Subtotal	\$181.00
Misc	\$0.00
Tax	<del>195.94</del> \$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	195.94 - \$181.00

Thank You! We Appreciate Your Business.

EPAHO055002423

# Order Request Form

P.O. Number: 374696

Date: 4-11-08

Vendor: ALL START

Contact: Jody

Phone: 281-998-3382

<u>Item #</u>	<u>Description</u>	<u>Unit #</u>	<u>Quantity</u>	<u>Cost \$</u>
<u>1</u>	<u>STATER</u>	<u>302</u>	<u>1</u>	<u>181.<sup>00</sup></u>

Submitted By: [Signature]

Approved By: [Signature]

INVOICE

## Office Use Only

Internal Expense:

Job Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM

What Job? \_\_\_\_\_

☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC24479
Date	2/13/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

*Get out money off today 4/8*

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.	Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date			
374258	CESENV11155	SOUTH007	OURTRUCK	Net 30	2/13/2008			
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price	
1	1	0	UV990018R	Commercial Starter 12 Volts	\$0.00	\$149.50	\$149.50	
<div>POSTED</div> <div>PAID</div> <div>CK. NO. <u>          </u></div> <div>DATE <u>4/8/08</u></div> <div>TRK#283</div>								

Must Have PO# on invoice.

Subtotal	\$149.50
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$149.50

**Thank You! We Appreciate Your Business.**

EPAHO055002425

# Order Request Form

P.O. Number: 374258

Date: 2-14-08

Vendor: All START

Contact: Jody

Phone: 281-998-3382

[illegible]

Submitted By: Seal

Approved By: Manita

### Office Use Only

**Internal Expense:**

Classes

CS

FS

Trans

SGA

MIRI

DRM

25

**Job Expense:**

## What Job?

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

ATTN: ALISA

Invoice	IVC24479
Date	2/13/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

Bill To:

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

Ship To:

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.	Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date
374258	CESENV11155	SOUTH007	OURTRUCK	Net 30	2/13/2008

Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price
1	1	0	UV9900185	Commercial Starter 12 Volts	\$0.00	\$149.50	\$149.50

ALL START  
6121 SPENCER HWY STE F  
PASADENA, TX 77505  
(281) 998-3382

TERMINAL ID: 001  
MERCHANT #: 120800100382

VISA  
\*\*\*\*\*44445554 \*  
SALE  
BATCH: 000110  
DATE: Apr 08, 08  
RRH: 000001000992  
P.O. NUMBER: 308

INV: 000001  
TIME: 10:29  
AUTH: 009248

\$149.50

TOTAL

CUSTOMER COPY

#283

*Q. Carlos Navarro*

Must Have PO# on Invoice.

Subtotal	\$149.50
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$149.50

Thank You! We Appreciate Your Business.



ALL START  
6121 SPENCER HWY STE F  
PASADENA, TX 77505  
(281) 998-3382

TERMINAL ID.: 001  
MERCHANT #: 120000100582

VISA  
\*\*\*\*\*6554 \*

SALE  
BATCH: 000110 INV: 000001  
DATE: Apr 08, 08 TIME: 10:29  
RRN: 000001000992 AUTH: 009248

P.O. NUMBER: 388

TOTAL \$149.50

CUSTOMER COPY

EPAHO055002428

ALL-START .  
6121 Spencer Hwy  
Pasadena TX 77505

ATTN: ALISA

Invoice	IVC24479
Date	2/13/2008
Page	1

(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.	Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date			
374258	CESENV11155	SOUTH007	OURTRUCK	Net 30	2/13/2008			
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price	
1	1	0	UV990018P	Commercial Starter 12 Volts	\$0.00	\$149.50	\$149.50	
<div>6121 ALL START 6121 SPENCER HWY STE F PASADENA, TX 77505 (281) 998-3382 801 120000100582 TERMINAL ID.: MERCHANT #: VISA *****6554 * SALE BATCH: 000110 DATE: Apr 08, 08 RRN: 000001000992 P.O. NUMBER: 388 TOTAL \$149.50 CUSTOMER COPY #283 C. Carlos Navarro</div>								

Must Have PO# on invoice.

Subtotal	\$149.50
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$149.50

**Thank You! We Appreciate Your Business.**

EPAHO055002429

713-676-1676

All-Start				3/19/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
1/30/2008	Bill	IVC24246	179.00	179.00		179.00
				Check Amount		179.00

CES Environmental S CESENV11155

179.00

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC24246
Date	1/29/2008
Page	1



(281)998-3382 Fax: (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
316		CESENV11155		SOUTH007		OURTRUCK		Net 30		1/29/2008	
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price	
1	1	0	UV990008R	Commercial Starter				\$0.00	\$179.00	\$179.00	
<div>TRK 376</div>											

**Thank You! We Appreciate Your Business.**

EPAHO055002432

# Order Request Form

P.O. Number: 374152

Date: 1-30-08

Vendor: ALL START

Contact: Jody

Phone: 281-998-3382

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
<u>1</u>	<u>STARTER</u>	<u>1</u>	<u>179<sup>00</sup></u>
	<u>TRK # 316</u>	<u>Invoice</u>	

Submitted By: [Signature]

Approved By: [Signature]

## Office Use Only

Internal Expense:

Job Expense:

- ☐ CS
- ☐ FS
- ☐ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM

What Job? \_\_\_\_\_

- ☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate
- ☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

CES ENVIRONMENTAL SERVICES, INC.

36133

All-Start				2/29/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
1/14/2008	Bill	IVC24023	179.00	179.00		179.00
				Check Amount		179.00

CES Environmental S CESENV11155

179.00

EPAHO055002434

ALL-START  
621 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC24023
Date	1/11/2008
Page	1

POSTED  
1/11/08

(281)998-3382 fax (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date		
		CESENV11155	SOUTH007	OURTRUCK	Net 30	1/11/2008		
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price	
1	1	0	MT380009R	Mitsubishi Starter CMT # 302	\$0.00	\$179.00	\$179.00	

Must Have PO# on invoice.

Subtotal	\$179.00
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$179.00

**Thank You! We Appreciate Your Business.**

EPAHO055002435



# Order Request Form

P.O. Number: 37410-58

Date: 1-11-08

Vendor: ALL START

Contact: Jody

Phone: 281-998-3382

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
<u>1</u>	<u>STARTER (302)</u>	<u>1</u>	<u>175<sup>00</sup></u>
	<u>FORKLIFT</u>		

Submitted By: [Signature]

Approved By: [Signature]

## Office Use Only

Internal Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM

Job Expense:

What Job? \_\_\_\_\_

☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

All-Start				1/28/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
12/12/2007	Bill	IVC23552	109.50	109.50		109.50
12/20/2007	Bill	IVC23759	179.00	179.00		179.00
				Check Amount		288.50

CES Environmental S CESENV11155

288.50

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

689050  
Trans.

Invoice	IVC23759
Date	12/19/2007
Page	1

(281)998-3382 fax (281)998-1326



(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date		
		CESENV11155	SOUTH007	OURTRUCK	Net 30	12/19/2007		
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price	
1	1	0	UV990008R	Commercial Starter	\$0.00	\$179.00	\$179.00	
UNIT # 316								

Must Have PO# on invoice.

Subtotal	\$179.00
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$179.00

**Thank You! We Appreciate Your Business.**

EPAHO055002438

# Order Request Form

P.O. Number: 373944

Date: 12-20-07

Vendor: ALL START

Contact: Jody

Phone: 281-998-3382

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
<u>1</u>	<u>STARTER</u>	<u>1</u>	<u>179.00</u>
	<u>Unit # 316</u>		

Submitted By: [Signature]

Approved By: [Signature]

## Office Use Only

Internal Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM

Job Expense:

What Job? \_\_\_\_\_

☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

EPAHO055002439

ALL-START  
5121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC23759
Date	12/19/2007
Page	1

(281)998-3382 fax (281)998-1326

(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
373944		CESENV11155		SOUTH007		OURTRUCK		Net 30		12/19/2007	
Ordered	Shipped	B/O	Item Number	Description					Discount	Unit Price	Ext. Price
1	1	0	UV990008R	Commercial Starter					\$0.00	\$179.00	\$179.00
<div>CONFIRMED DEC 19 2007 COPY</div> <div>RECEIVED 1226 PM</div> <div>J. Carlos Navarro</div>											

RECEIVED  
DEC 19 2007  
1226 PM

Must Have PO# on invoice.

Subtotal	\$179.00
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$179.00

Thank You! We Appreciate Your Business.

EPAHO055002440

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC23552
Date	12/5/2007
Page	1

(281)998-3382 Fax: (281)998-1326



(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date	
373		CESENV11155		SOUTH007		OURTRUCK		Net 30		12/5/2007	
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price	
1	1	0	UV980032R	Commercial Alternator 14V 130A				\$0.00	\$109.50	\$109.50	
TRK # 278											

Must Have PO# on invoice.

Subtotal	\$109.50
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$109.50

**Thank You! We Appreciate Your Business.**

EPAHO055002441



ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC23552
Date	12/5/2007
Page	1

(281)998-3382 Fax: (281)998-1326


(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.	Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date			
373854	CESENV11155	SOUTH007	OURTRUCK	Net 30	12/5/2007			
Ordered	Shipped	B/O	Item Number	Description	Discount	Unit Price	Ext. Price	
1	1	0	UV980032R	Commercial Alternator 14V 130A	\$0.00	\$109.50	\$109.50	
<div>CERTIFIED</div> <div>DEC 05 2007</div> <div>COPY</div> <div>1277PM</div> <div></div>								

Must Have PO# on invoice.

Subtotal	\$109.50
Misc	\$0.00
Tax	\$0.00
Freight	\$0.00
Trade Discount	\$0.00
Total	\$109.50

1/20/08  
**Thank You! We Appreciate Your Business.**

EPAHO055002443



All-Start				8/25/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
6/20/2008	Bill	IVC26085	152.48	152.48		152.48
				Check Amount		152.48

CES Environmental S CESENV11155

152.48

500592 (1/08)

ALL-START  
6121 Spencer Hwy  
Pasadena TX 77505

Invoice	IVC26085
Date	6/11/2008
Page	1

(81)998-3382 Fax: (281)998-1326


(877)998-3382 toll free

**Bill To:**

CES Environmental Services  
Attn: Accounts Payable  
4904 Griggs Rd.  
Houston TX 77021

**Ship To:**

CES Environmental Services  
4904 Griggs Rd  
Houston TX 77021

Purchase Order No.		Customer ID		Salesperson ID		Shipping Method		Payment Terms		Req Ship Date									
		CESENV11155		SOUTH007		OURTRUCK		Net 30		6/11/2008									
Ordered	Shipped	B/O	Item Number	Description				Discount	Unit Price	Ext. Price									
1	1	0	UV980032PR	Commercial Alternator				\$0.00	\$139.00	\$139.00									
1	1	0	FS	fuel surcharge				\$0.00	\$2.00	\$2.00									
																			

Must Have PO# on invoice.

Subtotal	\$141.00
Misc	\$0.00
Tax	\$11.48
Freight	\$0.00
Trade Discount	\$0.00
Total	\$152.48

**Thank You! We Appreciate Your Business.**

EPAHO055002445

# Order Request Form

P.O. Number: 375204

Date: 6/11/08

Vendor: All Start

Contact: \_\_\_\_\_

Phone: 281 998 3382

Item #	Description	Quantity	Cost \$
<u>1</u>	<u>Rebuilt Starter</u>	<u>1</u>	<u>152.48</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Scott Shime

Approved By: Scott

## Office Use Only

Internal Expense:

Job Expense:

\_\_\_\_ CS  
\_\_\_\_ FS  
\_\_\_\_ Trans  
\_\_\_\_ SGA  
\_\_\_\_ MRI  
\_\_\_\_ DRM

What Job? \_\_\_\_\_

☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)  
\_\_\_\_\_  
\_\_\_\_\_

ALL TEX SUPPLY BEAUMONT  
7370 COLLEGE ST  
BEAUMONT, TX, 77707  
214-389-3700

TERMINAL ID. : 0017340008013927234000  
MERCHANT #: 8013927234

UISA  
\*\*\*\*\*4686  
SALE

RECORD: 4 INU: 000004  
DATE: Oct 23, 08 TIME: 20:09  
BATCH: 000034

AUTH:012518

TOTAL \$665.63

BRIAN D WEATHERS

CUSTOMER COPY

EPAHO055002447

REYNOLDS PIPE & SUPPLY INC  
AN ALL-TEX COMPANY  
P O BOX 5554  
BEAUMONT, TX  
(409) 866-6551

77726

TIME: 14:24

\*\*\*DELIVERY TICKET\*\*\* 123607 R E P R I N T

SOLD TO:

CASH SALE--BEAUMONT

SHIP TO:

CES

"SUZI MOCK"

INVOICE# ORDER-DTE SALESMAN REQ-DATE SHIP VIA WGHT PGE  
123607 OCT 23 2008 BMT OCT 24 2008 WILL CALL-BEAUMONT 165

CUST# CUST PO NUMBER DOC-REQ# SUB TERMS FREIGHT TRMS FOB INSD SALES  
CASH 01 CASH ON DELI PREPAID JOBSITE JW

LIN	ORDERED UNIT DESCRIPTION	UNIT \$	EXTENDED	PICKED
001	20.00 EACH 2 150 RF SD FLG *** HT#	10.22	204.40	20
002	15.00 EACH 1 3M FS SW 90	4.70	70.50	15
003	2.00 EACH 2.5 FS HEX PLUGS	15.00	30.00	2
004	500 EACH 3 STD 180 LR RETURN *** HT#	62.00	310.00	5

SUB-TOTAL AMOUNT  
SALES TAXES

614.90

50.73

665.63

TOTAL AMOUNT

ANK YOU,

SIGNATURE

Suzi Mock 10/23/08

All-Tex Safety Supplies, Inc.

11/8/2008

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
9/5/2008	Bill	025548	72.00	72.00		72.00
9/5/2008	Bill	025469	516.00	516.00		516.00
				Check Amount		588.00

PAYMENT  
RECORD

CES Environmental S

588.00

565369 (5/08)







## All Texas Permits

Date	Type	Reference	Original Amt.	Balance Due	9/19/2008 Discount	Payment
7/17/2008	Bill	16319	1,451.73	1,451.73		1,451.73
				Check Amount		1,451.73

PAYMENT  
RECORD

CES Environmental S CES ENV

1,451.73

560632 (1/08)



RECEIVED

INVOICE

JUN 17 2008

11222 Richmond Ave., #235

Houston, Texas 77082

Tel.: (281) 752-7800

Fax: (281) 752-7900

NO. 16319

DATE June 16, 2008

CLIENT P.O. #

JOB #: P08122

PROJECT #: 08020913

TO: CES Environmental Services, Inc.  
4904 Griggs Road  
Houston, Texas 77021  
ATTN: Clark Hickman

This bill is rendered only as  
an accommodation.  
Terms are net cash and  
payable on presentation.

FOR LABOR AND SERVICES FURNISHED ON

Open Steel Structure  
4909 Griggs Road "F"

WASTEWATER CAPACITY RESERVATION LETTER PROCESS:

WASTEWATER CAPACITY RESERVATION LETTER FILING FEE:

WATER/WASTEWATER IMPACT FEES:

NEW WATER METER FEES:

DEVELOPMENT SITE PLAN REVIEW PROCESS

DEVELOPMENT SITE PLAN REVIEW FILING FEE

BUILDING PERMIT PROCESS:

BUILDING PERMIT FEE:

PLAN ~~EXPRESS~~ <sup>CHECK</sup> FEE:

HARRIS COUNTY HEALTH DEPARTMENT APPROVAL:

HARRIS COUNTY FLOOD CONTROL APPROVAL:

HARRIS COUNTY ENGINEERS APPROVAL:

USE OF SIDEWALK/DRIVEWAY BOND:

TXDOT APPROVAL:

LOST PLAN RECHECK/DUPLICATE JOB CARD/REINSPECTION FEE:

TIME EXPENDED:

MILEAGE ~~SHIPPING~~ /L-D TELEPHONE/REPRODUCTION:

MISCELLANEOUS CHARGES:

AMOUNT DUE THIS INVOICE:

\$

\$

\$

\$

\$

\$

\$

\$ 1,125.00

\$ 312.38

\$

\$

\$

\$

\$

\$

\$

\$ 14.35

\$

\$ 1,451.73

POSTED  
7-18-08

Thank  
you!

ORIGINAL

EPAHO055002453

# City of Houston Department of Planning & Development Code Enforcement

Applicant, by the making execution and submitting of application to the Planning & Development Department of the City of Houston, Texas represents and warrants that the proposed construction described in said application is not in violation of or contrary to any deed restriction or covenant running with the land relating to the addition or subdivision, if any, in which the herein described lot, tract or parcel of land is situated.

The applicant further represents and warrants to the City of Houston, Texas and to the property owners lying and situated within the addition or subdivision in which the herein tract of land is situated, that such application, and the erection of the herein described construction and the eventual use thereof will not be used for any purpose which is prohibited by the deed restrictions or covenants running with the land within such subdivision or addition.

Applicant accepts this building permit subject to the foregoing representation and warranties and agrees that if such construction or use be in violation of any deed restrictions or covenants running with the land that such building permit shall automatically become void and of no effect without the necessity of any action on the part of the City of Houston, Texas or any property owner.

Date <b>18-MAR-2008</b>				Receipt No. <b>4091410</b>		Proj. Type <b>NEW</b>	
Occupant <b>*CES ENVIRONMENTAL SERVICES INC</b>						Sprinklers %      Type	
Address <b>4904 GRIGGS RD</b>						Specs <b>046-122-000-0095</b>	
City <b>HOUSTON</b>	Zip Code <b>77021</b>	County <b>HARRIS</b>	Bldgs <b>01</b>	Units <b></b>	Story <b>1</b>	Occ. Gp <b>5 B B</b>	Zone <b></b>
Applicant <b>*ALL TEXAS PERMITS</b>						Lic. No. <b>2817527800</b>	
Use <b>OPEN STEEL SUPPORT STRUCTURE 2003 IBC</b>							


**\*\*PLAN CHECK FEE**

**CHECK # 17801**

**\$312.38**

This Plan-Check Deposit is based on the following preliminary fee calculations

Project#	Description	Source Permit	Deposit
08020913	OPEN STEEL SUPPORT STRUCTURE 2003 IBC	BUILDING PMT	302.38
	-----	Processing FEE	10.00



## PERMIT and FEES POST PERMIT ON JOB LOCATION

### FOR REINSPECTION CALL:

Building Inspections	713-535-7800
Electrical Inspections	713-535-7600
Boiler A/C Inspections	713-535-7755
Mobil Homes	713-535-7648
Sign Administration	713-535-7900

Occupancy Inspection	713-535-7730
Occupancy Records	713-535-7748
Plumbing Inspection	713-535-7700
Plan Review	713-535-7500
Interactive Voice System	713-525-7000

Any structural work authorized by this permit is issued based on an affidavit stating that the work above does not violate any applicable deed restrictions, or supercede any orders issued by the D. B. Hearing Office.

EPAHO055002454

# ALL-TEX Safety Supplies, Inc.

P.O. Box 680375, Houston, Texas 77268

Phone: (281) 893-5750 • Fax: (281) 379-1399

9-2-08  
C/C

**PAID**

B  
I  
L  
L  
T  
O

*CBS Environmental*

S  
H  
I  
P  
T  
O

AC PAY: PHONE # \_\_\_\_\_  
FAX # \_\_\_\_\_

CC # \_\_\_\_\_  
EXP DATE \_\_\_\_\_

**"YOUR SAFETY Is Our ONLY Business"**

DATE	P.O. NO.	TERMS	REPRESENTATIVE	INVOICE: 026215					
8-18-08		10030							
Qty	Item No.	Item	Unit Cost	Amount	Qty	Item No.	Item	Unit Cost	Amount
Bandage - Dressing					Antiseptic				
11	BOX	Band-aids, Woven, 1 x 3"	50	100	3.75				
		Band-aids, Woven, 3/4 x 3"	50	100					
		Shear Strips, 3/4 x 3"	50	100					
		Shear Strips, 1 x 3"	50	100					
		Mini Strips, 7/8 x 1 1/2 Woven/50							
		Fingertip/Reg./Woven/40							
11	BOX	Fingertip/Lg/Woven/25	4.70	9.50					
1	BOX	Knuckle Band-aids, Woven/40		4.50					
11	BOX	Butterfly Bandages S / M / L	8.95	26.85	11	BOX	Antiseptic Wipes/20's	3.75	7.50
1	BOX	Large Patch/Woven/2 x 3		5.50					
11	BOX	Roller Bandage/Sterile 1" 2" 3" 4"	1.60	9.60					
11	BOX	Gauze Pads/Sterile 2x2 / 3x3 / 4x4							
		Triangular Bandage/Sterile							
		Compress Bandage/Sterile							
		Bloodstopper Trauma Bandage							
11	EA	Coflex Bandage 1" 2" 3" 4"	4.30	21.50					
		Elastic Wrap 1" 2" 3" 4"							
Pain Relievers					Burn Dressing Kit				
1	BOX	Aspirin Tabs 100 (250)		9.95					
		Buffered Aspirin 100 250							
		Painstoppers 100 250							
		Cedaprin/Ibuprofen 100 250							
1	BOX	Back Relief 100 (250)		17.95					
		FernRelief 100 250							
		FernRelief - Aspirin Free 250							
		Corafed 100 250							
1	EA	Corafed Plus 100 (250)		18.95					
1	BOX	Tylenol ES / Sinus large		19.95					
		Aypenal (Non-Asp) 100 250							
		Aypenal Ex. St. 100 250							
1	BOX	Miralac (Antacid) 100 (250)		12.50					
1	BOX	Throat Relief Lozengers (100)		14.25					
1	BOX	Cough Drops 50 (100)		9.60					
11	BOX	Electrolite Tablets 100 (250)	6.70	13.40					
		Turns / Rotalside							
		Advil/200 mg. / Cold & Sinus							
		Zantac 75 / Tagament							
		BC Powder							
		Immodium AD large							
1	BOX	Pepto / Maalox Pepacid comb.		21.50					
		Alka Seltzer / Sinus							
		Corasinal 100 250							
5 Shelf w/Liner					Eye Magnet with Loop				
4 Shelf w/Liner					Scissors, Bandage				
3 Shelf w/Liner					Tweezers, 3" Sharp Point				
2 Shelf w/Liner					Tweezers with Magnifier				
Truck Kit / Steel / Lg					Splinter Out Kit/10 Units				
Truck Kit / Steel / Med									
Truck Kit / Plastic / H									
Truck Kit / Plastic / S									
Major Medical Kit #2									
Refill Kit									

ATTN: ACCOUNTS PAYABLE

**PLEASE PAY FROM  
THIS INVOICE  
Thank You**

Safety Sub-Total 379.05  
% Tax 0.00  
1st Aid Total 379.05  
**TOTAL 379.05**

RECEIVED BY \_\_\_\_\_

EPAHO055002455

# Order Request Form

**P.O. Number:**

Date:

**Vendor:**

**Contact:****Phone:**

**Item #**

### Description

**Quantity**

Cost \$

## Safety Cabinet Supplies

1

\$379.05

**Submitted By:**

**Approved By:**

**Office Use Only**

**Internal Expense:**

# Classes

CS

FS

Trans

SGA

**MRI**

DRM

DK

**Job Expense:**

## What Job?

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# ALL-TEX Safety Supplies, Inc.

P.O. Box 680375, Houston, Texas 77268

Phone: (281) 893-5750 • Fax: (281) 379-1399

pd c/c  
8/13

B  
I  
L  
L  
T  
O

CES Environmental

S  
H  
I  
P  
T  
O

374955

AC PAY: PHONE #  
FAX #

CC #  
EXP DATE

"YOUR SAFETY Is Our ONLY Business"

DATE	P.O. NO.	TERMS	REPRESENTATIVE	INVOICE: 026097					
5-13-08		N/30							
Qty	Item No.	Item	Unit Cost	Amount	Qty	Item No.	Item	Unit Cost	Amount
Bandages/Dressings					Antiseptics & Ointments				
11	Box	Band-aids, Woven, 1 x 3" 50 100	3.75	7.50			Alcohol, Liquid 70%		
		Band-aids, Woven, 3/4 x 3" 50 100			11	Box	Alcohol Prep/50's	3.75	7.50
		Shear Strips, 3/4 x 3" 50 100			1	Box	Antiseptic Wipes/20's		3.75
1	Box	Shear Strips, 1 x 3" 50 100		3.75			Hydrogen Peroxide S / L		
		Mini Strips, 7/8 x 1 1/2 Woven/50					Blood Clotter Spray, 3 oz.		
1	Box	Fingertip/Reg./Woven/40		4.70			Cold Spray, 3 oz.		
11	Box	Fingertip/Lg/Woven/25	4.70	14.10	11	EA	Antiseptic Spray, 3 oz.	5.95	11.90
1	Box	Knickle Band-aids, Woven/40		4.50	11	EA	Burn Spray, 3 oz.	5.95	23.80
		Butterfly Bandages S / M / L		11.90			Bandage Spray, 3 oz.		11.90
11	Box	Large Patch/Woven/2 x 3	5.50	16.50			SBS/Antibacterial Towellettes / Paws		
11	EA	Roller Bandage/Sterile 1" 2" 3" 4"	1.60	3.20	11	Box	Triple Antibiotic Ointment	5.25	15.75
1	Box	Gauze Pads/Sterile 2x2x3/4x4		3.30	1	Box	First Aid Ointment		5.25
		Triangular Bandage/Sterile			1	Box	Hydrocortisone Ointment	5.25	10.50
		Compress Bandage/Sterile					Burn Ointment		
11	EA	Bloodstopper Trauma Bandage	5.50	11.00	Tapes & Adhesives				
11	EA	Coflex Bandage 1" 2" 3" 4"	4.30	12.90			Elastic Tape 1/2" 3/4" 1"		
		Elastic Wrap 1" 2" 3" 4"			1	EA	Tri-Cut Tape - 1/4, 1/2, 1"	3.95	7.90
First Aid/First Aiders							Roller Cotton/Box 1/2 oz. 1 oz.		
		Aspirin Tabs 100 250					Industrial Eye Drops		
		Buffered Aspirin 100 250			11	EA	Eye Wash / 4oz. / 8oz. / 16oz. / 32oz.	2.40	9.60
		Painstoppers 100 250					Refresh Small Large		
		Cedaprin/Ibuprofen 100 250							
		Back Relief 100 250							
		FemRelief 100 250							
		FemRelief - Aspirin Free 250							
		Corafed 100 250							
		Corafed Plus 100 250							
		Tylenol ES / Sinus							
		Aypanel (Non-Asp) 100 250							
		Aypanel Ex. St. 100 250							
		Miralac (Antacid) 100 250							
		Throat Relief Lozengers 100							
		Cough Drops 50 100							
		Electrolite Tablets 100 250							
		Turns / Roloids							
		Advil/200 mg. / Cold & Sinus							
		Zantac 75 / Tagament							
		BC Powder							
		Immodium AD							
		Pepto / Maalox							
		Alka Seltzer / Sinus							
		Corasinal 100 250							
Kids					Safety & Protection				
		5 Shelf w/Liner					Lens Clean Wipes / 100's		
		4 Shelf w/Liner					Lens Clean Station / Single / Dual		
		3 Shelf w/Liner			11	EA	Tyveks/Case S M L XL Other:		
		2 Shelf w/Liner					Nomex/Endura - Specify Sizes:		
		Truck Kit / Steel / Lg					Safety Glasses / Side Shields / Cords		
		Truck Kit / Steel / Med					Rainwear: Duster / Rider / Other		
		Truck Kit / Plastic / H					Ear Plugs / Muffs / Radio Cont.		
		Truck Kit / Plastic / S					Back Support Belts S M L XL Other:		
		Major Medical Kit #2					Goggles Chemical / Impact		
		Refill Kit					Signs -Type:		
							Fire Extinguishers 2.5lb. / 5lb. / 10lb. / 20lb.		
							Gloves: Drivers / PVC / Leather / Welders		
							Cotton Tip Applicators / Vial		
							Hard Hat 4 Pt. / 6 Pt. / Ratchet		
							Gatorade Cans 1gal. / 2.5gal. / 6gal.		
							Face Shield Headgear / Shield Lens		
							Harnesses/Lanyards:		
							Eye Wash Station / Drench Shower		
							Combination Unit/Shower-Eye Wash Comp.		
							Eye Wash Station - Gravity 16 Gal. Unit		
							Ice Pack Small Large	2.00	4.00
							Hand Moisturizer/Eye Cups		
							CPR/PAM Microshield / Life Mask		
							Bloodborne Pathogen Kit		
							Latex Gloves / 100 S M L XL		
							Nitrile S M L XL		
							Vest / Aprons		
First Aid/First Aiders					Instruments				
							Eye Magnet with Loop		
11	Box	Burn Free 6 Pk. 24 Pk.	4.95	14.85	1	EA	Scissors, Bandage		2.95
1	EA	Burn Free (4x4) 8x8 16x24		5.40			Tweezers, 3" Sharp Point		2.95
		Burn Kit / Foile					Tweezers with Magnifier		
		Blistex / Kanka					Roller Cotton/Box 1/2 oz. 1 oz.		
1	Box	Biofreeze		2.95					

RECEIVED BY

ATTN: ACCOUNTS PAYABLE  
PLEASE PAY FROM  
THIS INVOICE  
Thank You

Safety Sub-Total 9.90  
% Tax 2.82  
1st Aid Total 212.50  
TOTAL 225.22

EPAHO055002457

**All-Tex Safety Supplies, Inc.**

P.O. Box 680375  
Houston, TX 77268

Phone Number: 281-893-5750

Fax Number: 281-379-1399

Email: ALLTEXSAFETY1@AOL.COM

**FAX TRANSMITTAL FORM**

Company: CES  
Attn: Erin  
Phone:  
Fax: 713-676-1676

From: Audrey Feick  
Date: 8/13/2008  
Number of Pages: 1

**Message:**

Thank you for you payment.

ALL TEX SAFETY SUPPLIES  
1304 NOTARY LN  
HUMBLE, TX 77338

TIME 6:15 PM DATE 08/13/08  
TERM 0073617 MEN 0004512157099  
TRAN TYPE SALE  
#4807073202236554  
CARD TYPE U15A  
EXP DATE 05/10 SER # 001  
BUS CODE H  
TICKET # 000000024  
AUTH CODE 00029770

TOTAL \$223.22

SIGN #026097

I AGREE TO PAY ABOVE TOTAL AMOUNT  
ACCORDING TO CARD ISSUER AGREEMENT

All-Tex Safety Supplies, Inc.

Date	Type	Reference
3/26/2008	Bill	025662

Original Amt.
151.81

6/13/2008	Discount	Check Amount

Payment
151.81
151.81

PAYMENT  
RECORD

CES Environmental S Medical Supplies

151.81



# ALL-TEX Safety Supplies, Inc.

P.O. Box 680375, Houston, Texas 77268

Phone: (281) 893-5750 • Fax: (281) 379-1399

B  
I  
L  
L  
T  
O

CES Environmental

S  
H  
I  
P  
T  
O

AC PAY: PHONE #  
FAX #

CC #  
EXP DATE

"YOUR SAFETY Is Our ONLY Business"

DATE		P.O. NO.		TERMS		REPRESENTATIVE		INVOICE: 025662	
3-18-08				Net 30					
Qty	Item No.	Item	Unit Cost	Amount	Qty	Item No.	Item	Unit Cost	Amount
<b>Bandage Dressing</b>									
1	Box	Bandage, Woven, 1 x 3"	50	100			Alcohol, Liquid 70%		
		Bandage, Woven, 3/4 x 3"	50	100			Alcohol Prep/50's	3.75	7.50
		Sheer Strips, 3/4 x 3"	50	100			Antiseptic Wipes/20's	3.75	7.50
1	Box	Sheer Strips, 1 x 3"	50	100			Hydrogen Peroxide S / L		
		Mini Strips, 7/8 x 1 1/2 Woven/50					Blood Clotter Spray, 3 oz.		9.40
		Fingertip/Reg./Woven/40					Cold Spray, 3 oz.		
1	Box	Fingertip/Lg/Woven/25	4.70	9.40			Antiseptic Spray, 3 oz.	5.95	17.85
		Knuckle Bandage, Woven/40					Burn Spray, 3 oz.		
		Butterfly Bandage S / M / L					Bandage Spray, 3 oz.		
1	Box	Large Patch/Woven/2 x 3		5.50			SBS/Antibacterial Towellettes / Paws		
1	Box	Roller Bandage/Sterile 1" 2" 3" 4"	1.60	6.40			Triple Antibiotic Ointment	5.25	10.50
1	Box	Gauze Pad/Sterile 2x2 (4x4)	3.30	6.60			First Aid Ointment		
		Triangular Bandage/Sterile					Hydrocortisone Ointment		
		Compress Bandage/Sterile					Burn Ointment		
		Bloodstopper Trauma Bandage							
1	Box	Colfax Bandage 1" 2" 3" 4"	4.30	8.60			Elastic Tape 1/2" 3/4" 1"		
		Elastic Wrap 1" 2" 3" 4"					Tri-Cut Tape - 1/4, 1/2, 1"		3.95
<b>First Aid Remedies</b>									
		Aspirin Tabs 100 250					Roller Cotton/Box 1/2 oz. 1 oz.		
		Buffered Aspirin 100 250					Industrial Eye Drops		
		Painstoppers 100 250					Eye Wash / 4oz. / 8oz. / 16oz. / 32oz.	2.40	4.80
		Cedaprin/Ibuprofen 100 250					Refresh Small Large		
		Back Relief 100 250							
		FernRelief 100 250							
		FernRelief - Aspirin Free 250							
		Corafed 100 250							
		Corafed Plus 100 250							
		Tylenol ES / Sinus							
1	Box	Aypenal (Non-Asp) 100 250							
		Aypenal Ex. St. 100 (250)		13.50					
		Miralax (Antacid) 100 250							
1	Box	Throat Relief Lozengers (100)		14.25					
		Cough Drops 50 100							
		Electrolite Tablets 100 250							
		Turns / Rotoids							
		Advil/200 mg. / Cold & Sinus							
		Zantac 75 / Tagament							
		BC Powder							
		Immodium AD							
		Pepto / Maalox							
		Alka Seltzer / Sinus							
		Corasinal 100 250							
<b>First Aid Kits</b>									
		5 Shelf w/Liner							
		4 Shelf w/Liner							
		3 Shelf w/Liner							
		2 Shelf w/Liner							
		Truck Kit / Steel / Lg							
		Truck Kit / Steel / Med							
		Truck Kit / Plastic / H							
		Truck Kit / Plastic / S							
		Major Medical Kit #2							
		Refill Kit							
<b>First Aid Kits</b>									
1	Box	Burn Free (5 Pk) 24 Pk.		2.95					
1	Box	Burn Free (4 x 4) 8 x 8 16 x 24	5.40	10.80					
		Burn Kit / First							
		Blistex / Kanka							
		Biofreeze							
<b>First Aid Kits</b>									
		Eye Magnet with Loop							
		Scissors, Bandage							
		Tweezers, 3" Sharp Point							
		Tweezers with Magnifier							
		Splinter Out Kit/10 Units							

ATTN: ACCOUNTS PAYABLE

PLEASE PAY FROM  
THIS INVOICE

Thank You

Safety Sub-Total 2.60

% Tax .21

1st Aid Total 149.00

TOTAL 151.81

EPAHO055002460

# Order Request Form

P.O. Number: 374539

Date: 3-26-04

Vendor: All-Tex Safety Supplies, Inc

Contact: BRUCE

Phone: 281-893-5750

[illegible]

Submitted By: Rakhee Thakur

Approved By: \_\_\_\_\_

**Office Use Only**

**Internal Expense:**

Classes

CS

FS

Trans

✓ SGA

**MRI**

DRM

DS

**Job Expense:**

**What Job?** \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

## All-Tex Safety Supplies, Inc.

Date	Type	Reference	Original Amt.	Balance Due	4/16/2008 Discount	Payment
2/21/2008	Bill	25557	167.35	167.35		167.35
2/21/2008	Bill	25674	150.77	150.77		150.77
				Check Amount		318.12

PAYMENT  
RECORD

CES Environmental S

318.12

**Phone: (281) 893-5750 • Fax: (281) 379-1399**

SHIP  
TO

CC # \_\_\_\_\_

**EXP DATE** \_\_\_\_\_

**"YOUR SAFETY Is Our ONLY Business"**

DATE		P.O. NO.		TERMS		REPRESENTATIVE		INVOICE: 025557	
Qty	Item No.	Item	Unit Cost	Amount	Qty	Item No.	Item	Unit Cost	Amount
1	Box	Bandaids, Woven, 1 x 3" 50 100		3.75	1	Box	Alcohol, Liquid 70%		
		Bandaids, Woven, 3/4 x 3" 50 100			1	Box	Alcohol Prep/50's		3.75
		Sheer Strips, 3/4 x 3" 50 100			1	Box	Antiseptic Wipes/20's		3.75
		Sheer Strips, 1 x 3" 50 100					Hydrogen Peroxide 8 / L		
		Mini Strips, 7/8 x 1 1/2 Woven/50			1	Box	Blood Clotter Spray, 3 oz.		9.40
1	Box	Fingertip/Reg./Woven/40		4.70			Cold Spray, 3 oz.		
1	Box	Fingertip/Lg/Woven/25		4.70			Antiseptic Spray, 3 oz.		
1	Box	Knuckle Bandaids, Woven/40		4.50			Burn Spray, 3 oz.		
		Butterfly Bandages S / M / L			1	Box	Bandage Spray, 3 oz.		5.95
11	Box	Large Patch/Woven/2 x 3	5.50	11.00			SBS/Antibacterial Towelettes / Paws		
		Roller Bandage/Sterile 1" 2" 3" 4"			11	Box	Triple Antibiotic Ointment	5.25	16.50
		Gauze Pads/Sterile 2x2 / 3x3 / 4x4			1	Box	First Aid Ointment		5.25
		Triangular Bandage/Sterile			11	Box	Hydrocortisone Ointment	5.25	10.50
		Compress Bandage/Sterile					Burn Ointment		
1	Box	Bloodstopper Trauma Bandage		5.50					
		Cotlex Bandage 1" 2" 3" 4"					Elastic Tape 1/2" 3/4" 1"		
		Elastic Wrap 1" 2" 3" 4"					Tri-Cut Tape - 1/4, 1/2, 1"		
							Roller Cotton/Box 1/2 oz. 1 oz.		
		Aspirin Tabs 100 250					Industrial Eye Drops		
		Buffered Aspirin 100 250			111	Box	Eye Wash / 4oz. / 8oz. / 16oz. / 32oz.	2.40	9.60
1	Box	Painstoppers KS 100 (250)		18.95			Refresh Small Large		
1	Box	Cedaprin/Ibuprofen 100 (250)		18.20					
		Back Relief 100 250							
		FernRelief 100 250							
		FernRelief - Aspirin Free 250							
1	Box	Coraid 100 (250)		17.95					
		Coraid Plus 100 250							
		Tylenol ES / Sinus							
		Aypasal (Non-Asp) 100 250							
		Aypasal Ex. St. 100 250							
		Miralac (Antacid) 100 250							
		Throat Relief Lozangers 100							
		Cough Drops 50 100							
		Electrolite Tablets 100 250							
		Tums / Rolaids							
		Advil/200 mg. / Cold & Sinus							
		Zantac 75 / Tagement							
		BC Powder			11	Vial	Cotton Tip Applicators / Vial	2.60	5.20
		Immodium AD					Hard Hat 4 Pl. / 6 Pl. / Ratchet		
		Pepto / Maalox					Gatorade Cans 1gal. / 2.5gal. / 6gal.		
		Alka Seltzer / Sinus					Face Shield Headgear / Shield Lens		
		Corasinal 100 250					Harnesses/Lanyards:		
							Eye Wash Station / Drench Shower		
		5 Shelf w/Liner					Combination Unit/Shower-Eye Wash Comp.		
		4 Shelf w/Liner					Eye Wash Station - Gravity 16 Gal. Unit		
		3 Shelf w/Liner					Ice Pack Small Large		
		2 Shelf w/Liner			11	Vial	Hand Moisturizer/Eye Cups	2.60	5.20
		Truck Kit / Steel / Lg					CPR/PAM Microshield / Life Mask		
		Truck Kit / Steel / Med					Bloodborne Pathogen Kit		
		Truck Kit / Plastic / H							

Safety Sub-Total	13.35
% Tax	1.10
1st Aid Total	152.90
TOTAL	167.35

EPAHQ055002463

# Order Request Form

P.O. Number: 374298

Date: 1-4-08

Vendor: All-TEX Safety Supplies

**Contact:**

Phone: 281-893-5750 Fax 281-379-1399

**Item #**

### Description

**Quantity**

**Cost \$**

Medical Supplies

**Submitted By:**

**Approved By:**

### Office Use Only

**Internal Expense:**

Classes

CS

FS

Trans

SGA

MIR

DRM

204

— D.S.

**Job Expense:**

## What Job?

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

EPAHQ055002464

**Phone: (281) 893-5750 • Fax: (281) 379-1399**

CC # \_\_\_\_\_  
EXP DATE \_\_\_\_\_

**EXP DATE** \_\_\_\_\_

# POSTED

FPAHO055002465

RECEIVED BY

# Order Request Form

P.O. Number: 374290

Date: 2-14-08

Vendor: ALL-TEX Safety Supplies

**Contact:****Phone:**

281-893-5750 FAX 281-379-1399

**Item #**

### Description

**Quantity**

**Cost \$**

## Medical Supplies

**Submitted By:**

**Approved By:**

880-  
SGA

# 150.77

### Office Use Only

**Internal Expense:**

Classes

**Job Expense:**

## What Job?

CS

FS

Trans

SGA

## MRI

# DRM

DE

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# ALLIANCE

GRAPHICS | PRINTING

5225 Hollister Road  
Houston, TX 77040  
713.688.2688  
Fax 713.688.2895  
www.alliancegraphics.cc

# INVOICE

Sold To

CES

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021

**PAID**

JUL 11 2008

9-18-08  
clc

Date	07/08/08
Number	104828
Your P.O.	375342
Ship Date	07/01/08 115331
Carrier	FedEx Ground
Rep	Steve Wright
Terms	Net 30 Days

Quantity	Unit	Item	Description	Unit Price	Extension
5	M		MPF Labels Reorder Lot of 5000	71.00	355.00
<p><b>PAID</b></p> <p>8-3 6-78 DSP</p>					
Deliver To				SUB TOTAL	355.00
CES				SALES TAX	30.77
				SHIPPING	17.91
				<b>TOTAL DUE</b>	403.68

\*\*\*All major credit cards accepted.\*\*\*

Credit Card Requirements: \$50.00 Min - 4% fee will be added to Credit Card payments on past due invoices.  
A Finance Charge of 1.5% per month (18% APR) will be assessed on unpaid balances beyond established terms.

EPAHO055002467



Received

PACKING SLIP  
ALLIANCE GRAPHICS  
5225 HOLLISTER ROAD  
HOUSTON, TX 77040-  
PO#:115331

7-8-08  
GRP

CA

lif Rev:1

PO#: 375342  
To: ATTN: GARY PETERSON  
1 CES ENVIRONMENTAL SERVICES  
4904 GRIGGS RD.  
HOUSTON, TX 77021

Order# :4618688  
Date Shipped :07/01/08

DEDUCTIBLE

ORDERED

SHIPPED DESCRIPTION

5,000

5,000 2 X 3 CES ENVIRONMENTAL SERVICES, INC. GENERATOR:

WITH BLACK INK ON WH SMPR LTH-50

CA

Rev:1

DEDUCTIBLE

OR:

Rev:1

DEDUCTIBLE

CARTON INFORMATION:

PS: 1

OR:

EPAHO055002468

# Purchase Order Request Form

**P.O. Number:****Date:**

**Vendor:**

**Contact:**

**Phone:****Item #**

### Description

Quantity

### Cost

**Submitted By:**

**Approved By:**

**For Office Use Only**

**Internal Expense:**

- \_\_\_\_\_ CS
- \_\_\_\_\_ FS
- \_\_\_\_\_ Trans
- \_\_\_\_\_ SGA
- \_\_\_\_\_ MRI
- \_\_\_\_\_ DRM
- ☒ DSP

**Job Expense:**

## What Job?

**Give Vendor Re-Sale Certificate**

       Vendor to Charge Sales Tax

Alliance Graphic & Printing			8/6/2008			
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
5/29/2008	Bill	102970	363.95	363.95		363.95
6/9/2008	Bill	103537	295.98	295.98		295.98
				Check Amount		659.93

PAYMENT  
RECORD

CES Environmental S

659.93

# ALLIANCE

GRAPHICS | PRINTING


5225 Hollister Road  
Houston, TX 77040  
713.688.2688  
Fax 713.688.2895  
www.alliancegraphics.cc

# INVOICE

Sold To

CES

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021



**POSTED**

Date	05/22/08	
Number	102970	
Your P.O.	374931	
Ship Date	05/19/08	113111
Carrier	UPS Ground	
Rep	Steve Wright	
Terms	Net 30 Days	

Quantity	Unit	Item	Description	Unit Price	Extension
1	Lt		Truck Checklist Pads Lot of 500 sheets, 50/pad	190.00	190.00
1	Lt		Trailer Checklist Pads Lot of 500 sheets/50 pads	134.00	134.00
Deliver To				SUB TOTAL	324.00
CES				SALES TAX	27.74
				SHIPPING	12.21
				<b>TOTAL DUE</b>	<b>363.95</b>

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021

\*\*\*All major credit cards accepted.\*\*\*

Credit Card Requirements: \$50.00 Min - 4% fee will be added to Credit Card payments on past due invoices.  
A Finance Charge of 1.5% per month (18% APR) will be assessed on unpaid balances beyond established terms.

EPAHO055002471

# Order Request Form

P.O. Number: 374931

Date: 5/3/08

Vendor: Alliance Graphics + Printing

Contact: Steve Wright

Phone: 832.202.5360

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
<u>1</u>	<u>PM Check List</u>	<u>1</u>	<u>\$389.5</u>

Submitted By: [Signature]

Approved By: [Signature]

## Office Use Only

Internal Expense:

Job Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM

What Job? \_\_\_\_\_

☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

# ALLIANCE

GRAPHICS | PRINTING


5225 Hollister Road  
Houston, TX 77040  
713.688.2688  
Fax 713.688.2895  
www.alliancegraphics.cc

# INVOICE

Sold To

CES

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021



Date	06/04/08
Number	103537
Your P.O.	374931
Ship Date	05/22/08 113399
Carrier	UPS Ground
Rep	Steve Wright
Terms	Net 30 Days

Quantity	Unit	Item	Description	Unit Price	Extension
131			Truck And Trailer Number Decal	1.99	260.69
POSTED					

Deliver To

CES

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021

SUB TOTAL	260.69
SALES TAX	22.56
SHIPPING	12.73
<b>TOTAL DUE</b>	<b>295.98</b>

\*\*\*All major credit cards accepted.\*\*\*

Credit Card Requirements: \$50.00 Min - 4% fee will be added to Credit Card payments on past due invoices.  
A Finance Charge of 1.5% per month (18% APR) will be assessed on unpaid balances beyond established terms.

EPAHO055002473

# Order Request Form

P.O. Number: 374931

Date: 5/4/08

Vendor: Alliance Graphics + Printing

Contact: Steve Wright

Phone: 832 202 5360

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
<u>1</u>	<u>PM check List</u>	<u>1</u>	<u>\$389.-</u>

Submitted By: [Signature]

Approved By: [Signature]

## Office Use Only

Internal Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM

Job Expense:

What Job? \_\_\_\_\_

☒ Give Vendor <sup>Exempt</sup> Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

INTERNAL ACCRUAL: \_\_\_\_\_

(Description)

Alliance Graphic & Printing				7/25/2008		
Date	Type	Reference	Original Amt:	Balance Due	Discount	Payment
4/23/2008	Bill	101419	167.69	167.69		167.69
5/21/2008	Bill	102302	430.61	430.61		430.61
				Check Amount		598.30

CES Environmental S

598.30

560632 (1/08)



# ALLIANCE

GRAPHICS | PRINTING

5225 Hollister Road  
Houston, TX 77040  
713.688.2688  
Fax 713.688.2895  
www.alliancegraphics.cc

# INVOICE

Date 04/15/08

Number 101419

Your P.O. 374586

Ship Date 04/07/08 111534

Carrier FedEx Ground

Rep Steve Wright

Terms Net 30 Days

Sold To

APR 18 2008

CES

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021

Quantity	Unit	Item	Description	Unit Price	Extension
1	Lt		MPF Label Reorder Lot of 2000	140.00	140.00
<b>POSTED</b> 4/23/07					
Deliver To				SUB TOTAL	140.00
CES				SALES TAX	12.78
				SHIPPING	14.91
				<b>TOTAL DUE</b>	167.69

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021

\*\*\*All major credit cards accepted.\*\*\*

Credit Card Requirements: \$50.00 Min - 4% fee will be added to Credit Card payments on past due invoices.  
A Finance Charge of 1.5% per month (18% APR) will be assessed on unpaid balances beyond established terms.

EPAHO055002476

# Order Request Form

P.O. Number: 374582

Date: 3/31/2008

**Vendor:**

**Contact:****Phone:**

**Item #**

### Description

**Quantity**

Cost \$

Lab Labels (500/roll)  
@\$35/roll

4

140

**Submitted By:**

**Approved By:**

main Processing faculty  
lab

**Internal Expense:**

Chas

CS

FS

Trans

SGA

# MRI

# DRM

DR

**Office Use Only**

**Job Expense:**

## What Job?

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# ALLIANCE

GRAPHICS | PRINTING

5225 Hollister Road  
Houston, TX 77040  
713.688.2688  
Fax 713.688.2895  
www.alliancegraphics.cc

# INVOICE

Sold To

CES

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021

MAY 07 2008

Date 05/02/08

Number 102302

Your P.O. 374807

Ship Date 04/28/08 112668

Carrier CPU

Rep Steve Wright

Terms Net 30 Days

Quantity	Unit	Item	Description	Unit Price	Extension
501			Company Flyer/Indigo First Run of 500  <b>POSTED</b>	0.794	397.79 863 DSP
Deliver To				SUB TOTAL	397.79
CES				SALES TAX	32.82
CES Environmental Services, Inc. Kelli Lofton 4904 Griggs Rd. Houston TX 77021				SHIPPING	0.00
				<b>TOTAL DUE</b>	<b>430.61</b>

\*\*\*All major credit cards accepted.\*\*\*

Credit Card Requirements: \$50.00 Min - 4% fee will be added to Credit Card payments on past due invoices.  
A Finance Charge of 1.5% per month (18% APR) will be assessed on unpaid balances beyond established terms.

EPAHO055002478

# Order Request Form

P.O. Number: 374807

Date: 4-25-08

Vendor: Alliance Graphics

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

[illegible]

Submitted By: \_\_\_\_\_

Submitted By: \_\_\_\_\_  
Approved By: Kuntor

## Office Use Only

**Internal Expense:**

## Classes

CS

FS

Trans

SGA

MRI

DRM

DSP

**Job Expense:**

**What Job?** \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# ALLIANCE

GRAPHICS | PRINTING

5225 Hollister Road  
Houston, TX 77040  
713.688.2688  
Fax 713.688.2895  
www.alliancegraphics.cc

# INVOICE

Sold To

CES

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021

RECEIVED

FEB 01 2008

BY: \_\_\_\_\_

Date 01/30/08

Number 98720

Your P.O. 374096

Ship Date 01/23/08 108530

Carrier Federal Express Grd

Rep Steve Wright

Terms Net 30 Days

Quantity	Unit	Item	Description	Unit Price	Extension
1	Lt		MPF Label Four rolls, 500 per roll	140.00	140.00
1	Lt		R & D Lab Labels Two rolls, 500 per roll	70.00	70.00
<div><div>PAID</div><div>CK. NO. <u>610</u> DATE <u>3/7/07</u></div></div>					
Deliver To  CES  CES Environmental Services, Inc. Kelli Lofton 4904 Griggs Rd. Houston TX 77021				SUB TOTAL	210.00
				SALES TAX	18.52
				SHIPPING	14.54
				<b>TOTAL DUE</b>	<b>243.06</b>

\*\*\*All major credit cards accepted.\*\*\*

Credit Card Requirements: \$50.00 Min - 4% fee will be added to Credit Card payments on past due invoices.  
A Finance Charge of 1.5% per month (18% APR) will be assessed on unpaid balances beyond established terms.

EPAHO055002480

# Order Request Form

**P.O. Number:**

**Date:**

**Vendor:**

**Contact:****Phone:**[illegible]

**Submitted By:**

Approved By: \_\_\_\_\_

678  
DSP

**Office Use Only**

**Internal Expense:**

Chas

CS

FS

Trans

SGA

MIRI

DRM

150

— D.S.

**Job Expense:**

**What Job?** \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

P A C K I N G   S L I P  
ALLIANCE GRAPHICS  
5225 HOLLISTER ROAD  
HOUSTON, TX 77040-  
PO#:108530

mva Rev.2

To: ATTN: KELLIE LOFTON  
1 CES ENVIRONMENTAL SERVICES  
4904 GRIGGS RD.  
HOUSTON, TX 77021

Order# :4571110  
Date Shipped :01/23/08

ORDERED	SHIPPED DESCRIPTION
1,000	1,000 2 X 3 CES ENVIRONMENTAL SERVICES, INC. #MPF GENERATOR: WITH BLACK INK ON WH SMPR LTH-50
1,000	1,000 2 X 3 CES ENVIRONMENTAL SERVICES, INC. R + D LAB SAMPLE WITH BLACK INK ON WH SMPR LTH-50

PO # 108530  
CUSTOMER ORDER # 374096

CARTON INFORMATION:

PS: 1

EPAHO055002482

DETAIL HISTORICAL AGED TRIAL BALANCE

Newpark Environmental Services LLC Co 35

Receivables Management

Page: 1  
User ID: dawn

Ranges:

Customer ID: 81015 - 81015  
Customer Class: First - Last  
Salesperson ID: First - Last  
Sales Territory: First - Last

User-Defined 1: First - Last  
Customer Name: First - Last  
Short Name: First - Last  
Posting Date: First - 1/25/2008

Account Type: All  
Aging Date: 1/25/2008

Customer: by Customer Name  
Document: by Document Date

Exclude: No Activity, Fully Paid Documents, Unposted Applied Credit Documents, Multicurrency Info

\* - Indicates an unposted credit document that has been applied.

Customer: 81015 Name: CES ENVIRONMENTAL SERVICES INC Account Type: Open Item  
User-Defined 1: TIN:76-0592985 Salesperson: Credit: Unlimited  
Contact: Kim-kharmon@cesenvironmental.com Territory:  
Phone: (713) 676-1460 Ext. 0000 Terms:

Document Number	Type	Date	Amount	0-30 Days	31 - 60 Days	61 - 90 Days	91 and Over
PYMNT000000009305	PMT	1/29/2007	(\$25,498.99)	(\$0.10)			
PYMNT000000009633	PMT	2/14/2007	(\$24,083.89)	(\$0.09)			
PYMNT000000009936	PMT	3/5/2007	(\$3,070.53)	(\$0.01)			
PYMNT000000010362	PMT	3/26/2007	(\$3,885.22)	(\$0.02)			
PYMNT000000010441	PMT	3/29/2007	(\$10,978.69)	(\$0.01)			
PYMNT000000011713	PMT	5/29/2007	(\$13,328.71)	(\$0.05)			
PYMNT000000012099	PMT	6/13/2007	(\$11,874.12)	(\$0.01)			
PYMNT000000013576	PMT	8/21/2007	(\$10,650.19)	(\$0.07)			
7508	SLS	9/30/2007	\$200.00				\$200.00
7650	SLS	11/16/2007	\$1,581.06			\$1,581.06	
7656	SLS	11/16/2007	\$920.00			\$920.00	
7666	SLS	11/16/2007	\$430.32			\$430.32	
7667	SLS	11/16/2007	\$268.62			\$268.62	
7668	SLS	11/16/2007	\$605.58			\$605.58	
7669	SLS	11/16/2007	\$364.08			\$364.08	
7673	SLS	11/16/2007	\$1,719.90			\$1,719.90	
7679	SLS	11/16/2007	\$1,232.51			\$1,232.51	
7686	SLS	11/16/2007	\$3,160.77			\$3,160.77	
7691	SLS	11/16/2007	\$393.52			\$393.52	
7696	SLS	11/16/2007	\$298.38			\$298.38	
7697	SLS	11/16/2007	\$1,827.54			\$1,827.54	
7699	SLS	11/16/2007	\$369.09			\$369.09	
7701	SLS	11/16/2007	\$1,132.96			\$1,132.96	
PYMNT000000015540	PMT	11/19/2007	(\$4,046.78)	(\$0.01)			
7717	SLS	11/30/2007	\$346.92		\$346.92		
7727	SLS	11/30/2007	\$575.96		\$575.96		
7729	SLS	11/30/2007	\$537.80		\$537.80		
7733	SLS	11/30/2007	\$7,811.95		\$7,811.95		
7739	SLS	11/30/2007	\$718.72		\$718.72		
7749	SLS	11/30/2007	\$2,103.37		\$2,103.37		
7766	SLS	11/30/2007	\$586.56		\$586.56		
7769	SLS	11/30/2007	\$830.40		\$830.40		

EPAHO055002483



Newpark Environmental Services LLC Co 35

User ID: dawn

PYMNT000000015839	PMT	12/3/2007	(\$338.78)	(\$0.02)	
7785	SLS	12/17/2007	\$451.53		\$451.53
7786	SLS	12/17/2007	\$250.00		\$250.00
7796	SLS	12/17/2007	\$287.76		\$287.76
7797	SLS	12/17/2007	\$392.32		\$392.32
7800	SLS	12/17/2007	\$6,397.63		\$6,397.63
7806	SLS	12/17/2007	\$593.31		\$593.31
7811	SLS	12/17/2007	\$4,056.11		\$4,056.11
7822	SLS	12/17/2007	\$1,489.59		\$1,489.59
7824	SLS	12/17/2007	\$290.40		\$290.40
7839	SLS	12/31/2007	\$335.86	\$335.86	
7848	SLS	12/31/2007	\$646.34	\$646.34	
7849	SLS	12/31/2007	\$891.12	\$891.12	
7853	SLS	12/31/2007	\$5,940.06	\$5,940.06	
7862	SLS	12/31/2007	\$3,579.04	\$3,579.04	
7871	SLS	12/31/2007	\$1,958.64	\$1,958.64	
7878	SLS	12/31/2007	\$500.00	\$500.00	
7889	SLS	1/17/2008	\$325.00	\$325.00	
7892	SLS	1/17/2008	\$310.80	\$310.80	
7900	SLS	1/17/2008	\$406.84	\$406.84	
7903	SLS	1/17/2008	\$9,661.60	\$9,661.60	
7909	SLS	1/17/2008	\$726.98	\$726.98	
7915	SLS	1/17/2008	\$4,832.19	\$4,832.19	
7927	SLS	1/17/2008	\$1,379.73	\$1,379.73	
7929	SLS	1/17/2008	\$532.48	\$532.48	
7932	SLS	1/17/2008	\$462.64	\$462.64	

<b>Totals:</b>	<b>\$32,488.93</b>	<b>\$27,720.33</b>	<b>\$14,304.33</b>	<b>\$200.00</b>
----------------	--------------------	--------------------	--------------------	-----------------

<b>Balance</b>	<b>\$74,713.59</b>
----------------	--------------------

<b>Grand Totals:</b>	<b>1</b>	<b>\$32,488.93</b>	<b>\$27,720.33</b>	<b>\$14,304.33</b>	<b>\$200.00</b>
----------------------	----------	--------------------	--------------------	--------------------	-----------------

<b>Balance</b>	<b>\$74,713.59</b>
----------------	--------------------

DATE: 04/08/08

Alliance Graphics

PAGE: 1

ORDER # 98720

ORDERED 04/08/08

TYPE: SALE KEYED

SHIPPED 04/09/08

AUTH CODE:

CUSTOMER # CES

## CUSTOMER ADDRESS

CES Environmental Services

Kelli Lofton

4904 Griggs Rd.

Houston, TX 77021

## PURCHASE ORDER

374096

CARD TYPE AND ACCOUNT

VISA PC XXXXXXXXXXXX36554

LN #	PRODUCT CODE	UNITS	QNTY ORDERED	PRICE EACH	EXT. PRICE
	DESCRIPTION		TAX AMT	DISCOUNT	ITEM TOTAL
0	NO LINE ITEMS				243.06
	NO LINE ITEM DETAIL FOR THIS ORDER				243.06
	TOTAL EXTENDED PRICE				243.06
	TOTAL TAX AMOUNT				0.00
	TOTAL DISCOUNT AMOUNT				0.00
	DUTY AMOUNT				0.00
	FREIGHT AMOUNT				0.00
	TOTAL ORDER AMOUNT				243.06

*Attn: Aisa*

Alliance Graphic & Printing				1/18/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
12/27/2007	Bill	97261	244.84	244.84		244.84
				Check Amount		244.84

CES Environmental S R&amp;D Lab Lables ,Sample Lables,MPF Lables

244.84

# ALLIANCE

GRAPHICS | PRINTING

5225 Hollister Road  
Houston, TX 77040  
713.688.2688  
Fax 713.688.2895  
www.alliancegraphics.cc

# INVOICE

Sold To

CES

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021



Date	12/17/07
Number	97261
Your P.O.	373798
Ship Date	12/07/07 106637
Carrier	Federal Express Grd
Rep	Steve Wright
Terms	Net 30 Days

Quantity	Unit	Item	Description	Unit Price	Extension
1	Lt		MPF Label Two rolls, 500 per roll	70.00	70.00
1	Lt		PRODUCT SAMPLE LABEL Two rolls, 500 per roll	70.00	70.00
1	Lt		R & D Lab Labels Two rolls, 500 per roll	70.00	70.00
Deliver To				SUB TOTAL	210.00
CES				SALES TAX	18.66
				SHIPPING	16.18
				<b>TOTAL DUE</b>	<b>244.84</b>

CES Environmental Services, Inc.  
Kelli Lofton  
4904 Griggs Rd.  
Houston TX 77021

DEC 21 2007

\*\*\*All major credit cards accepted.\*\*\*

Credit Card Requirements: \$50.00 Min - 4% fee will be added to Credit Card payments on past due invoices.  
A Finance Charge of 1.5% per month (18% APR) will be assessed on unpaid balances beyond established terms.

EPAHO055002487

## Order Request Form

**P.O. Number:**

Date:

**Vendor:**

**Contact:**

**Phone:**

Item #

### Description

Quantity

**Cost \$**

**Submitted By:**

**Approved By:**

**Office Use Only**

**Internal Expense:**

**Job Expense:**

## What Job?

CS

FS

Trans

SGA

## MRI

DRM

D.S.

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

Kelli Lofton

373798

**From:** Steve Wright [swright01@windstream.net]  
**Sent:** Monday, November 26, 2007 10:43 AM  
**To:** Kelli Lofton  
**Subject:** label quote revised

Kelli,

Your pricing for the printing of the three specified labels is as follows:

MPF LABELS: 2" x 3" Flexo #20, permanent adhesive, round corners, black ink, 500 per roll,  
two rolls (1000 labels) = \$70 PRODUCT SAMPLE LABELS: Same specs as above, different artwork,  
500 per roll, two rolls (1000 labels) = \$70  
R & D LAB LABELS: Same specs as above, different artwork, 500 per roll,  
two rolls (1000 labels) = \$70

Artwork setup for all three labels (from customer supplied logo and text) = \$30


Total = \$240

We have setup a net 30 account for you or you can even pay with a credit card if you desire.  
Either way, your purchase order will be referenced.

Thank you,

Steve Wright  
Alliance Graphics & Printing  
5225 Hollister St.  
Houston, TX 77040  
832.202.5360 Voice  
713.688.2895 Fax  
[www.alliancegrp.net](http://www.alliancegrp.net)

DSP



Promotional Alliance, Inc. / Adventures in Advertising  
5225 Hollister Rd.  
Houston, TX 77040  
[www.promoalliance.net](http://www.promoalliance.net)

View Our 2007 Promotional Products Catalog - ONLINE!!!  
<http://www.pmcatalog.com/AdventuresInAdvertising/>

P A C K I N G   S L I P  
ALLIANCE GRAPHICS  
5225 HOLLISTER ROAD  
HOUSTON, TX 77040-  
PO#:106637

hga Rev.1

PO#: 373798  
To: ATTN: KELLIE LOFTON  
1 CES ENVIRONMENTAL SERVICES  
4904 GRIGGS RD.  
HOUSTON, TX 77021

Order# :4557586  
Date Shipped :12/07/07

*Received  
KLM*

ORDERED	SHIPPED DESCRIPTION
1,000	1,000 2 X 3 CES ENVIRONMENTAL SERVICES, INC. GENERATOR: _____ WITH BLACK INK ON WH SMPR LTH-50
1,000	1,000 2 X 3 CES ENVIRONMENTAL SERVICES, INC. SAMPLE ID #: _____ WITH BLACK INK ON WH SMPR LTH-50
1,000	1,000 2 X 3 CES ENVIRONMENTAL SERVICES, INC. SALES SAMPLE SA WITH BLACK INK ON WH SMPR LTH-50

CARTON INFORMATION:

PS: 1

EPAHO055002490

Alliance Pathology Consultant				8/1/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
7/23/2008	Bill	Provider #1467435958	40.00	40.00		40.00
				Check Amount		40.00

CES Environmental S Patient: Nathan Juarez DOB: 02/25/1986 Date:

40.00



4904  
00030

1500

CES ENVIRONMENTAL  
4904 GRIGGS RD  
HOUSTON TX 77021

JUL 23 2008

## HEALTH INSURANCE CLAIM FORM

APPROVED BY NATIONAL UNIFORM CLAIM COMMITTEE 08/05

PICA 09 01 113600082

-1W 0 1

PICA

1. MEDICARE <input type="checkbox"/> (Medicare #)		MEDICAID <input type="checkbox"/> (Medicaid #)		TRICARE <input type="checkbox"/> (Sponsor's SSN)		CHAMPVA <input type="checkbox"/> (Member ID#)		GROUP HEALTH PLAN <input type="checkbox"/> (SSN or ID)		FECA BLK LUNG <input type="checkbox"/> (SSN)		OTHER <input checked="" type="checkbox"/> (ID)		1a. INSURED'S I.D. NUMBER (For Program in Item 1)					
												450877678							
2. PATIENT'S NAME (Last Name, First Name, Middle Initial) JUAREZ, NATHAN								3. PATIENT'S BIRTH DATE MM DD YY 02/25/1986				SEX M <input checked="" type="checkbox"/> F <input type="checkbox"/>		4. INSURED'S NAME (Last Name, First Name, Middle Initial) CES ENVIROMENT, L					
5. PATIENT'S ADDRESS (No., Street) 8414 FINDLEY								6. PATIENT RELATIONSHIP TO INSURED Self <input checked="" type="checkbox"/> Spouse <input type="checkbox"/> Child <input type="checkbox"/> Other <input type="checkbox"/>				7. INSURED'S ADDRESS (No., Street) 4904 GRIGGS RD							
CITY HOUSTON				STATE TX				8. PATIENT STATUS Single <input type="checkbox"/> Married <input type="checkbox"/> Other <input type="checkbox"/>				CITY HOU				STATE			
ZIP CODE 77017				TELEPHONE (Include Area Code) (713) 6433303				Employed <input type="checkbox"/> Full-Time Student <input type="checkbox"/> Part-Time Student <input type="checkbox"/>				ZIP CODE 0				TELEPHONE (Include Area Code) (713) 6433303			
9. OTHER INSURED'S NAME (Last Name, First Name, Middle Initial)								10. IS PATIENT'S CONDITION RELATED TO:				11. INSURED'S POLICY GROUP OR FECA NUMBER 111111							
a. OTHER INSURED'S POLICY OR GROUP NUMBER								a. EMPLOYMENT? (Current or Previous) <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO				a. INSURED'S DATE OF BIRTH MM DD YY M <input type="checkbox"/> F <input type="checkbox"/>							
b. OTHER INSURED'S DATE OF BIRTH MM DD YY M <input type="checkbox"/> F <input type="checkbox"/>								b. AUTO ACCIDENT? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO				b. EMPLOYER'S NAME OR SCHOOL NAME CES ENVIROMENTAL							
c. EMPLOYER'S NAME OR SCHOOL NAME								c. OTHER ACCIDENT? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO				c. INSURANCE PLAN NAME OR PROGRAM NAME CES ENVIRONMENTAL							
d. INSURANCE PLAN NAME OR PROGRAM NAME								10d. RESERVED FOR LOCAL USE				d. IS THERE ANOTHER HEALTH BENEFIT PLAN? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If yes, return to and complete item 9 a-d.							
12. PATIENT'S OR AUTHORIZED PERSON'S SIGNATURE I authorize the release of any medical or other information necessary to process this claim. I also request payment of government benefits either from myself or to the party who accepts assignment below. SIGNED SIGNATURE ON FILE DATE																13. INSURED'S OR AUTHORIZED PERSON'S SIGNATURE I authorize payment of medical benefits to the undersigned physician or supplier for services described below. SIGNED SIGNATURE ON FILE			
14. DATE OF CURRENT: MM DD YY 06/24/2008								15. IF PATIENT HAS HAD SAME OR SIMILAR ILLNESS. GIVE FIRST DATE MM DD YY 16. DATES PATIENT UNABLE TO WORK IN CURRENT OCCUPATION FROM MM DD YY TO MM DD YY FROM 06/24/2008 TO 06/24/2008											
17. NAME OF REFERRING PROVIDER OR OTHER SOURCE DR. YUNG LEE								17a. LGOTH000 17b. NPI 1902004948				18. HOSPITALIZATION DATES RELATED TO CURRENT SERVICES FROM MM DD YY TO MM DD YY FROM 06/24/2008 TO 06/24/2008							
19. RESERVED FOR LOCAL USE								20. OUTSIDE LAB? \$ CHARGES <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO				21. DIAGNOSIS OR NATURE OF ILLNESS OR INJURY (Relate Items 1, 2, 3 or 4 to Item 24E by Line) 1. 943.11 3. 948.00							
22. MEDICAID RESUBMISSION CODE								23. PRIOR AUTHORIZATION NUMBER				24. A. DATE(S) OF SERVICE From MM DD YY To MM DD YY 06/24/08 06/24/08							
B. PLACE OF SERVICE 23								C. EMG 26				D. PROCEDURES, SERVICES OR SUPPLIES (Explain Unusual Circumstances) 85025 26							
E. DIAGNOSIS POINTER								F. \$ CHARGES 10.00				G. DAYS OR UNITS 1							
H. EPSDT Family Plan								I. ID. QUAL. NPI				J. RENDERING PROVIDER ID. # 1467435958							
25. FEDERAL TAX I.D. NUMBER 76-0543568								26. PATIENT'S ACCOUNT NO. 113600082				27. ACCEPT ASSIGNMENT? For govt. claims, see back. <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO							
28. TOTAL CHARGE \$ 40.00								29. AMOUNT PAID \$ .00				30. BALANCE DUE \$ 40.00							
31. SIGNATURE OF PHYSICIAN OR SUPPLIER INCLUDING DEGREES OR CREDENTIALS (I certify that the statements on the reverse apply to this bill and are made a part thereof.) SUSAN B. STREUSAND, MD SIGNED 07/08/08 DATE								32. SERVICE FACILITY LOCATION INFORMATION BAYSHORE MEDICAL CTR 4000 SPENCER HWY PASADENA TX 775041202 1174576698 X445D0703824				33. BILLING PROVIDER INFO & PH # (281) 8801850 ALLIANCE PATHOLOGY CONSULTANT 714 FM 1960 WEST # 206 HOUSTON TX 77090 1699707943 bOBMDF4571							

NUCC Instruction Manual available at: www.nucc.org

APPROVED OMB-0938-0999 FORM CMS-1500 (08-05)

EPAHO055002492

RUN DATE: 07/09/08  
RUN TIME: 1447  
RUN USER: S.MDO.JHH

Bayshore - Lab  
LIS BILLING INQUIRY

PAGE 1

PATIENT: JUAREZ,NATHAN

ACCT #: V01013600082 LOC: V.ERS

U #: V000680145

AGE/SX: 22/M

ROOM:

REG: 06/24/08

REG DR: Lee,Yung

STATUS: DEP ER

BED:

DIS:

REQ #: 03709022

ENTERED: 06/24/08-0850

BY: V.ERS.RNC

LAST EDIT: 06/24/08-0850

BY: V.ERS.RNC

SUBM DR: Lee,Yung

OTHER DR:

ACT	ACT	BILL	SVC					
DATE\	TIME	DATE\	DATE\					
USER		BILL CODE	ALT CODE	TYPE	ACTION	TEST		\$ CHARGE
06/24	0850	06/24	06/24					
V.ERS.RNC		850252			NEW	CBC W/AUTO DIFF		0.00
06/24	0850	06/24	06/24					
V.ERS.RNC		800530			NEW	COMPREHENSIVE METABOLIC PANE		0.00
								0

REQ #: 03709089

ENTERED: 06/24/08-1007

BY: V.LAB.KAM

LAST EDIT: 06/24/08-1007

BY: V.LAB.KAM

SUBM DR: Lee,Yung

OTHER DR: No Primary Care Physician

ACT	ACT	BILL	SVC					
DATE\	TIME	DATE\	DATE\					
USER		BILL CODE	ALT CODE	TYPE	ACTION	TEST		\$ CHARGE
06/24	1007	06/24	06/24					
V.LAB.KAM		826612			NEW	DRUG SCREEN CO.CARE		0.00
06/24	1007	06/24	06/24					
V.LAB.KAM		990012			NEW	UR COLLECTION O/S DRUG PROFI		0.00
								0

# Allied Petrochemical

EPAHQ055002494

Allied Waste Services			6/13/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount
4/18/2008	Bill	003169	1,358.28	1,358.28	
4/18/2008	Bill	409077	352.44	352.44	
4/24/2008	Bill	003237	792.12	792.12	
				Check Amount	
					2,502.84



CES Environmental S 013466

2,502.84

GULF WEST LANDFILL TEXAS LP  
P.O. BOX 99791  
BFI SOUTHEAST TEXAS LANDFILL AUTHORITY  
CHICAGO, IL 60696-7591  
(713) 675-6101  
TO:

CES ENVIRONMENTAL SERV. INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

APR 18 2008

# INVOICE

INVOICE NO. 003169  
PAGE 1  
DATE Apr-15-08  
CUSTOMER NO. 013466  
SITE NO. 0000  
REFERENCE NO.

SERVICE DATE	CODE	DESCRIPTION	REFERENCE	QTY.	AMOUNT
10 Apr	VE	SW-ABSORBENT MATERIAL 15.00 YARD Vehicle: CES273 / CES25N Contract: #Y70662-05 Reference: 004014527 Generator: <u>LIBERTY FORGE</u> <i>Metal Slag</i>	55 - 151552 0	15.00 FY	\$525.00
10 Apr	{	ENVIRONMENTAL FEE Vehicle: CES273 / CES25N Contract: #Y70662-05 Reference: 004014527	55 - 151552 1	1.00 LD	\$1.54
10 Apr	}1	FUEL RECOVERY FEE 15.00 YARD Vehicle: CES273 / CES25N Contract: #Y70662-05 Reference: 004014527	55 - 151552 2	1.00 LD	\$40.22
10 Apr	VE	SW-ABSORBENT MATERIAL 15.00 YARD Vehicle: CES273 / CES25N Contract: #Y70662-05 Reference: 004014528 Generator: <u>LIBERTY FORGE</u> <i>Metal Slag</i>	55 - 151584 0	15.00 FY	\$525.00
10 Apr	{	ENVIRONMENTAL FEE Vehicle: CES273 / CES25N Contract: #Y70662-05 Reference: 004014528	55 - 151584 1	1.00 LD	\$1.54
10 Apr	}1	FUEL RECOVERY FEE 15.00 YARD	55 - 151584 2	1.00 LD	\$40.22

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.  
Payments received after invoice date are not reflected.  
To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

## Account Status

CURRENT 31 - 60 DAYS 61 - 90 DAYS OVER 90 DAYS

TOTAL  
THIS INVOICE

PLEASE PAY THIS  
AMOUNT

We reserve the right to suspend service without notice on any past due account.

Please remit to:

INVOICE NO.  
PAGE  
DATE  
CUSTOMER NO.  
SITE NO.  
REFERENCE NO.  
REMARKS

AMOUNT OF  
REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

PHYSICAL ADDRESS : 5757 A OATES RD. HOUSTON, TX 77078  
\*\*PLEASE SEE NEW REMIT ADDRESS ABOVE\*\*

GULF WEST LANDFILL TEXAS LP  
P.O. BOX 99791  
BFI SOUTHEAST TEXAS LANDFILL AUTHORITY  
CHICAGO, IL 60696-7591  
(713) 675-6101  
TO:

CES ENVIRONMENTAL SERV. INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

# INVOICE

INVOICE NO. 003169  
PAGE 2  
DATE Apr-15-08  
CUSTOMER NO. 013466  
SITE NO. 0000 \$1,358.28  
REFERENCE NO.

SERVICE DATE	CODE	DESCRIPTION	REFERENCE	QTY.	AMOUNT
		Vehicle: CES273 / CES25N			
		Contract: #Y70662-05			
		Reference: 004014528			
		TNRCC -CLASS1 (IN TX)			\$224.76
		Site Total			\$1,358.28
		----- Material Summary -----			
		SW-ABSORBENT MATERIAL		30.00 FY	\$1,050.00
		ENVIRONMENTAL FEE		2.00 LD	\$3.08
		FUEL RECOVERY FEE		2.00 LD	\$80.44

## Account Status

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.  
Payments received after invoice date are not reflected.  
To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

**TOTAL THIS INVOICE** \$1,358.28

**PLEASE PAY THIS AMOUNT**

CURRENT 31 - 60 DAYS 61 - 90 DAYS OVER 90 DAYS

We reserve the right to suspend service without notice on any past due account.

### Please remit to:

INVOICE NO. 003169 GULF WEST LANDFILL TEXAS LP  
PAGE 2 P.O. BOX 99791  
DATE Apr-15-08 BFI SOUTHEAST TEXAS LANDFILL AUTHORITY  
CUSTOMER NO. 013466 CHICAGO, IL 60696-7591  
SITE NO. 0000  
REFERENCE NO.

AMOUNT OF REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

### REMARKS

PHYSICAL ADDRESS : 5757 A OATES RD. HOUSTON, TX 77078

\*\*PLEASE SEE NEW REMIT ADDRESS ABOVE\*\*

EPAHO055002497

BLUE RIDGE LANDFILL TEXAS LP  
P.O. BOX 99791  
BFI SOUTHEAST TEXAS LANDFILL AUTHORITY  
CHICAGO, IL 60696-7591  
(281) 416-3900

APR 18 2008

# INVOICE

TO:  
CES ENVIRONMENTAL SERV. INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

INVOICE NO. 409077  
PAGE 1  
DATE Apr-15-08  
CUSTOMER NO. 013466  
SITE NO. 0000 \$352.44  
REFERENCE NO.

SERVICE DATE	CODE	DESCRIPTION	REFERENCE	QTY.	AMOUNT
03 Apr	XK	SW-PLANT TRASH 40.00 YARD Vehicle: BWH3019 / 40N Contract: NONCOMPAC#Y2157 Reference: 371380 CES ENVIRONMENTAL Generator: CES ENVIRONMENTAL	\$8.00 Y6 - 71793 0	40.00 FY	\$320.00
03 Apr	0	ENVIRONMENTAL FEE Vehicle: BWH3019 / 40N Contract: NONCOMPAC#Y2157 Reference: 371380 CES ENVIRONMENTAL	\$1.54 Y6 - 71793 1	1.00 LD	\$1.54
03 Apr	1	FUEL RECOVERY FEE 40.00 YARD Vehicle: BWH3019 / 40N Contract: NONCOMPAC#Y2157 Reference: 371380 CES ENVIRONMENTAL	\$24.51 Y6 - 71793 2	1.00 LD	\$24.51
15 Apr	Z8	ADMINISTRATION FEE	\$1.30 2008	1.00	\$1.30
15 Apr	Z9	LATE FEE	\$5.09 IN000224	1.00	\$5.09
		Site Total			\$352.44
----- Material Summary -----					
		SW-PLANT TRASH		40.00 FY	\$320.00
		ENVIRONMENTAL FEE		1.00 LD	\$1.54
		FUEL RECOVERY FEE		1.00 LD	\$24.51



## Account Status

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.  
Payments received after invoice date are not reflected.  
To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

CURRENT 31 - 60 DAYS 61 - 90 DAYS OVER 90 DAYS

TOTAL THIS INVOICE \$352.44

**PLEASE PAY THIS AMOUNT**

We reserve the right to suspend service without notice on any past due account.

### Please remit to:

INVOICE NO. 409077  
PAGE 1  
DATE Apr-15-08  
CUSTOMER NO. 013466  
SITE NO. 0000  
REFERENCE NO.

BLUE RIDGE LANDFILL TEXAS LP  
P.O. BOX 99791  
BFI SOUTHEAST TEXAS LANDFILL AUTHORITY  
CHICAGO, IL 60696-7591

AMOUNT OF REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

### REMARKS

PHYSICAL ADDRESS: 5757 A OATES RD. HOUSTON, TX 77078  
WE ACCEPT MAJOR CREDIT CARD & CHECKS BY PHONE

GULF WEST LANDFILL TEXAS LP  
P.O. BOX 99791  
BFI SOUTHEAST TEXAS LANDFILL AUTHORITY  
CHICAGO, IL 60696-7591  
(713) 675-6101  
TO:

CES ENVIRONMENTAL SERV. INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

MAY 07 2008

# INVOICE

INVOICE NO. 003237  
PAGE 1  
DATE Apr-30-08  
CUSTOMER NO. 013466  
SITE NO. 0000 \$792.12  
REFERENCE NO.

SERVICE DATE	CODE	DESCRIPTION	REFERENCE	QTY.	AMOUNT
24 Apr	VE	SW-ABSORBENT MATERIAL 18.00 YARD Vehicle: CES273 / CES25N Contract: #Y70662-05 Reference: 004014024 Generator: LIBERTY FORGE	55 - 152126 0	18.00 FY	\$630.00
24 Apr	{	ENVIRONMENTAL FEE Vehicle: CES273 / CES25N Contract: #Y70662-05 Reference: 004014024	55 - 152126 1	1.00 LD	\$1.54
24 Apr	}1	FUEL RECOVERY FEE 18.00 YARD Vehicle: CES273 / CES25N Contract: #Y70662-05 Reference: 004014024 TNRCC -CLASS1 (IN TX) Site Total	55 - 152126 2	1.00 LD	\$48.26
					\$112.32
					\$792.12
		----- Material Summary -----			
		SW-ABSORBENT MATERIAL		18.00 FY	\$630.00
		ENVIRONMENTAL FEE		1.00 LD	\$1.54
		FUEL RECOVERY FEE		1.00 LD	\$48.26

## Account Status

Payment due upon receipt of this invoice. 1.5% per month (18% per annum) late charge on balances over 30 days from date of invoice.  
Payments received after invoice date are not reflected.  
To ensure proper credit, please include your account number on your check and include the bottom portion of this invoice. When making payment on multiple accounts, please include the account numbers and the amounts of payment.

TOTAL THIS INVOICE \$792.12

PLEASE PAY THIS AMOUNT

We reserve the right to suspend service without notice on any past due account.

### Please remit to:

INVOICE NO. 003237  
PAGE 1  
DATE Apr-30-08  
CUSTOMER NO. 013466  
SITE NO. 0000  
REFERENCE NO.

GULF WEST LANDFILL TEXAS LP  
P.O. BOX 99791  
BFI SOUTHEAST TEXAS LANDFILL AUTHORITY  
CHICAGO, IL 60696-7591

AMOUNT OF REMITTANCE

PLEASE RETURN THIS PORTION WITH REMITTANCE

### REMARKS

PHYSICAL ADDRESS : 5757 A OATES RD. HOUSTON, TX 77078  
\*\*PLEASE SEE NEW REMIT ADDRESS ABOVE\*\*

EPAHO055002499



Allied waste  
Services.

CES ENVIRONMENTAL SERVICES, INC.

39202

Allied Waste Services				7/22/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
7/10/2008	Bill	0853-000300259	*169.89	169.89		169.89
				Check Amount		169.89

CES Environmental S Acct#1-0271-0574020

169.89



13630 Fondren Rd  
Houston, TX 77085-2012

### Account Summary

Account Number 3-0853-0574020  
Invoice Date June 30, 2008  
Invoice Number 0853-000300259  
Previous Balance \$495.43  
Payments/Adjustments -\$495.43  
Unpaid Balance \$0.00  
Current Invoice Charges \$169.89

### Pay This Amount

**\$169.89**

Due By: 07/20/08

### Contact Information

Customer Service (713) 937-9955

### Important Information

Your next invoice may reflect a rate adjustment, if you have any questions after receiving your next invoice please contact us.

Effective March 15th, 2008 the Fuel Recovery Fee has been updated to more closely capture the impact of fuel costs on our business. For more information please visit [www.disposal.com](http://www.disposal.com) or contact us.

Please make note of new remit address, be sure to update your records. Please allow 10 days to process payment. Thank you for your business!  
\*\*\*\*\*You may see an increase on your April invoice, or in the near future.

[www.disposal.com](http://www.disposal.com)

## CES ENVIROMENTAL SERVICES INC

Invoice

Page 1 of 1

### Payments/Adjustments

Date	Description	Reference	Amount
06/23	Payment - Thank You	38536	-\$495.43

### Current Invoice Charges

Administrative Fee \$1.30  
Ces Enviromental Services Inc 4904 Griggs Rd (L100) CSA S0828LJ509  
Houston, TX

### 1 - 40 Yard Roll Off Container On Call Service (S2)

Date	Description	Reference	Quantity	Unit Price	Amount
06/12	Basic Service	Loren	1.0000	\$123.75	\$123.75
	Receipt Number 58324				
	Total Fuel/Environmental Recovery Fee				\$31.98
	Total City Tax				\$1.56
	Total Mta Tax				\$1.56
	Total State Tax				\$9.74

### Current Invoice Charges

**\$169.89 \*\***

61200  
Tran

CES Plant Trash  
JUL 10 2008

1A

- Visit our website, [www.disposal.com](http://www.disposal.com) to make your payment electronically or to sign up for our convenient automatic payment plan.
- Please see reverse side for terms and conditions

EPAHO055002502



## Payment Request Submitted

Thank you for your payment.  
The following payment request has been submitted.

Reference ID:	<b>61814297052</b>
Date and Time:	<b>09/18/2008 13:39:07 (CDT)</b>
Account Number:	<b>308530574020</b>
Customer Type:	<b>Consumer</b>
Payment Amount:	<b>\$169.73</b>
Payment Method:	<b>VISA *****6554</b>



ALLIED WASTE SERVICES  
13630 Fondren Rd  
Houston, TX 77085-2012

# CES ENVIROMENTAL SERVICES INC

Invoice

Page 1 of 1

## Account Summary

Account Number 3-0853-0574020  
Invoice Date July 31, 2008  
Invoice Number 0853-000336283  
Previous Balance \$169.89  
Payments/Adjustments -\$169.89  
Unpaid Balance \$0.00  
Current Invoice Charges \$169.73

## Pay This Amount

**\$169.73**

Due By: 08/20/08

## Contact Information

Customer Service (713) 937-9955

## Important Information

Effective March 15th, 2008 the Fuel Recovery Fee has been updated to more closely capture the impact of fuel costs on our business. For more information please visit [www.disposal.com](http://www.disposal.com) or contact us.

Please make note of new remit address, be sure to update your records. Please allow 10 days to process payment. Thank you for your business!  
\*\*\*\*\*You may see an increase on your April invoice, or in the near future.



[www.disposal.com](http://www.disposal.com)

## Payments/Adjustments

Date	Description	Reference	Amount
07/29	Payment - Thank You	39202	-\$169.89

## Current Invoice Charges

Administrative Fee \$1.30  
Ces Enviromental Services Inc 4904 Griggs Rd (L100) CSA S0828LJ509  
Houston, TX

## 1 - Rolloff (40 Yd) On Call Service (\$4)

Date	Description	Reference	Quantity	Unit Price	Amount
07/01	Basic Service	Mr Thomas	1.0000	\$123.75	\$123.75
	Receipt Number 62405				
	Total Fuel/Environmental Recovery Fee				\$31.85
	Total City Tax				\$1.55
	Total Mta Tax				\$1.55
	Total State Tax				\$9.73

Current Invoice Charges

**\$169.73**

713-937-9955

AUG 07 2008



1A

- Visit our website, [www.disposal.com](http://www.disposal.com) to make your payment electronically or to sign up for our convenient automatic payment plan.
- Please see reverse side for terms and conditions



ALLIED WASTE SERVICES  
13630 Fondren Rd  
Houston TX 77085-2012

Please Return This Portion  
With Payment

Pay This Amount	\$169.73
Account Number	3-0853-0574020
Invoice Date	July 31, 2008
Invoice Number	0853-000336283
Payment Due Date	August 20, 2008

Return Service Requested

048815-189-30853 I  
CES ENVIROMENTAL SERVICES INC  
4904 GRIGGS RD  
HOUSTON TX 77021-3208



Make Checks Payable To:

ALLIED WASTE SERVICES #853  
PO BOX 78829  
PHOENIX AZ 85062-8829

3085305740200000003362830000169730000169734

EPAHO055002504

## Erin Hernandez

---

**From:** billpay@disposal.com  
**Sent:** Thursday, September 18, 2008 6:00 PM  
**To:** Erin Hernandez  
**Subject:** Allied Waste Payment Confirmation

This email was system generated. Please do not reply to this message. If you wish to contact us, email us at [billpay@disposal.com](mailto:billpay@disposal.com) or visit our website <http://awbillpay.inetbiller.com> and click on Contact Us.

Dear CES ENVIROMENTAL SERVICES Inc ,

Thank you for your payment. The payment you authorized in the amount of \$169.73 on 09/18/2008 has been forwarded to your financial institution for processing. Your Allied Waste Services account 308530574020 will reflect your credit within 1-2 business days.

If you have questions or comments about our Online Bill Payment Service, please view our Frequently Asked Questions at <http://awbillpay.inetbiller.com> or email our Online Bill Payment Customer Service at [billpay@disposal.com](mailto:billpay@disposal.com).

Call our local Customer Service office if you have questions about your invoice or waste service. Their number can be found on the first page of your invoice, or visit <http://www.disposal.com> and enter your zip code to find the phone number of the Allied Waste office servicing your account.

Allied Waste Online Bill Payment Customer Service

This message has been sent under the Allied Waste Terms and Conditions and in accordance with our Privacy Policy.

CES ENVIRONMENTAL SERVICES, INC.

38536

Allied Waste Services				6/18/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
6/16/2008	Bill	0853-000276371	495.43	495.43		495.43
				Check Amount		495.43

CES Environmental S Acct#1-0271-0574020

495.43



13630 Fondren Rd  
Houston, TX 77085-2012

### Account Summary

Account Number 3-0853-0574020  
Invoice Date May 31, 2008  
Invoice Number 0853-000276371  
Previous Balance \$496.54  
Payments/Adjustments -\$496.54  
Unpaid Balance \$0.00  
Current Invoice Charges \$495.43

### Pay This Amount

**\$495.43**

Due By: 06/20/08

### Contact Information

Customer Service (713) 937-9955

### Important Information

Effective March 15th, 2008 the Fuel Recovery Fee has been updated to more closely capture the impact of fuel costs on our business. For more information please visit [www.disposal.com](http://www.disposal.com) or contact us.

Please make note of new remit address, be sure to update your records. Please allow 10 days to process payment. Thank you for your business!  
\*\*\*\*\*You may see an increase on your April invoice, or in the near future.

[www.disposal.com](http://www.disposal.com)

## CES ENVIROMENTAL SERVICES INC

Invoice

Page 1 of 1

### Payments/Adjustments

Date	Description	Reference	Amount
05/23	Payment - Thank You	777	-\$163.48
05/28	Payment - Thank You	1	-\$333.06

### Current Invoice Charges

Administrative Fee \$1.30  
Ces Enviromental Services Inc 4904 Griggs Rd (L100) CSA S0828LJ509  
Houston, TX

#### 1 - 30 Yard Roll Off Container On Call Service (\$1)


Date	Description	Reference	Quantity	Unit Price	Amount
05/15	Basic Service	Loren Thomas	1.0000	\$123.75	\$123.75
	Receipt Number 48920				

#### 1 - 40 Yard Roll Off Container On Call Service (\$2)

Date	Description	Reference	Quantity	Unit Price	Amount
05/08	Basic Service	Lauren Thomas	1.0000	\$123.75	\$123.75
	Receipt Number 58840				
05/15	Basic Service	Loren Thomas	1.0000	\$123.75	\$123.75
	Receipt Number 48921				
	Total Fuel/Environmental Recovery Fee				\$85.23
	Total City Tax				\$4.56
	Total Mta Tax				\$4.56
	Total State Tax				\$28.53

### Current Invoice Charges

**\$495.43**



1 A

- Visit our website, [www.disposal.com](http://www.disposal.com) to make your payment electronically or to sign up for our convenient automatic payment plan.
- Please see reverse side for terms and conditions

EPAHO055002507



5/27

paid w/

C/C

Confirmation: 562 7/40/05  
2



ALLIED WASTE SERVICES  
13630 Fondren Rd  
Houston, TX 77085-2012

# CES ENVIROMENTAL SERVICES INC

Invoice

Page 1 of 2

MAY 00 2008

## Account Summary

Account Number 3-0853-0574020  
Invoice Date April 30, 2008  
Invoice Number 0853-000255821  
Previous Balance \$163.48  
Payments/Adjustments \$0.00  
Unpaid Balance \$163.48  
Current Invoice Charges \$333.06

## Pay This Amount

**\$496.54**

Due By: 05/20/08

## Contact Information

Customer Service (713) 937-9955

## Important Information

Effective March 15th, 2008 the Fuel Recovery Fee has been updated to more closely capture the impact of fuel costs on our business. For more information please visit [www.disposal.com](http://www.disposal.com) or contact us.

Please make note of new remit address, be sure to update your records. Please allow 10 days to process payment. Thank you for your business!  
\*\*\*\*\*You may see an increase on your April invoice, or in the near future.

[www.disposal.com](http://www.disposal.com)

## Current Invoice Charges

Administrative Fee

\$1.30

Date	Description	Reference	Quantity	Unit Price	Amount
04/30	Late Fee				\$5.00

Location Total

\$5.00

Ces Enviromental Services Inc 4904 Griggs Rd (L100) CSA S0828LJ509  
Houston, TX

## 1 - 40 Yard Roll Off Container On Call Service (\$2)

Date	Description	Reference	Quantity	Unit Price	Amount
04/03	Basic Service	Loren	1.0000	\$123.75	\$123.75
	Receipt Number 52336				
04/16	Basic Service		1.0000	\$123.75	\$123.75
	Receipt Number 48801				

Fuel/Environmental RecoveryFee

\$54.36

Charges

\$301.86

Location City Tax

\$3.02

Location Mta Tax

\$3.02

Location State Tax

\$18.86

Location Total

\$326.76

Total Fuel/Environmental Recovery Fee

\$54.36

Total City Tax

\$3.02

Total Mta Tax

\$3.02

**POSTED**

## Past Due Balance \$163.48

IA

- Visit our website, [www.disposal.com](http://www.disposal.com) to make your payment electronically or to sign up for our convenient automatic payment plan.
- Please see reverse side for terms and conditions



ALLIED WASTE SERVICES  
13630 Fondren Rd  
Houston TX 77085-2012

Please Return This Portion  
With Payment

Pay This Amount	\$496.54
Account Number	3-0853-0574020
Invoice Date	April 30, 2008
Invoice Number	0853-000255821
Payment Due Date	May 20, 2008

Return Service Requested

000449-308531  
CES ENVIROMENTAL SERVICES INC  
4904 GRIGGS RD  
HOUSTON TX 77021-3208



Make Checks Payable To:

ALLIED WASTE SERVICES #853  
PO BOX 78829  
PHOENIX AZ 85062-8829

30853057402000000002558210000333060000496544

EPAHO055002509

CES ENVIROMENTAL SERVICES INC

Account Number 3-0853-0574020  
Invoice Date April 30, 2008  
Invoice Number 0853-000255821  
Page 2 of 2



CES ENVIROMENTAL SERVICES INC

Account Number 3-0853-0574020  
Invoice Date April 30, 2008  
Invoice Number 0853-000255821



Current Invoice Charges

Total State Tax	\$18.86
Current Invoice Charges	\$333.06

\*\*THIS PAGE LEFT INTENTIONALLY BLANK\*\*

EPAHQ0055002510

## Peter Ollsen

---

**From:** billpay@disposal.com  
**Sent:** Thursday, May 29, 2008 12:47 AM  
**To:** Peter Ollsen  
**Subject:** Allied Waste Payment Confirmation

This email was system generated. Please do not reply to this message. If you wish to contact us, email us at [billpay@disposal.com](mailto:billpay@disposal.com) or visit our website <http://awbillpay.inetbiller.com> and click on Contact Us.

Dear CES ENVIROMENTAL SERVICES INC,

Thank you for your payment. The payment you authorized in the amount of \$333.06 on 05/28/2008 has been forwarded to your financial institution for processing. Your Allied Waste Services account 308530574020 will reflect your credit within 1-2 business days.

If you have questions or comments about our Online Bill Payment Service, please view our Frequently Asked Questions at <http://awbillpay.inetbiller.com> or email our Online Bill Payment Customer Service at [billpay@disposal.com](mailto:billpay@disposal.com).

Call our local Customer Service office if you have questions about your invoice or waste service. Their number can be found on the first page of your invoice, or visit <http://www.disposal.com> and enter your zip code to find the phone number of the Allied Waste office servicing your account.

Allied Waste Online Bill Payment Customer Service

This message has been sent under the Allied Waste Terms and Conditions and in accordance with our Privacy Policy.

CES ENVIRONMENTAL SERVICES, INC.

36547

Allied Waste Services

Date	Type	Reference	Original Amt.	Balance Due	3/19/2008 Discount	Payment
3/10/2008	Bill	0853-000211096	320.68	320.68		320.68
				Check Amount		320.68

CES Environmental S Acct#1-0271-0574020

320.68

EPAHO055002512



ALLIED WASTE SERVICES  
13630 Fondren Rd  
Houston, TX 77085-2012

### Account Summary

Account Number 3-0853-0574020  
Invoice Date February 29, 2008  
Invoice Number 0853-000211096  
Previous Balance \$158.64  
Payments/Adjustments \$0.00  
Unpaid Balance \$158.64  
Current Invoice Charges \$320.68

### Pay This Amount

~~\$479.32~~

320.68

Due By: 03/20/08

### Contact Information

Customer Service (713) 937-9955

### Important Information

Please make note of new remit address, be sure to update your records. Please allow 10 days to process payment. Thank you for your business!  
\*\*\*\*\*You may see an increase on your April invoice, or in the near future.

[www.disposal.com](http://www.disposal.com)

CES ENVIROMENTAL SERVICES INC

RECEIVED

MAR 10 2008

BY:

Invoice  
Page 1 of 2

### Current Invoice Charges

Administrative Fee \$1.30

Date	Description	Reference	Quantity	Unit Price	Amount
02/29	Late Fee				\$5.00

Location Total \$5.00

Ces Enviromental Services Inc 4904 Griggs Rd (L100) CSA S0828LJ509  
Houston, TX

#### 1 - 30 Yard Roll Off Container On Call Service (S1)

Date	Description	Reference	Quantity	Unit Price	Amount
02/08	Basic Service	Loren	1.0000	\$123.75	\$123.75
	Receipt Number 53337				

#### 1 - 40 Yard Roll Off Container On Call Service (S2)

Date	Description	Reference	Quantity	Unit Price	Amount
02/20	Basic Service	Loren T.	1.0000	\$123.75	\$123.75
	Receipt Number 37902				

Fuel/Environmental Recovery Fee \$42.88  
Charges \$290.38  
Location City Tax \$2.92  
Location Mta Tax \$2.92

POSTED

plant trash

#### Past Due Balance \$158.64

- 1 A
- Visit our website, [www.disposal.com](http://www.disposal.com) to make your payment electronically or to sign up for our convenient automatic payment plan.
  - Please see reverse side for terms and conditions

EPAHO055002513

CES ENVIROMENTAL SERVICES INC

Account Number 3-0853-0574020

Invoice Date February 29, 2008

Invoice Number 0853-000211096

Page 2 of 2



ALLIED WASTE SERVICES  
13630 Fondren Rd  
Houston TX 77085-2012

CES ENVIROMENTAL SERVICES INC

Account Number 3-0853-0574020

Invoice Date February 29, 2008

Invoice Number 0853-000211096



ALLIED WASTE SERVICES  
13630 Fondren Rd  
Houston TX 77085-2012

**Current Invoice Charges**

Location State Tax	\$18.16
Location Total	\$314.38
Total Fuel/Environmental Recovery Fee	\$42.88
Total City Tax	\$2.92
Total Mta Tax	\$2.92
Total State Tax	\$18.16
<b>Current Invoice Charges</b>	<b>\$320.68</b>

**\*\*THIS PAGE LEFT INTENTIONALLY BLANK\*\***

EPAHQ0055002514

paid w/  
CC



**ALLIED WASTE SERVICES**  
**13630 Fondren Rd**  
**Houston, TX 77085-2012**

## Account Summary

Account Number	3-0853-0574020
Invoice Date	March 31, 2008
Invoice Number	0853-000239130
Previous Balance	\$479.32
Payments/Adjustments	-\$479.32
Unpaid Balance	\$0.00
Current Invoice Charges	\$163.48

### Pay This Amount

**\$163.48**

**Due By: 04/20/08**

## Contact Information

**Customer Service (713) 937-9955**

## Important Information

**Effective March 15th, 2008 the Fuel Recovery Fee has been updated to more closely capture the impact of fuel costs on our business. For more information please visit [www.disposal.com](http://www.disposal.com) or contact us.**

**Please make note of new remit address, be sure to update your records. Please allow 10 days to process payment. Thank you for your business! \*\*\*\*\*You may see an increase on your April invoice, or in the near future.**

**www.disposal.com**

**ALLIED WASTE SERVICES**  
**13630 Fondren Rd**  
**Houston TX 77085-2012**

**Return Service Requested**

MDG2005 0048105 1 AT 0334 09231S



**CES ENVIROMENTAL SERVICES INC**  
**4904 Griggs Rd**  
**Houston TX 77021-3208**



048105

**CES ENVIROMENTAL SERVICES INC**

# Invoice

Page 1 of 1

### Payments/Adjustments

Date	Description	Reference	Amount
03/03	Payment - Thank You	36026	-\$158.64
03/24	Payment - Thank You	36547	-\$320.68

### Current Invoice Charges


Administrative Fee	\$1.30
<b>Ces Enviromental Services Inc 4904 Griggs Rd (L100) CSA S0828LJ509</b>	
<b>Houston, TX</b>	

**1 - 40 Yard Roll Off Container On Call Service (S2)**

<u>Date</u>	<u>Description</u>	<u>Reference</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
03/10	Basic Service	Loren	1.0000	\$123.75	\$123.75
	Receipt Number 25548				
	Total Fuel/Environmental Recovery Fee				\$26.07
	Total City Tax				\$1.50
	Total Mta Tax				\$1.50
	Total State Tax				\$9.36

### Current Invoice Charges

**\$163.48**



# POSTED

4/11/08

1A

- Visit our website, [www.disposal.com](http://www.disposal.com) to make your payment electronically or to sign up for our convenient automatic payment plan.
- Please see reverse side for terms and conditions

Please Return This Portion  
With Payment

<b>Pay This Amount</b>	<b>\$163.48</b>
<b>Account Number</b>	<b>3-0853-0574020</b>
<b>Invoice Date</b>	<b>March 31, 2008</b>
<b>Invoice Number</b>	<b>0853-000239130</b>
<b>Payment Due Date</b>	<b>April 20, 2008</b>

Make Checks Payable To:



ALLIED WASTE SERVICES #853  
PO BOX 78829  
PHOENIX AZ 85062-8829

30853057402000000002391300000163480000163488

EPAHQ055002516

CES ENVIRONMENTAL SERVICES, INC.

36026

Allied Waste Services

Date	Type	Reference
2/14/2008	Bill	0853-000196130

Original Amt.
158.64

	2/27/2008
Balance Due	Discount
158.64	
Check Amount	

Payment
158.64
158.64

CES Environmental S Acct#1-0271-0574020

158.64



13630 Fondren Rd  
Houston, TX 77085-2012

### Account Summary

Account Number 3-0853-0574020  
Invoice Date May 31, 2008  
Invoice Number 0853-000276371  
Previous Balance \$496.54  
Payments/Adjustments -\$496.54  
Unpaid Balance \$0.00  
Current Invoice Charges \$495.43

### Pay This Amount

**\$495.43**

Due By: 06/20/08

### Contact Information

Customer Service (713) 937-9955

### Important Information

Effective March 15th, 2008 the Fuel Recovery Fee has been updated to more closely capture the impact of fuel costs on our business. For more information please visit [www.disposal.com](http://www.disposal.com) or contact us.

Please make note of new remit address, be sure to update your records. Please allow 10 days to process payment. Thank you for your business!  
\*\*\*\*\*You may see an increase on your April invoice, or in the near future.

[www.disposal.com](http://www.disposal.com)

## CES ENVIRONMENTAL SERVICES INC

Invoice

Page 1 of 1

### Payments/Adjustments

Date	Description	Reference	Amount
05/23	Payment - Thank You	777	-\$163.48
05/28	Payment - Thank You	1	-\$333.06

### Current Invoice Charges

Administrative Fee \$1.30  
Ces Environmental Services Inc 4904 Griggs Rd (L100) CSA S0628LJ509  
Houston, TX

#### 1 - 30 Yard Roll Off Container On Call Service (S1)


Date	Description	Reference	Quantity	Unit Price	Amount
05/15	Basic Service	Loren Thomas	1.0000	\$123.75	\$123.75
	Receipt Number 48920				

#### 1 - 40 Yard Roll Off Container On Call Service (S2)

Date	Description	Reference	Quantity	Unit Price	Amount
05/08	Basic Service	Lauren Thomas	1.0000	\$123.75	\$123.75
	Receipt Number 58840				
05/15	Basic Service	Loren Thomas	1.0000	\$123.75	\$123.75
	Receipt Number 48921				
	Total Fuel/Environmental Recovery Fee				\$85.23
	Total City Tax				\$4.56
	Total Mta Tax				\$4.56
	Total State Tax				\$28.53

### Current Invoice Charges

**\$495.43**



1A

- Visit our website, [www.disposal.com](http://www.disposal.com) to make your payment electronically or to sign up for our convenient automatic payment plan.
- Please see reverse side for terms and conditions

EPAHO055002518

CES ENVIRONMENTAL SERVICES, INC.

35280

Allied Waste Services				1/18/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
12/23/2007	Bill	0853-000179972	381.24	381.24		381.24
				Check Amount		381.24

CES Environmental S Acct#1-0271-0574020

381.24



ALLIED WASTE SERVICES  
13630 Fondren Rd  
Houston, TX 77085-2012

### Account Summary

Account Number 3-0853-0574020  
Invoice Date December 31, 2007  
Invoice Number 0853-000179972  
Previous Balance \$673.43  
Payments/Adjustments -\$608.43  
Unpaid Balance \$65.00  
Current Invoice Charges \$316.24

### Pay This Amount

**\$381.24**

Due By: 01/20/08

### Contact Information

Customer Service (713) 937-9955

### Important Information

Please make note of new remit address, be sure to update your records. Please allow 10 days to process payment. Thank you for your business!

[www.disposal.com](http://www.disposal.com)

## CES ENVIROMENTAL SERVICES INC



Invoice  
Page 1 of 1

### Payments/Adjustments

Date	Description	Reference	Amount
12/07	Payment - Thank You	34200	-\$319.75
12/10	Inv# 000136951 Dated 09/27/07 Re: Late Fee		-\$5.00
01/02	Payment - Thank You	34714	-\$283.68

### Current Invoice Charges

Administrative Fee \$1.30  
Ces Enviromental Services Inc 4904 Griggs Rd (L100) CSA S0828LJ509  
Houston, TX

#### 1 - 30 Yard Roll Off Container On Call Service (\$1)


Date	Description	Reference	Quantity	Unit Price	Amount
12/18	Basic Service Receipt Number 56326	Lauren Thomas	1.0000	\$123.75	\$123.75

#### 1 - 40 Yard Roll Off Container On Call Service (\$2)

Date	Description	Reference	Quantity	Unit Price	Amount
12/28	Basic Service Receipt Number 43689		1.0000	\$123.75	\$123.75
	Total Fuel/Environmental Recovery Fee				\$43.42
	Total City Tax				\$2.92
	Total Mta Tax				\$2.92
	Total State Tax				\$18.18

Current Invoice Charges

**\$316.24**



### Past Due Balance \$65.00

IA • Visit our website, [www.disposal.com](http://www.disposal.com) to make your payment electronically or to sign up for our convenient automatic payment plan.

• Please see reverse side for terms and conditions

EPAHO055002520





Eight Tower Bridge  
161 Washington Street, Suite 600  
Conshohocken, PA 19428  
(866) 703-7666

INVOICE NO.	3768679
DATE	08/14/08

**CUSTOMER**  
Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021



Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days		<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>		<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 08/08/08 - 08/14/08 Security Officer-Regular		90.000	HR	18.89	1,700.10
		531000			
				<b>Sub-Total</b>	1,700.10
				<b>Sales Tax</b>	140.26
				<b>TOTAL</b>	1,840.36

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3768679
Invoice Date	08/14/08
Amount Due	\$1,840.36
Amount Remitted	


EPAHO055002521



Eight Tower Bridge  
161 Washington Street, Suite 600  
Conshohocken, PA 19428  
(866) 703-7666

INVOICE NO.	3764566
DATE	08/07/08

**CUSTOMER**  
Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021



**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 08/01/08 - 08/07/08 Security Officer-Regular  <i>531000 Contract Labor</i>	90.000	HR	18.89	1,700.10
<b>PAGE 1 OF 1</b>			<b>Sub-Total</b>	1,700.10
			<b>Sales Tax</b>	140.26
			<b>TOTAL</b>	1,840.36

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3764566
Invoice Date	08/07/08
Amount Due	\$1,840.36
Amount Remitted	

EPAHO055002522



Eight Tower Bridge  
161 Washington Street, Suite 600  
Conshohocken, PA 19383  
(866) 703-7666

**RECEIVED**  
SEP 05 2008

INVOICE NO.	3781423
DATE	08/28/08

**CUSTOMER**  
Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

BY: \_\_\_\_\_

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

**POSTED**  
SEP 09 2008

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 08/22/08 - 08/28/08 Security Officer-Regular  531 SCA	91.000	HR	18.89	1,718.99
PAGE 1 OF 1			<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3781423
Invoice Date	08/28/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002523





Eight Tower Bridge  
161 Washington Street, Suite 600  
Conshohocken, PA 19428  
(866) 703-7666

INVOICE NO.	3775710
DATE	08/21/08

**CUSTOMER**  
Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

**RECEIVED**  
AUG 29 2008  
BY:-----

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

**POSTED**  
SEP 05 2008

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890	<b>P.O. NO.</b>		
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 08/15/08 - 08/21/08 Security Officer-Regular	90.000	HR	18.89	1,700.10
		<i>\$ 531,000</i>		<i>Contract</i>
		<b>Sub-Total</b>	1,700.10	
<b>PAGE 1 OF 1</b>		<b>Sales Tax</b>	140.26	
		<b>TOTAL</b>	1,840.36	

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3775710
Invoice Date	08/21/08
Amount Due	\$1,840.36
Amount Remitted	

EPAHO055002524

1017028512  
15.31e.45

1017

ALLIEDBARTON SECURITY SERVICES  
161 WASHINGTON ST, SUITE 600  
CONSHOHOCKEN, PA 19428  
484-351-1938

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE EXP.: \*\*/\*\*

SALE INVOICE: 3790695 & 3

BATCH: 326 SQ: 006062

DATE: 11/24/08 TIME: 17:33:12

AV: Y - YES APPROVED: 075402

MANUAL

TOTAL \$ 7893.62

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X  
GREG BOWMAN- CES ENVIRONMENTAL SERVI

CUSTOMER COPY

EPAHO055002526

## Allied Barton Security Services

Date	Type	Reference	Original Am.	Balance Due	11/20/2008 Discount	Payment
9/13/2008	Bill	3790695	1,993.80	1,993.80		1,993.80
9/22/2008	Bill	3796145	1,840.36	1,840.36		1,840.36
9/29/2008	Bill	3801837	2,219.10	2,219.10		2,219.10
10/1/2008	Bill	3809376	1,840.36	1,840.36		1,840.36
				Check Amount		7,893.62

CES Environmental S 93890

7,893.62

X16556



Eight Tower Bridge  
161 Washington Street, Suite 600  
Conshohocken, PA 19428  
(866) 703-7666

INVOICE NO.	3790695
DATE	09/04/08

**CUSTOMER**  
Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

**RECEIVED**  
SEP 13 2008  
BY: .....

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 08/29/08 - 09/04/08				
Security Officer-Regular	75.000	HR	18.89	1,416.75
Security Officer-Holiday	15.000	HR	28.34	425.10
531 SFA	PAGE 1 OF 1		<b>Sub-Total</b>	1,841.85
			<b>Sales Tax</b>	151.95
			<b>TOTAL</b>	1,993.80

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

EPAHO055002528



Eight Tower Bridge  
161 Washington Street, Suite 600  
Conshohocken, PA 19428  
(866) 703-7666

INVOICE NO.	3796145
DATE	09/11/08

**CUSTOMER**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

**RECEIVED**  
SEP 22 2008  
BY: .....

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

**POSTED**  
SEP 29 2008

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890	<b>P.O. NO.</b>		
Description	Quantity	Unit of Measure	Price	Amount
Weekly Billing 09/05/08 - 09/11/08 Security Officer-Regular  S31 SGA	90.00	HR	18.89	1,700.10
			<b>Sub-Total</b>	1,700.10
			<b>Sales Tax</b>	140.26
			<b>TOTAL</b>	1,840.36

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION

EPAHO055002529



Eight Tower Bridge  
161 Washington Street, Suite 600  
Conshohocken, PA 19428  
(866) 703-7666

INVOICE NO.	3801837
DATE	09/18/08

**CUSTOMER**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

RECEIVED  
SEP 29 2008

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

BY: .....

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days		<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>		<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 09/12/08 - 09/18/08					
Security Officer-Regular		82.00	HR	18.89	1,548.98
Security Officer-Regular		25.00	HR	20.04	501.00
				<b>Sub-Total</b>	2,049.98
				<b>Sales Tax</b>	169.12
				<b>TOTAL</b>	2,219.10

531  
POSTED  
OCT 02 2008  
SGA

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

EPAHO055002530



Eight Tower Bridge  
161 Washington Street, Suite 600  
Conshohocken, PA 19428  
(866) 703-7666

INVOICE NO.	3809376
DATE	09/25/08

**CUSTOMER**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

RECEIVED  
OCT 02 2008

BY: .....

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 09/19/08 - 09/25/08 Security Officer-Regular	90.00	HR	18.89	1,700.10
			<b>Sub-Total</b>	1,700.10
			<b>Sales Tax</b>	140.26
			<b>TOTAL</b>	1,840.36

POSTED  
OCT 04 2008  
531 & SGA

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

EPAHO055002531



ALLIEDBARTON SECURITY SERVICES  
161 WASHINGTON ST, SUITE 600  
CONSHOHOCKEN, PA 19428  
484-351-1938

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 3740596  
BATCH: 265 SQ: 004955  
DATE: 10/08/08 TIME: 16:23:38  
AV: Y - YES APPROVED: 097472  
MANUAL

TOTAL \$ 5545.66

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
GREG BOWMAN- CES ENVIRONMENTAL SERVI

CUSTOMER COPY

85  
EPAHO055002532



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

<b>INVOICE NO.</b>	3740596
<b>DATE</b>	07/11/08

**CUSTOMER**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

JUL 25 2008

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890	<b>P.O. NO.</b>		
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 07/11/08 - 07/17/08				
Security Officer-Regular	87.500	HR	18.89	1,652.88
Security Officer-Overtime	2.500	HR	28.34	70.85
PAGE 1 OF 1		<b>Sub-Total</b>	1,723.73	
		<b>Sales Tax</b>	142.21	
		<b>TOTAL</b>	1,865.94	

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

<b>Customer No.</b>	93890
<b>Job No.</b>	93890
<b>Invoice No.</b>	3740596
<b>Invoice Date</b>	07/11/08
<b>Amount Due</b>	\$1,865.94
<b>Amount Remitted</b>	

EPAHO055002533



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3755733
DATE	07/31/08

**CUSTOMER**  
Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

AUG 07 2008

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

TERMS: Net 15 Days	CUSTOMER NO. 93890		P.O. NO.	
Description	Quantity	Unit of Measure	Price	
Weekly Billing 07/25/08 - 07/31/08 Security Officer-Regular	90.000	HR	18.89	1,700.10
<div>POSTED</div> <div>531</div>		<div>Contractor Labor</div>		
	PAGE 1 OF 1		Sub-Total	1,700.10
			Sales Tax	140.26
			TOTAL	1,840.36

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

Customer No.	93890
Job No.	93890
Invoice No.	3755733
Invoice Date	07/31/08
Amount Due	\$1,840.36
Amount Remitted	

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

EPAHO055002534



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3747783
DATE	07/24/08

**CUSTOMER**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

AUG 02 2008

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 07/18/08 - 07/24/08 Security Officer-Regular	90.000	HR	18.89	1,700.10
<i>531 Contract labor</i> <b>POD</b>			<b>Sub-Total</b>	1,700.10
			<b>Sales Tax</b>	140.26
			<b>TOTAL</b>	1,840.36
			<b>PAGE 1 OF 1</b>	

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3747783
Invoice Date	07/24/08
Amount Due	\$1,840.36
Amount Remitted	

EPAHO055002535



351-19

10/10/10  
10/10/10  
10/10/10

10/10/10  
10/10/10

ALLIEDBARTON SECURITY SERVICES  
161 WASHINGTON ST, SUITE 600  
CONSHOHOCKEN, PA 19428  
484-351-1938

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 93890  
BATCH: 290 SQ: 005380  
DATE: 10/29/08 TIME: 14:36:36  
AV: Y - YES APPROVED: 084928  
MANUAL

TOTAL \$ 7381.89

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
GREG BOWMAN- CES ENVIRONMENTAL SERVI

CUSTOMER COPY

EPAHO055002537


→ Green Paid  
Enter 1st  
then Sal  
while say.



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3706834
DATE	06/12/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021



**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

9/2 c/c  
**PAID**

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890	<b>P.O. NO.</b>		
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 06/06/08 - 06/12/08 Security Officer-Regular  626 SGA	91.000	HR	18.89	1,718.99
PAGE 1 OF 1			<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

POS CH

Customer No.	93890
Job No.	93890
Invoice No.	3706834
Invoice Date	06/12/08
Amount Due	\$1,860.81
Amount Remitted	

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

EPAHO055002539





3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3714113
DATE	06/19/08

**CUSTOMER**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**RECEIVED**

JUN 28 2008

BY: \_\_\_\_\_

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

**PAID** 9/2 cc

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 06/13/08 -06/19/08 Security Officer-Regular  <i>Security officer (6/13/08 - 6/19/08) 531 contract labor</i>	91.000	HR	18.89	1,718.99
<b>PAGE 1 OF 1</b>			<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3714113
Invoice Date	06/19/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002540



### Credit Card Authorization Form

Credit Card Type: Visa  
(Choose Visa, Mastercard or American Express from the dropdown list)

Request Date: 09/02/08  
(MM/DD/YY)

Credit Card Number: 4807-0732-0223-6554

Exp Date: 05-2010  
(MM/DD/YY)

Name on Card: Greg Bowman

CVC Code: 388

**Billing Address**

Street Address (Line 1): 4904 Griggs Rds

State: TX

(Line 2): Houston

Zip Code: 77021

Company Name: CES Environmental

Payment Requested By: Erin Hernandez

Telephone # 713-676-1676

**Treasury Department Use Only:**

☐ Phone ☐ Email ☐ FAX

Invoice Number	Amount	Inv Status	Customer #	Job #
3706834	\$1,860.81			
3714113	\$1,860.81			

Total Amount: \$3,721.62

Transaction Type: ☐ Individual  
☒ Lump Sum

Receipt Requested? ☒ Y ☐ N Email or FAX #: ehernandez@cesenvironmental.com

Additional Notes:

Signature: 

Date: 09-02-08  
(MM/DD/YY)

Please Fax form to 484-351-1939 or Email to [Chenell.Vanderhorst@alliedbarton.com](mailto:Chenell.Vanderhorst@alliedbarton.com)


EPAHO055002541



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3725665
DATE	06/26/08

**CUSTOMER**  
Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021



**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 06/20/08 - 06/26/08 Security Officer-Regular  531 SGA	91.000	HR	18.89	1,718.99
PAGE 1 OF 1			Sub-Total	1,718.99
			Sales Tax	141.82
			TOTAL	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3725665
Invoice Date	06/26/08
Amount Due	\$1,860.81
Amount Remitted	


EPAHO055002542



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3728866
DATE	07/03/08

**CUSTOMER**  
Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021



**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890	<b>P.O. NO.</b>		
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 06/27/08 - 07/03/08 Security Officer-Regular	91.000	HR	18.89	1,718.99
PAGE 1 OF 1		<b>POSTED</b>		
		<b>Sub-Total</b>	1,718.99	
		<b>Sales Tax</b>	141.82	
		<b>TOTAL</b>	1,860.81	

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3728866
Invoice Date	07/03/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002543

## Allied Barton Security Services

Date	Type	Reference	Original Amt.	Balance Due	8/6/2008 Discount	Payment
5/30/2008	Bill	3679173	1,860.81	1,860.81		1,860.81
6/5/2008	Bill	3685731	1,860.81	1,860.81		1,860.81
6/5/2008	Bill	3691978	2,014.25	2,014.25		2,014.25
					Check Amount	5,735.87

CES Environmental S 93890


5,735.87



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3679173
DATE	05/15/08

CUSTOMER  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021



SERVICE LOCATION

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

TERMS: Net 15 Days	CUSTOMER NO. 93890		P.O. NO.	
Description	Quantity	Unit of Measure	Price	Amount
Weekly Billing 05/09/08 - 05/15/08 Security Officer-Regular	91.000	HR	18.89	1,718.99
<b>POSTED</b>	PAGE 1 OF 1		Sub-Total	1,718.99
			Sales Tax	141.82
			TOTAL	1,860.61

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

EPAHO055002545



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656


INVOICE NO.	3685731
DATE	05/22/08

**CUSTOMER**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021



Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 05/16/08 - 05/22/08 Security Officer-Regular  <i>no PO needed</i>	91.000	HR	18.89	1,718.99
<b>PAGE 1 OF 1</b>			<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT


EPAHO055002546



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

<b>INVOICE NO.</b>	3691978
<b>DATE</b>	05/29/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021



**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 05/23/08 - 05/29/08				
Security Officer-Regular	76.000	HR	18.89	1,435.64
Security Officer-Holiday	15.000	HR	28.34	425.10
<b>POSTED</b>			<b>Sub-Total</b>	1,860.74
		<b>PAGE 1 OF 1</b>	<b>Sales Tax</b>	153.51
			<b>TOTAL</b>	2,014.25

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

EPAHO055002547



## Allied Barton Security Services

Date	Type	Reference	Original Amt.	Balance Due	7/18/2008 Discount	Payment
2/26/2008	Bill	3588163	1,963.05	149.61		149.61
3/19/2008	Bill	3609491	1,901.70	1,901.70		1,901.70
3/24/2008	Bill	3619314	1,840.36	1,840.36		1,840.36
4/10/2008	Bill	3624195	1,860.81	1,860.81		1,860.81
4/14/2008	Bill	3633516	1,860.81	1,860.81		1,860.81
4/15/2008	Bill	3639414	1,860.81	1,860.81		1,860.81
4/23/2008	Bill	3646736	1,860.81	1,860.81		1,860.81
4/25/2008	Bill	3651361	1,860.81	1,860.81		1,860.81
5/14/2008	Bill	3658977	1,860.81	1,860.81		1,860.81
5/21/2008	Bill	3666813	1,860.81	1,860.81		1,860.81
5/25/2008	Bill	3672017	1,860.81	1,860.81		1,860.81
				Check Amount		18,778.15

CES Environmental S 93890

18,778.15

Allien Barton

832-607-6033

Derrin / Acct Mgr



July 8, 2008

Mr. Carl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, Texas 77021

Certified Mail  
Returned Receipt Requested

**Re: Account #93890**

Dear Mr. Guidry,

Despite repeated requests for payment and numerous efforts to reach a mutually satisfactory payment plan, the balance on your account remains unpaid. Our Administrative Manager, Melanie Mushinski, actually spoke to Greg Bowman the first week in June. At that time, he promised a payment by 6/12 for the 3 oldest invoices. We have still not received that payment.

Since we have seen no effort on your part to make suitable arrangements for payment, this letter is our final notice that a payment in the amount of \$18,778.15 must be received in our office on or before July 17, 2008. This payment will pay all invoices dated 2/14 through 5/8. Failure to meet this final demand for payment will result in our initiating termination of our security services, effective July 18, 2008. Once our services are terminated, the account will be referred to our Corporate Collection Department.

If you have any questions, please call me directly at (832) 865-4478.

Sincerely,

A handwritten signature in black ink that reads "Phillip Mitchell". The signature is written in a cursive, flowing style.

Phillip Mitchell  
Area Manager

cc: Darin Sewell, Operations Manager  
Client File

EPAHO055002550

**ALLIED BARTON®**  
SECURITY SERVICES

13430 Northwest Freeway, Suite 490  
Houston, TX 77040

CERTIFIED MAIL



7001 0360 0002 1378 1090



UNITED STATES POSTAGE  
PITNEY BOWES  
02 1P \$ 004.80<sup>0</sup>  
0004167828 JUL 08 2008  
MAILED FROM ZIP CODE 77040

Carl Guidry  
CES Environmental  
4904 Griggs Road  
Houston, Tx 77021

7702133208 C021



EPAHQ055002551



ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 3588163  
BATCH: 031 SQ: 000647  
DATE: 04/18/08 TIME: 06:22:06  
AV: Y - YES APPROVED: 035553  
MANUAL

TOTAL \$ 1813.44

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X

CES- GREG BOWMAN

CUSTOMER COPY

EPAHO055002553





3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

<b>INVOICE NO.</b>	3619314
<b>DATE</b>	03/13/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

MAR 20 2008

**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890	<b>P.O. NO.</b>		
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 3/7/08 - 3/13/08 Security Officer-Regular	90.000	HR	18.89	1,700.10
	3/24/08			
PAGE 1 OF 1			<b>Sub-Total</b>	1,700.10
			<b>Sales Tax</b>	140.26
			<b>TOTAL</b>	1,840.36

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

<b>Customer No.</b>	93890
<b>Job No.</b>	93890
<b>Invoice No.</b>	3619314
<b>Invoice Date</b>	03/13/08
<b>Amount Due</b>	\$1,840.36
<b>Amount Remitted</b>	

EPAHO055002555






3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3624195
DATE	03/20/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021



**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890	<b>P.O. NO.</b>		
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 3/14/08-3/20/08 Security Officer-Regular	91.000	HR	18.89	1,718.99
PAGE 1 OF 1			<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

<b>Customer No.</b>	93890
<b>Job No.</b>	93890
<b>Invoice No.</b>	3624195
<b>Invoice Date</b>	03/20/08
<b>Amount Due</b>	\$1,860.81
<b>Amount Remitted</b>	

EPAHO055002556



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3633516
DATE	03/27/08

**CUSTOMER**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

APR 04 2008

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days		<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>	
Weekly Billing 3/21/08 - 3/27/08 Security Officer-Regular	91.000	HR	18.89	1,718.99	
PAGE 1 OF 1			<b>Sub-Total</b>	1,718.99	
			<b>Sales Tax</b>	141.82	
			<b>TOTAL</b>	1,860.81	

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3633516
Invoice Date	03/27/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002557



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3639414
DATE	04/03/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

APR 09 2008

**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 3/28/08 - 4/3/08 Security Officer-Regular	91.000	HR	18.89	1,718.99
<div style="text-align: center;"> <b>POSTED</b>  4/14/08 </div>			<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81
		PAGE 1 OF 1		

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3639414
Invoice Date	04/03/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002558



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3646736
DATE	04/10/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

APR 18 2008

**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days		<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>	
Weekly Billing 4/4/08-4/10/08 Security Officer-Regular	91.000	HR	18.89	1,718.99	
<b>POSTED</b> 4/23/07		<b>Sub-Total</b>		1,718.99	
		<b>Sales Tax</b>			
		<b>TOTAL</b>		1,860.81	
		PAGE 1 OF 1			

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3646736
Invoice Date	04/10/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002559



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3651361
DATE	04/17/08

**CUSTOMER**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

APR 25 2008

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 4/11/08-4/17/08 Security Officer-Regular	91.000	HR	18.89	1,718.99
	PAGE 1 OF 1		<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3651361
Invoice Date	04/17/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002560



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3658977
DATE	04/24/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

MAY 05 2008

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 4/18/08 - 4/24/08 Security Officer-Regular	91.000	HR	18.89	1,718.99
<div style="text-align: center; font-size: 48pt; font-weight: bold;">POSTED</div>			<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81
PAGE 1 OF 1				

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3658977
Invoice Date	04/24/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002561



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3666813
DATE	05/01/08

**CUSTOMER**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

MAY 08 2008

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 4/25/08 - 5/1/08 Security Officer-Regular  <b>POSTED</b>	91.000	HR	18.89	1,718.99
PAGE 1 OF 1			<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3666813
Invoice Date	05/01/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002562



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656


INVOICE NO.	3672017
DATE	05/08/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

**RECEIVED**  
MAY 19 2008

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

TERMS: Net 15 Days	CUSTOMER NO. 93890		P.O. NO. <u>BY: _____</u>	
Description	Quantity	Unit of Measure	Price	Amount
Weekly Billing 05/02/08 - 05/08/08 Security Officer-Regular	91.000	HR	18.89	1,718.99
 PAGE 1 OF 1			Sub-Total	1,718.99
			Sales Tax	141.82
			TOTAL	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3672017
Invoice Date	05/08/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002563



ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

## VISA FLEET

# \*\*\*\*\*6554

CLK: CHANDE

EXP.: \*\*/\*\*

REFUND

INVOICE: 3582426

BATCH: 100

SQ: 001934

DATE: 06/03/08

TIME: 10:06:44

APPROVED: 000001

MANUAL

TOTAL \$ 2131.44

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES ENVIRONMENTAL SERVICES

CUSTOMER COPY

Greg

Refund for  
Allied Barton  
Invoice

626000

Post-It® Fax Note	7671	Date	6/3	# of pages	2
To	Kim	From	Chene/1		
Co./Dept.		Co.	Allied Barton		
Phone #		Phone #	610-239-1112		
Fax #	713-748-8664	Fax #			

ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

## VISA FLEET

# \*\*\*\*\*6554

CLK: GWANDE EXP.: \*\*/\*\*  
REFUND INVOICE: 3582427  
BATCH: 100 SQ: 001935  
DATE: 06/03/08 TIME: 10:07:18  
APPROVED: 000001

MANUAL

TOTAL \$ 1818.60

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES ENVIRONMENTAL SERVICES

CUSTOMER COPY

*Greg**626000*

*Refund for  
Allied Burton  
invoice*

EPAHO055002565

ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

## VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE

EXP.: \*\*/\*\*

REFUND

INVOICE: 3502427

BATCH: 100

SQ: 001935

DATE: 06/03/08

TIME: 10:07:18

APPROVED: 000001

MANUAL

TOTAL S 1818.60

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES ENVIRONMENTAL SERVICES

CUSTOMER COPY

EPAHO055002566



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3582427
DATE	02/07/08

**CUSTOMER**

Transwestern  
1900 West Loop South  
Suite 1300  
Houston, TX 77027

**SERVICE LOCATION**

Transwestern Port 225 - 3005 Pasadena Fr  
3005 Pasadena Freeway  
Pasadena, TX 77503

Please remit payment to: AlliedBarton Security Services P.O. Box 534265 Atlanta, GA 30353-4265

<b>TERMS:</b> Net 10 Days	<b>CUSTOMER NO.</b> 94681		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 2/1/08 - 2/7/08				
Security Officer-Regular	12.000	HR	20.00	240.00
Security Officer-Overtime	72.000	HR	20.00	1,440.00
<b>DUPLICATE</b>			<b>Sub-Total</b>	1,680.00
			<b>Sales Tax</b>	138.60
			<b>TOTAL</b>	1,818.60
			<b>PAGE 1 OF 1</b>	

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Transwestern  
1900 West Loop South  
Suite 1300  
Houston, TX 77027

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 534265  
Atlanta, GA 30353-4265

Customer No.	94681
Job No.	94681
Invoice No.	3582427
Invoice Date	02/07/08
Amount Due	\$1,818.60
Amount Remitted	

EPAHO055002567

ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 3582427  
BATCH: 031 SQ: 000645  
DATE: 04/18/08 TIME: 06:20:54  
AV: Y - YES APPROVED: 001680  
MANUAL

TOTAL \$ 1818.60

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X

CES- GREG BOWMAN

CUSTOMER COPY

ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

## VISA FLEET

# \*\*\*\*\*6554

CLK: CHAND EXP.: \*\*/\*\*  
REFUND INVOICE: 3582426  
BATCH: 100 SQ: 001934  
DATE: 06/03/08 TIME: 10:06:44  
APPROVED: 000001

MANUAL

TOTAL \$ 2131.44

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES ENVIRONMENTAL SERVICES

CUSTOMER COPY

Post-It® Fax Note	7671	Date	6/3	# of pages	2
To	Kim	From	Chene		
Co./Dept.		Co.	Allied Barton		
Phone #		Phone #	610-239-1112		
Fax #	713-748-8669	Fax #			



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3582426
DATE	02/07/08

**CUSTOMER**

Don Murray  
Renascent Constructors  
P.O. Box 2883  
Coppell, TX 75019

**SERVICE LOCATION**

Renascent Constructors - 7924 North High  
7924 North Highway 6  
Houston, TX

Please remit payment to: AlliedBarton Security Services P.O. Box 534265 Atlanta, GA 30353-4265

<b>TERMS:</b> Net 10 Days	<b>CUSTOMER NO.</b> 94475		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 2/1/08 - 2/7/08 Security Officer Regular Adjustment to w.e 1/24/08 for Sherman Graham	89.500	HR	22.00	1,969.00
<div><b>PAID</b> CK. NO. <u>          </u> DATE <u>4-16-08</u></div>	PAGE 1 OF 1		<b>Sub-Total</b>	1,969.00
			<b>Sales Tax</b>	162.44
			<b>TOTAL</b>	2,131.44

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Don Murray  
Renascent Constructors  
P.O. Box 2883  
Coppell, TX 75019

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 534265  
Atlanta, GA 30353-4265

Customer No.	94475
Job No.	94475
Invoice No.	3582426
Invoice Date	02/07/08
Amount Due	\$2,131.44
Amount Remitted	

EPAHO055002570

ALLIED SECURITY  
3806 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 3582426  
BATCH: 031 SQ: 000643  
DATE: 04/18/08 TIME: 06:20:03  
AV: Y - YES APPROVED: 074527  
MANUAL

TOTAL \$ 2131.44

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES- GREG BOWMAN

CUSTOMER COPY

Post-it® Fax Note	7671	Date	4/18	# of pages	3
To	CES	From	Chenell		
Co./Dept.		Co.	Allied Barton		
Phone #		Phone #	610-239-1112		
Fax #	713-676-1676	Fax #			



## CES ENVIRONMENTAL SERVICES, INC.

36546

Allied Barton Security Services

Date	Type	Reference	Original Amt.	Balance Due	3/19/2008 Discount	Payment
1/25/2008	Bill	3553156	1,799.46	1,799.46		1,799.46
1/26/2008	Bill	3561268	1,901.70	1,901.70		1,901.70
				Check Amount		3,701.16

CES Environmental S 93890

3,701.16

552394 (6/07)

EPAHO055002572



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(610) 239-1100 Fax (610) 279-7656


consolidated

INVOICE NO.	3553156
DATE	01/10/08

**CUSTOMER**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

JAN 17 2008

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 1/4/08 - 1/10/08 Security Officer-Regular	88.000	HR	18.89	1,662.32
PAGE 1 OF 1			<b>Sub-Total</b>	1,662.32
			<b>Sales Tax</b>	137.14
			<b>TOTAL</b>	1,799.46

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

<b>Customer No.</b>	93890
<b>Job No.</b>	93890
<b>Invoice No.</b>	3553156
<b>Invoice Date</b>	01/10/08
<b>Amount Due</b>	\$1,799.46
<b>Amount Remitted</b>	

EPAHO055002573



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(610) 239-1100 Fax (610) 279-7656



INVOICE NO.	3561268
DATE	01/17/08

**CUSTOMER**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

JAN 25 2008

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890	<b>P.O. NO.</b>		
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 1/11/08 - 1/17/08 Security Officer-Regular	93.000	HR	18.89	1,756.77
PAGE 1 OF 1			<b>Sub-Total</b>	1,756.77
			<b>Sales Tax</b>	144.93
			<b>TOTAL</b>	1,901.70

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3561268
Invoice Date	01/17/08
Amount Due	\$1,901.70
Amount Remitted	

EPAHO055002574



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(610) 239-1100 Fax (610) 279-7656

INVOICE NO.	3565701
DATE	01/24/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

JAN 31 2008

**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890	<b>P.O. NO.</b>		
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 1/18/08 - 1/24/08				
Security Officer-Regular	76.000	HR	18.89	1,435.64
Security Officer-Holiday	17.000	HR	28.34	481.78
<div style="text-align: center;"> <b>PAID</b>            CK. NO. <u>c/c</u>            DATE <u>4-8-08</u> </div>		<div style="text-align: center;"> <b>POSTED</b>  <i>rm Kelley Frill</i>  <i>4-7 + 4-8</i> </div>		
PAGE 1 OF 1		<b>Sub-Total</b>	1,917.42	
		<b>Sales Tax</b>	158.19	
		<b>TOTAL</b>	2,075.61	

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3565701
Invoice Date	01/24/08
Amount Due	\$2,075.61
Amount Remitted	

EPAHO055002575

ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 3565701  
BATCH: 018 SQ: 000383  
DATE: 04/09/08 TIME: 15:59:07  
AV: Y - YES APPROVED: 044797  
MANUAL

TOTAL \$ 2075.61

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES- GREG BOWMAN


CUSTOMER COPY



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3573625
DATE	01/31/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021



**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

TERMS: Net 15 Days		CUSTOMER NO. 93890		P.O. NO.	
Description		Quantity	Unit of Measure	Price	Amount
Weekly Billing 1/25/08 - 1/31/08 Security Officer-Regular		93.000	HR	18.89	1,756.77
POSTED		<div>PAID</div> <div>CK. NO. <u>cl</u></div> <div>DATE <u>4-8-08</u></div>			
		PAGE 1 OF 1		Sub-Total	1,756.77
				Sales Tax	144.93
				TOTAL	1,901.70

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3573625
Invoice Date	01/31/08
Amount Due	\$1,901.70
Amount Remitted	

EPAHO055002577

ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

## VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 3573625  
BATCH: 018 SQ: 000379  
DATE: 04/09/08 TIME: 15:56:37  
AV: Y - YES APPROVED: 063683  
MANUAL

TOTAL \$ 1901.70

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES- GREG BOWMAN

CUSTOMER COPY


Post-it® Fax Note	7671	Date	4/8/08	# of pages	3
To		From	Chenell		
Co./Dept.		Co.	Allied Barton		
Phone #		Phone #	610-239-1112		
Fax #	713-676-1676	Fax #			



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3582425
DATE	02/07/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021



**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 2/1/08 - 2/7/08	79.000	HR	18.89	1,492.31
Security Officer-Regular	10.000	HR	28.34	283.40
Security Officer-Overtime				
<b>PAID</b> CK. NO. <u>c/c</u> DATE <u>4-8-08</u>		<b>POSTED</b>		
<b>PAGE 1 OF 1</b>		<b>Sub-Total</b>		1,775.71
		<b>Sales Tax</b>		146.50
		<b>TOTAL</b>		1,922.21

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3582425
Invoice Date	02/07/08
Amount Due	\$1,922.21
Amount Remitted	

EPAHO055002579



ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET  
# \*\*\*\*\*6554  
CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 3582425  
BATCH: 018 SQ: 000381  
DATE: 04/09/08 TIME: 15:58:25  
AV: Y - YES APPROVED: 020155  
MANUAL

TOTAL \$ 1922.21

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES- GREG BOWMAN


CUSTOMER COPY



3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3593857
DATE	02/21/08

**CUSTOMER**  
Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021



**SERVICE LOCATION**  
CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 2/15/08 - 2/21/08 Security Officer-Regular	76.500	HR	18.89	1,445.09
PAGE 1 OF 1			<b>Sub-Total</b>	1,445.09
			<b>Sales Tax</b>	119.22
			<b>TOTAL</b>	1,564.31

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**PLEASE SEND REMITTANCE TO**

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

<b>Customer No.</b>	93890
<b>Job No.</b>	93890
<b>Invoice No.</b>	3593857
<b>Invoice Date</b>	02/21/08
<b>Amount Due</b>	\$1,564.31
<b>Amount Remitted</b>	

EPAHO055002581

ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET  
# \*\*\*\*\*6554  
CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 3593857  
BATCH: 083 SQ: 001584  
DATE: 05/21/08 TIME: 18:04:57  
AV: Y - YES APPROVED: 035588  
MANUAL

TOTAL \$ 1564.31

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES ENVIRONMENTAL SERVICES

CUSTOMER COPY

Post-it® Fax Note	7671	Date	5/21	# of pages	2
To	Peter	From	Chene U		
Co./Dept.		Co.	Allied Barton		
Phone #		Phone #	610-239-1112		
Fax #	713-748-8669	Fax #			




3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3602078
DATE	02/28/08

**CUSTOMER**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 2/22/08 - 2/28/08				
Security Officer-Regular	91.000	HR	18.89	1,718.99
Security Officer-Training	1.000	HR	18.89	18.89
<b>POSTED</b> 3/12/08			<b>Sub-Total</b>	1,737.88
			<b>Sales Tax</b>	143.38
			<b>TOTAL</b>	1,881.26
		PAGE 1 OF 1		

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3602078
Invoice Date	02/28/08
Amount Due	\$1,881.26
Amount Remitted	

EPAHO055002583

ALLIED SECURITY  
3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 194062647  
610-239-1174

TERMINAL ID: 712338  
MERCHANT #: 179210225993

VISA FLEET

# \*\*\*\*\*6554

CLK: CVANDE EXP.: \*\*/\*\*  
SALE INVOICE: 3602078  
BATCH: 083 SQ: 001586  
DATE: 05/21/08 TIME: 18:06:31  
AV: Y - YES APPROVED: 085037  
MANUAL

TOTAL \$ 1881.26

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES ENVIRONMENTAL SERVICES

CUSTOMER COPY

## Allied Barton Security Services

8/25/2008

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
6/20/2008	Bill	3703329	1,860.81	1,860.81		1,860.81
				Check Amount		1,860.81

CES Environmental S 93890

1,860.81

560632 (1/08)

EPAHO055002585




3606 HORIZON DRIVE  
KING OF PRUSSIA, PA 19406  
(866) 703-7666 Fax (610) 279-7656

INVOICE NO.	3703329
DATE	06/05/08

**CUSTOMER**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

**SERVICE LOCATION**

CES Environmental - 4904 Griggs Road  
4904 Griggs Road  
Houston, TX 77021

Please remit payment to: AlliedBarton Security Services P.O. Box 828854 Philadelphia, PA 19182-8854

<b>TERMS:</b> Net 15 Days	<b>CUSTOMER NO.</b> 93890		<b>P.O. NO.</b>	
<b>Description</b>	<b>Quantity</b>	<b>Unit of Measure</b>	<b>Price</b>	<b>Amount</b>
Weekly Billing 05/30/08 - 06/05/08 Security Officer-Regular	91.000	HR	18.89	1,718.99
	PAGE 1 OF 1		<b>Sub-Total</b>	1,718.99
			<b>Sales Tax</b>	141.82
			<b>TOTAL</b>	1,860.81

TO ENSURE PROPER CREDIT, PLEASE DETACH AND MAIL BOTTOM PORTION WITH YOUR PAYMENT

**ATTENTION:**

Karl Guidry  
Ces Environmental  
4904 Griggs Road  
Houston, TX 77021

PLEASE SEND REMITTANCE TO

AlliedBarton Security Services  
P.O. Box 828854  
Philadelphia, PA 19182-8854

Customer No.	93890
Job No.	93890
Invoice No.	3703329
Invoice Date	06/05/08
Amount Due	\$1,860.81
Amount Remitted	

EPAHO055002586


\$ 4,806.85

pd. 11/3/08

Lesia



Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0808-243  
 INVOICE DATE:  
 August 30, 2008  
 PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

RECEIVED  
 SEP 04 2008  
 BY: .....

678 FS Kosmo

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		375897		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			9/29/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	PD20A-AAP-GGG	ARO 2" Aluminum Diaphragm Pump, Plated Steel Valve with Geloast Packing	1,284.00	1,284.00
1.00	637374-2	ARO Major Valve Assembly	239.00	239.00
1.00	637309-TT	ARO Fluid Section Repair Kit	712.00	712.00
4.00	94353	ARO Seat, Stainless Steel	91.55	366.20
Signed copy of Delivery Ticket: 1765642				

POSTED  
 SEP 08 2008

Check No:

Subtotal 2,601.20  
 Sales Tax 214.60  
 Freight  
 Total Invoice Amount 2,815.80  
 Payment Received  
**TOTAL 2,815.80**

EPAHO055002588

FROM :

FAX NO. :

Aug. 27 2008 01:32PM P1

**Alpha Marine Solutions**15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533**Delivery Ticket**

Sales Order Number:

1765642

Sales Order Date:

Aug 27, 2008

Page:

1

**Sold To:**CES  
4904 Griggs Rd  
Houston, TX 77021**Ship To:**CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375897	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	PD20A-AAP-GGG	ARO 2" Aluminum Diaphragm Pump, Plated Steel Valve with Geloast Packing.		
1.00	637374-2	ARO Major Valve Assembly		
1.00	637309-TT	ARO Fluid Section Repair Kit		
4.00	94353	ARO Seat, Stainless Steel		
<i>Barajas/Hollis</i>				

EPAHO055002589

# Purchase Order Request Form

P.O. Number: 375897

Date: 8-27-08

Vendor: Alpha Marine Solutions

Contact: Jane

Phone: \_\_\_\_\_

Item #	Description	Quantity	Cost
_____	<u>2" Aro Pump.</u>	_____	<u>1,284<sup>00</sup></u>
_____	_____	_____	_____
_____	<u>Air motor assembly</u>	<u>1</u>	<u>239.20</u>
_____	<u>Fluid section kit (viton)</u>	<u>1</u>	<u>1310<sup>00</sup></u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	<u>2,833<sup>00</sup></u>

Submitted By: Jorge

Approved By: \_\_\_\_\_

Kasivo

## For Office Use Only

Internal Expense:

- \_\_\_\_\_ CS
- \_\_\_\_\_ FS
- \_\_\_\_\_ Trans
- \_\_\_\_\_ SGA
- \_\_\_\_\_ MRI
- \_\_\_\_\_ DRM
- \_\_\_\_\_ DSP


Job Expense:

What Job? KSD

\_\_\_\_\_ Give Vendor Re-Sale Certificate

\_\_\_\_\_ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:


0808-216

INVOICE DATE:

August 26, 2008

PAGE:

1



SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

RECEIVED  
SEP 02 2008  
BY: .....

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		375768		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			9/25/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
2.00	95975-1	ARO Diaphragm Nut	92.65	185.30
		Signed copy of Delivery Ticket: 1765543		
		678 FS		

Check No:

Subtotal	185.30
Sales Tax	15.29
Freight	
Total Invoice Amount	200.59
Payment Received	
<b>TOTAL</b>	<b>200.59</b>

EPAHO055002591

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281-452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765543

Sales Order Date:  
Aug 15, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375768	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>4.00</del>	<del>94615-A</del>	<del>ARO Diaphragm, Santipreme</del>		
<del>4.00</del>	<del>96166-A</del>	<del>ARO 1 1/2 Santipreme Diaphragm</del>		
2.00	95975-1	ARO Diaphragm Nut		
<i>Barajas Noelig</i>				

EPAHO055002592

# Purchase Order Request Form

P.O. Number: 375768

Date: 8-14-08

Vendor: Alpha Marine solutions

Contact: Janell

Phone: 281-457-3533

Item #	Description	Quantity	Cost
	1 1/2 Poly Pump		
8-19 ✓ 96166-A	Diaphragms (Santoprene)	4	25.05 100.20
95975-1	Diaphragms washers	2	92.65 185.30
	2" Poly Pump		
8-19 ✓ 94616	Diaphragms (Santoprene)	4	31.10 124.40
	Diaphragms Pumps		
			409.90

Submitted By: Jalae

Approved By: MM

For Office Use Only

Internal Expense:

☒ CS  
☒ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM  
☐ DSP


Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0808-208  
INVOICE DATE:  
August 26, 2008


PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

RECEIVED  
SEP 02 2008

BY: .....

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		375880		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			9/25/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
4.00	94113	ARO Seat, Stainless Steel	181.00	724.00
4.00	94103-T	ARO Ball, Teflon	155.25	621.00
4.00	Y328-350	ARO O-Ring	21.10	84.40
Signed copy of Delivery Ticket: 1765624 678 DSP				

Check No:

Subtotal	1,429.40
Sales Tax	117.93
Freight	
Total Invoice Amount	1,547.33
Payment Received	
<b>TOTAL</b>	<b>1,547.33</b>

EPAHO055002594

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

1765624

Sales Order Date:

Aug 25, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375880	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
4.00	94113	ARO Seat, Stainless Steel		
4.00	94103-T	ARO Ball, Teflon		
4.00	Y328-350	ARO O-Ring		
<i>Benjamin Noelia</i>				

EPAHO055002595



# Purchase Order Request Form

P.O. Number: 375880

Date: 8-25-08

Vendor: Alpha Marine Solutions

Contact: Janell

Phone: \_\_\_\_\_

Item #	Description	Quantity	Cost
	<u>Seals (SS)</u>	<u>4</u>	<u>181<sup>00</sup> 724<sup>00</sup></u>
	<u>Balls (Teflon)</u>	<u>4</u>	<u>155.25 621<sup>00</sup></u>
	<u>Filter press Diaphragm</u>		
	<u>pump (warehouse)</u>		
			<u>1345<sup>00</sup></u>

Submitted By: Jane

Approved By: NM

## For Office Use Only

Internal Expense:

- ☐ CS
- ☐ FS
- ☐ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM
- ☒ DSP


Job Expense:

What Job? 

☐ Give Vendor Re-Sale Certificate


☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0808-134

INVOICE DATE:  
 August 18, 2008



RECEIVED PAGE: 1  
 AUG 20 2008  
 BY: .....

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

le 78  
 DSP

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	375768	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		9/17/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
4.00	94615-A	ARO Diaphragm, Santipreme	31.10	124.40
4.00	96166-A	ARO 1 1/2 Santipeme Diaphragm	25.05	100.20
	95975-1	ARO Diaphragm Nut	92.65	
Signed copy of Delivery Ticket: 1765543				

Check No:

Subtotal	224.60
Sales Tax	18.53
Freight	
Total Invoice Amount	243.13
Payment Received	
<b>TOTAL</b>	<b>243.13</b>

EPAHO055002597

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765543

Sales Order Date:  
Aug 15, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375768	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
4.00	94615-A	ARO Diaphragm, Santipreme		
4.00	96166-A	ARO 1 1/2 Santipeme Diaphragm		
<del>2.00</del>	<del>95975-1</del>	<del>ARO Diaphragm Nut</del>		
Barajas Noelia				

EPAHO055002598

# Purchase Order Request Form

P.O. Number: 375768

Date: 8-14-08

Vendor: Alpha Marine solutions

Contact: Janell

Phone: 281-457-3533

Item #	Description	Quantity	Cost
	1 1/2 poly pump.		
✓ 96166-A	Diaphragms. (santoprene)	4	25.05 100.20
95975-1	Diaphragms washers.	2	92.65 185.30
Back order			
	2" poly pump.		
✓ 94616	Diaphragms (santoprene)	4	31.10 124.40
	Diaphragms pumps		
			409.90

Submitted By: Jade

Approved By: MM

For Office Use Only

Internal Expense:

☒ CS  
☒ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM  
☐ DSP

Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

45914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765543

Sales Order Date:  
Aug 15, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375768	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
4.00	94615-A	ARO Diaphragm, Santipreme		
4.00	96166-A	ARO 1 1/2 Santipreme Diaphragm		
<del>2.00</del>	<del>95975-1</del>	<del>ARO Diaphragm Nut</del>		
Barajas Noelig				

EPAHO055002600

Alpha Marine Solutions					11/8/2008	
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
9/4/2008	Bill	0808-255	1,024.48	1,024.48		1,024.48
9/6/2008	Bill	0908-004	1,585.86	1,585.86		1,585.86
				Check Amount		2,610.34

PAYMENT  
RECORD

CES Environmental S CES

2,610.34

565369 (5/08)

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320

aMs

INVOICE NUMBER:


0908-004

INVOICE DATE:

September 3, 2008

PAGE:

1



SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		375670	Net 30 Days	
SALES REP ID		SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON		Alpha Truck		10/3/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	02-10686	WILDEN 1" Diaphragm Pump with Wilflex Packing	990.00	990.00
1.00	00-9916	WILDEN 1/4" Poly Diaphragm Pump with Wilflex Packing	475.00	475.00
	u78 DSP	Signed copy of Delivery Ticket: 1765425		

Check No:

Subtotal	1,465.00
Sales Tax	120.86
Freight	
Total Invoice Amount	1,585.86
Payment Received	
<b>TOTAL</b>	<b>1,585.86</b>

EPAHO055002602

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765425

Sales Order Date:  
Aug 4, 2008

Page:  
1


### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
Customer Pickup  
Channelview, TX 77530


Customer ID	PO Number	Sales Rep Name
CES	375670	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	02-10686	WILDEN 1" Diaphragm Pump with Wilflex Packing		
<del>2.00</del>	<del>02-1010-58</del>	<del>WILDEN Diaphragm Wilflex</del>		
1.00	00-9916	WILDEN 1/4" Poly Diaphragm Pump with Wilflex Packing		
<del>2.00</del>	<del>00-1010-58</del>	<del>WILDEN Diaphragm Wilflex</del>		
<del>1.00</del>	<del>01-10345</del>	<del>WILDEN 1/2" Poly Diaphragm Pump with Wilflex Packing</del>		
<del>2.00</del>	<del>01-1010-58</del>	<del>WILDEN Diaphragm</del>		
<del>3.00</del>	<del>00-2110-99-150</del>	<del>WILDEN 24V DC Coil</del>		
				

EPAHO055002603



Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0808-255

INVOICE DATE:

August 30, 2008

PAGE:

1

**RECEIVED**  
 SEP 04 2008  
 BY: .....

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

u78 DSP

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS
CES	375670	Net 30 Days
SALES REP ID	SHIPPING METHOD	SHIP DATE
ASTON	Alpha Truck	

**POSTED**  
 SEP 08 2008

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
	02-10686	WILDEN 1" Diaphragm Pump with Wilflex Packing	990.00	
2.00	02-1010-58	WILDEN Diaphragm Wilflex	23.95	47.90
	00-9916	WILDEN 1/4" Poly Diaphragm Pump with Wilflex Packing	475.00	
2.00	00-1010-58	WILDEN Diaphragm Wilflex	10.50	21.00
1.00	01-10345	WILDEN 1/2" Poly Diaphragm Pump with Wilflex Packing	750.00	750.00
2.00	01-1010-58	WILDEN Diaphragm	22.50	45.00
3.00	00-2110-99-150	WILDEN 24V DC Coil	27.50	82.50
		Signed copy of Delivery Ticket: 1765425		

Check No:

Subtotal 946.40  
 Sales Tax 78.08  
 Freight  
 Total Invoice Amount 1,024.48  
 Payment Received  
**TOTAL 1,024.48**

EPAHO055002604

# Alpha Marine Solutions

15914 AYE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765425

Sales Order Date:  
Aug 4, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
Customer Pickup  
Channelview, TX 77530

Customer ID	PO Number	Sales Rep Name
CES	375670	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>1.00</del>	<del>02-10696</del>	<del>WILDEN 1" Diaphragm Pump with Wilflex Packing</del>		
2.00	02-1010-58	WILDEN Diaphragm Wilflex		
<del>1.00</del>	<del>00-9916</del>	<del>WILDEN 1/4" Poly Diaphragm Pump with Wilflex Packing</del>		
2.00	00-1010-58	WILDEN Diaphragm Wilflex		
1.00	01-10345	WILDEN 1/2" Poly Diaphragm Pump with Wilflex Packing		
2.00	01-1010-58	WILDEN Diaphragm		
3.00	00-2110-99-150	WILDEN 24V DC Coil		
<i>Benjamin Noel</i>				

EPAHO055002605

# Purchase Order Request Form

P.O. Number: 315670

Date: 8-4-08

Vendor: Alpha Marine solutions

Contact: Janell

Phone: \_\_\_\_\_

Item #	Description	Quantity	Cost
_____	<u>AZP Pump</u>	<u>1</u>	<u>940<sup>00</sup></u>
_____	<u>A.OZSP Pump</u>	<u>1</u>	<u>475<sup>00</sup></u>
_____	<u>A 1P pump</u>	<u>1</u>	<u>750<sup>00</sup></u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	<u>Water Treatment</u>	_____	_____
_____	<u>Recirculation System</u>	_____	<u>2215<sup>00</sup></u>
_____	_____	_____	_____

Submitted By: Jorge

Approved By: \_\_\_\_\_

## For Office Use Only

Internal Expense:

- \_\_\_\_\_ CS
- \_\_\_\_\_ FS
- \_\_\_\_\_ Trans
- \_\_\_\_\_ SGA
- \_\_\_\_\_ MRI
- \_\_\_\_\_ DRM
- \_\_\_\_\_ DSP

Job Expense:

What Job? \_\_\_\_\_

\_\_\_\_\_ Give Vendor Re-Sale Certificate

\_\_\_\_\_ Vendor to Charge Sales Tax

*Expense*

## Alpha Marine Solutions

Date	Type	Reference	Original Amt.	Balance Due	11/20/2008 Discount	Payment
9/17/2008	Bill	0908-085	905.00	905.00		905.00
9/17/2008	Bill	0908-090	61.76	61.76		61.76
9/19/2008	Bill	0908-091	279.50	279.50		279.50
9/19/2008	Bill	0908-104	1,001.31	1,001.31		1,001.31
9/19/2008	Bill	0908-103	582.98	582.98		582.98
9/30/2008	Bill	0908-213	2,429.13	2,429.13		2,429.13
10/1/2008	Bill	0908-152	2,760.38	2,760.38		2,760.38
10/1/2008	Bill	0908-102	445.99	445.99		445.99
				Check Amount		8,466.05

CES Environmental S CES

8,466.05

565369 (5/08)

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320

aMs

INVOICE NUMBER:

0908-085

INVOICE DATE:

September 11, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021



BY: .....

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	376039	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		10/11/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	6661A3-3EB-C	ARO 1" Polypropylene Diaphragm Pump with Santopreme Packing	905.00	905.00
		<del>1078</del> DSP Signed copy of Delivery Ticket: 1765769	130010 Rec	

Check No:

Subtotal	905.00
Sales Tax	74.66
Freight	
Total Invoice Amount	979.66
Payment Received	
<b>TOTAL</b>	<b>979.66</b>

EPAHO055002608

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765769

Sales Order Date:  
Sep 11, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	376039	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	6661A3-3EB-C	ARO 1" Polypropylene Diaphragm Pump with Santopreme Packing		
Barajas Noelis				

EPAHO055002609

# Alpha Marine Solutions

**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



## Delivery Ticket

**Sales Order Number:**  
1765769

Sales Order Date:  
Sep 11, 2008

Page:  
1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	376039	Janelle M. Aston
<b>Resale Certicate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certifcate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	6661A3-3EB-C	ARO 1" Polypropylene Diaphragm Pump with Santopreme Packing		

EPAHQ055002610

# Purchase Order Request Form

P.O. Number: 376039

Date: 9-11-08


Vendor: Alpha Marine Solutions

Contact: Janell

Phone: 281-457-3533

[illegible]

Submitted By: Jorge

Approved By: 

**For Office Use Only**

Internal Expense:

- \_\_\_\_\_ CS
- \_\_\_\_\_ FS
- \_\_\_\_\_ Trans
- \_\_\_\_\_ SGA
- \_\_\_\_\_ MRI
- \_\_\_\_\_ DRM
- \_\_\_\_\_ DSP

Job Expense:


### What Job?

Give Vendor Re-Sale Certificate

Vendor to Charge Sales Tax



Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0908-090

INVOICE DATE:

September 11, 2008


PAGE:

1

RECEIVED  
SEP 17 2008  
BY: .....

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	376038	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		10/11/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	637141	ARO Service Kit  678 DSP  Signed copy of Delivery Ticket: 1765767	57.05	57.05

Check No:

Subtotal	57.05
Sales Tax	4.71
Freight	
Total Invoice Amount	61.76
Payment Received	
<b>TOTAL</b>	<b>61.76</b>

EPAHO055002612

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765767

Sales Order Date:  
Sep 11, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	376038	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	637141	ARO Service Kit		
Barajas Noelis				

EPAHO055002613

# Alpha Marine Solutions

**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



# Delivery Ticket

Sales Order Number:

1765767

Sales Order Date:

Sep 11, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	376038	Janelle M. Aston
<b>Resale Certificate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	637141	ARO Service Kit		

EPAHQ055002614

# Purchase Order Request Form

P.O. Number:

376038

Date:

9-11-08

Vendor:

Alpha Marine Solutions.

Contact:

Janell

Phone:

281-457-3633

Item #	Description	Quantity	Cost
	Motor kit repair for	1	57.05
	1/2" Diaphragm pump		
	Motor oil plant		

Submitted By:

Jorge

Approved By:

## For Office Use Only

Internal Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM  
☐ DSP


Job Expense:

What Job?

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0908-091

INVOICE DATE:

September 11, 2008

PAGE:

1

RECEIVED  
 SEP 19 2008

SOLD TO:

CES

4904 Griggs Rd  
 Houston, TX 77021

BY:-----

SHIP TO:

CES

4904 Griggs Rd  
 Houston, TX 77021

678 DSP

Supplies

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		376023		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			10/11/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
4.00	02-1010-52W	WILDEN Diaphragms Buna End	38.50	154.00
	286-095-354	SANDPIPER Santapreme Diaphragm	38.00	
	286-096-600	SANDPIPER Teflon Diaphragm	168.00	
2.00	02-1010-53W	WILDEN Diaphragms Viton	129.10	258.20
-4.00	02-1010-52W	WILDEN Diaphragms Buna End (Picked up for Credit)	38.50	-154.00
		Signed copy of Delivery Ticket: 1765759		

Subtotal 258.20  
 Sales Tax 21.30

Freight  
 Total Invoice Amount 279.50  
 Payment Received

Check No:

**TOTAL 279.50**

EPAHO055002616

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765759

Sales Order Date:  
Sep 10, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	376023	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
4.00	02-1010-52W	WILDEN Diaphragms Buna End		
<del>2.00</del>	<del>286-095-354</del>	<del>SANDPIPER Santapreme Diaphragm</del>		
<del>2.00</del>	<del>286-096-600</del>	<del>SANDPIPER Teflon Diaphragm</del>		
Barajas Noelia				

EPAHO055002617

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765759

Sales Order Date:  
Sep 10, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	376023	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
4.00	02-1010-52W	WILDEN Diaphragms Buna End		
<del>2.00</del>	<del>286-095-354</del>	<del>SANDPIPER Santapreme Diaphragm</del>		
<del>2.00</del>	<del>286-096-600</del>	<del>SANDPIPER Teflon Diaphragm</del>		
<i>Barajas Noelis</i>				

EPAHO055002618

# Purchase Order Request Form

P.O. Number:

376023

Date:

9-10-08

Vendor:

Alpha Marine Solutions

Contact:

Janeil

Phone:

281-457-3533

Item #	Description	Quantity	Cost
	Diaphragms for colden pump	<del>2</del> 2	<del>38.50</del> 175. <sup>00</sup> Each
	Diaphragms for sandpiper	4	68.98
		4	38. <sup>00</sup>
	oil Facility		
			581.94

Submitted By:

Jorge

Approved By:

For Office Use Only

Internal Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM  
☐ DSP

Job Expense:

What Job?

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765759

Sales Order Date:  
Sep 10, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	376023	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>4.00</del>	<del>02-1010-52W</del>	<del>WILDEN Diaphragms Buna End</del>	4.00	
2.00	286-095-354	SANDPIPER Santapreme Diaphragm	2.00	
2.00	286-096-600	SANDPIPER Teflon Diaphragm	2.00	
<del>2.00</del>	<del>02-1010-53W</del>	<del>WILDEN Diaphragms Viton</del>	2.00	
<del>4.00</del>	<del>02-1010-52W</del>	<del>WILDEN Diaphragms Buna End</del>	-4.00	

EPAHO055002620

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320

aMs


INVOICE NUMBER:

0908-104

INVOICE DATE:

September 17, 2008

PAGE:



SOLD TO:

CES  
4904 Griggs Rd  
Houston, TX 77021

RECEIVED  
SEP 19 2008

SHIP TO:

CES  
4904 Griggs Rd  
Houston, TX 77021

BY:

678 DSP - Supplies

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		376047		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			10/17/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	PD10P-FPS-PAA	ARO 1" Poly Diaphragm Pump with Santipreme Packing  Signed copy of Delivery Ticket: 1765782	925.00	925.00

Check No:

Subtotal	925.00
Sales Tax	76.31
Freight	
Total Invoice Amount	1,001.31
Payment Received	
<b>TOTAL</b>	<b>1,001.31</b>

EPAHO055002621

# Alpha Marine Solutions

15914 AYE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765782

Sales Order Date:  
Sep 16, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	376047	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	PD10P-FPS-PAA	ARO 1" Poly Diaphragm Pump with Santipreme Packing		
<i>Jo Griggs</i>				

EPAHO055002622

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320

aMs

INVOICE NUMBER:

0908-103

INVOICE DATE:

September 17, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

BY: \_\_\_\_\_

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

078 DSP

RECEIVED  
SEP 19 2008

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		376048		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			10/17/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	666053-3EB	ARO 1/2" Polypropylene Diaphragm Pump with Santipreme Packing	498.00	498.00
1.00	93086	ARO Plug	18.35	18.35
1.00	93085	ARO Spool	22.20	22.20
Signed copy of Delivery Ticket: 1765778				

Subtotal 538.55

Sales Tax 44.43

Freight

Total Invoice Amount 582.98

Payment Received

**TOTAL 582.98**

Check No:

EPAHO055002623

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

1765778

Sales Order Date:

Sep 16, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**


CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	376048	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	666053-3EB	ARO 1/2" Polypropylene Diaphragm Pump with Santipreme Packing		
1.00	93086	ARO Plug		
1.00	93085	ARO Spool		
<i>Page 1 of 1</i>				

EPAHO055002624

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:


0908-152

INVOICE DATE:

September 24, 2008

PAGE:

1



SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		376109		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			10/24/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Tote	1.00	550.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit  618 DSP  Signed copy of Delivery Ticket: 1765840	1,000.00	2,000.00

Check No:

Subtotal	2,550.00
Sales Tax	210.38
Freight	
Total Invoice Amount	2,760.38
Payment Received	
<b>TOTAL</b>	<b>2,760.38</b>

EPAHO055002625

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765840

Sales Order Date:  
Sep 23, 2008

Page:  
1

### Sold To:


CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021


Customer ID	PO Number	Sales Rep Name
CES	376109	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		



EPAHO055002626

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0908-102

INVOICE DATE:

September 17, 2008


PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	376023	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		10/17/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
2.00	286-095-354	SANDPIPER Santapreme Diaphragm	38.00	76.00
2.00	286-096-600	SANDPIPER Teflon Diaphragm	168.00	336.00
		<i>6078</i> Signed copy of Delivery Ticket: 1765782 <i>DSP</i>		

Check No:

Subtotal	412.00
Sales Tax	33.99
Freight	
Total Invoice Amount	445.99
Payment Received	
<b>TOTAL</b>	<b>445.99</b>

EPAHO055002627



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281-452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765759

Sales Order Date:  
Sep 10, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	376023	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>4.00</del>	<del>02-1010-52W</del>	<del>WILDEN Diaphragms Buna End</del>	4.00	
2.00	286-095-354	SANDPIPER Santapreme Diaphragm	2.00	
2.00	286-096-600	SANDPIPER Teflon Diaphragm	2.00	
2.00	02-1010-53W	<del>WILDEN Diaphragms Viton</del>	2.00	
<del>4.00</del>	<del>02-1010-52W</del>	<del>WILDEN Diaphragms Buna End</del>	-4.00	
<i>Barajas Noel</i>				

EPAHO055002628

# Purchase Order Request Form

P.O. Number: 376023

Date: 9-10-08

Vendor: Alpha Marine Solutions

Contact: Janell

Phone: 281-457-3533

Item #	Description	Quantity	Cost
	Diaphragms for colden pump	<del>2</del> 2	<del>38.50</del> 175. <sup>00</sup> each
	Diaphragms for sandpiper	4	68.98
		4	38. <sup>00</sup>
	68 DSP		
	oil Facility		
			581.94

Submitted By: Jorge

Approved By: \_\_\_\_\_

## For Office Use Only

Internal Expense:

- ☐ CS
- ☐ FS
- ☐ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM
- ☐ DSP

Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765759

Sales Order Date:  
Sep 10, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:


CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	376023	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>4.00</del>	<del>02-1010-52W</del>	<del>WILDEN Diaphragms Buna End</del>	4.00	
2.00	286-095-354	SANDPIPER Santapreme Diaphragm	2.00	
2.00	286-096-600	SANDPIPER Teflon Diaphragm	2.00	
<del>2.00</del>	<del>02-1010-53W</del>	<del>WILDEN Diaphragms Viton</del>	2.00	
<del>4.00</del>	<del>02-1010-52W</del>	<del>WILDEN Diaphragms Buna End</del>	-4.00	

EPAHO055002630

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0908-213

INVOICE DATE:

September 29, 2008


PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	376172	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		10/29/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
2.00	6661A3-344-C	ARO 1" Poly Diaphragm Pump, Teflon	1,122.00	2,244.00
		<i>130010 REC</i> Signed copy of Delivery Ticket: 1765890		

Check No:

Subtotal	2,244.00
Sales Tax	185.13
Freight	
Total Invoice Amount	2,429.13
Payment Received	
<b>TOTAL</b>	<b>2,429.13</b>

EPAHO055002631

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765890

Sales Order Date:  
Sep 29, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
Customer Pickup  
Channelview, TX 77530

Customer ID	PO Number	Sales Rep Name
CES	376172	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
2.00	6661A3-344-C	ARO 1" Poly Diaphragm Pump, Teflon		
		<i>Arthur</i>		

EPAHO055002632

# Purchase Order Request Form

P.O. Number: 376172

Date: 1-29-08

Vendor: Alpha Marine solutions

Contact: Janeil

**Phone:** \_\_\_\_\_

Item #	Description	Quantity	Cost
	1" Poly Pumps. (Avo)	2	
	P.A.		
			230

Submitted By: Jayce

Approved By: \_\_\_\_\_

**For Office Use Only**

Internal Expense:

- \_\_\_\_\_ CS
- \_\_\_\_\_ FS
- \_\_\_\_\_ Trans
- \_\_\_\_\_ SGA
- \_\_\_\_\_ MRI
- \_\_\_\_\_ DRM
- \_\_\_\_\_ DSP

Job Expense:

What Job? \_\_\_\_\_

           Give Vendor Re-Sale Certificate

Vendor to Charge Sales Tax \_\_\_\_\_

## Alpha Marine Solutions

Date	Type	Reference	Original Amt.	Balance Due	10/9/2008 Discount	Payment
7/25/2008	Bill	0708-083	539.09	539.09		539.09
				Check Amount		539.09


PAYMENT  
RECORD

CES Environmental S CES

539.09

565369 (5/08)

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320




INVOICE NUMBER:  
0708-083

INVOICE DATE:  
July 14, 2008

PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		375432	Net 30 Days	
SALES REP ID	SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON	Alpha Truck			8/13/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	666053-3EB	ARO 1/2" Polypropylene Diaphragm Pump with Santipreme Packing	498.00	498.00
		Signed copy of Delivery Ticket: 1765224		

Check No:



Subtotal	498.00
Sales Tax	41.09
Freight	
Total Invoice Amount	539.09
Payment Received	
<b>TOTAL</b>	<b>539.09</b>

EPAHO055002635



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
1765224

Sales Order Date:  
Jul 10, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375432	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	666053-3EB	ARO 1/2" Polypropylene Diaphragm Pump with Santipreme Packing		
<i>Barajas Noelis</i>				

EPAHO055002636

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:

1765224

Sales Order Date:

Jul 10, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375432	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	666053-3EB	ARO 1/2" Polypropylene Diaphragm Pump with Santipreme Packing		

EPAHO055002637

# Order Request Form

P.O. Number: 375432

Date: 7-10-08

Vendor: Alpha Marine Solutions

Contact: Janeil

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
	<u>1/2 diaphragm pump</u>	<u>1</u>	<u>498<sup>00</sup></u>
	<u>Acid pump</u>		
	<u>1</u>		
	<u>Motor oil plants</u>		

Submitted By: Jorge

Approved By: [Signature]

## Office Use Only

Internal Expense:

Classes

☐ CS

☐ FS

☐ Trans

☐ SGA

☐ MRI

☐ DRM

☐ DSP

Job Expense:

What Job? OIL FACILITY

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

EPAHO055002638

*Alpha Marine*

Customer Name: CES

Customer ID: CES

Receipt Number:

CC-6554 081308

Date:

8/13/08

Reference:

CC-6554 081308

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0508-157				4,606.04
0508-198				986.43
0508-215				19.49
0508-258				48.71
0608-012				58.46
0608-232				-2,125.00
0608-236				342.07
0608-268				-2,165.00
0708-013				273.29

Payment Method: VISA

Subtotal:

2,044.49

Sales Tax:

0.00

2,044.49

Receipt Number:

CC-6554 081308

Date:

8/13/08

Reference:

CC-6554 081308

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0508-157				4,606.04
0508-198				986.43
0508-215				19.49
0508-258				48.71
0608-012				58.46
0608-232				-2,125.00
0608-236				342.07
0608-268				-2,165.00
0708-013				273.29

Payment Method: VISA

Subtotal:

2,044.49


Sales Tax:

0.00

2,044.49

EPAHO055002639

Alpha Mariné Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320




INVOICE NUMBER:  
0508-157  
INVOICE DATE:  
May 17, 2008

PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

*pd C/C*  
*8/13* *494*  
*Greg*

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374993		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			6/16/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 2 x 275 Gallons	3.15	1,732.50
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 1 x 275 Gallon Tote	1.90	522.50
3.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	3,000.00
-1.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-1,000.00
		Signed copy of Delivery Ticket: 176252		



Check No:

*204449*

Subtotal 4,255.00  
Sales Tax 351.04  
Freight  
Total Invoice Amount 4,606.04  
Payment Received  
**TOTAL 4,606.04**

EPAHO055002640

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176252

Sales Order Date:  
May 16, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374993	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 1b 2 x 275 Gallons		
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 1 x 275 Gallon Tote		
3.00	TOTEDEP-\$1000.	Tote Deposit  XX <u>1</u> TOTES RETURNED		

EPAHO055002641

# Order Request Form

P.O. Number: 374993

Date: 5-16-08

Vendor: ALPHA MARINE

**Contact:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Loren Thomas

Approved By: Loren Shono

**Office Use Only**

**Internal Expense:**

Chittas

## Job Expense:

## ~~What Job?~~

CS

FS

Trans

SGA

MRI

# DRIVE

DE

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

EPAHQ055002642

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176252

Sales Order Date:  
May 16, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374993	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 2 x 275 Gallons		
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 1 x 275 Gallon Tote		
3.00	TOTEDEP-\$1000.	Tote Deposit		
		XX _____ TOTES RETURNED		

EPAHO055002643





# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

176252

PHONE: 281 457-3533 FAX 281-452-2320

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 5/16/2008	PURCHASE ORDER NUMBER: 374993	SHIPPER NO. 176252
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530
PHONE NO. 713-676-1460	ROUTE		PHONE: 281-457-3533	
		VEHICLE NO.		

NUMBER SHIPPING	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO
UNITS		EXCEPTIONS			CORRECTION
1	X	275 GALLON TOTE		55	2299
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
2	X	CAUSTIC SODA LIQUID 50% DIAPHRAM			7018
		CORROSIVE UN 1824 3509 lb			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
3		TOTAL			9317

REMIT COD TO:	COD AMOUNT:	COD FEE:
ADDRESS:		FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

In case of Chemcial Emergency Call 281 457-3533 (24 Hour)

FREIGHT PREPAID UNLESS MARKED COLLECT

**NOTICE:** Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	NUMBER OF PIECES RECEIVED	
AUTHORIZED SIGNATURE	CARRIER ALPHA MARINE SOLUTIONS	DATE 5/16/2008

EPAHO055002644

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro cmpd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14: TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

#### National Fire Protection Association (U.S.A.):

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

## CAUSTIC SODA

PRODUCT NAME : CAUSTIC SODA  
 PRODUCT CODE : 14659

Date: 13-JAN-2000 12:31:39.31

50# BAG-BEA

CAS #: 001310732

MSDS No. 001781 Revision No./Date 01 940124  
 Detail Number 01043/01

FORMULA: Na O H

CHEM. FAMILY: inorganic bases

CHEMICAL NAME AND SYNONYMS:

Caustic Soda, Solid;

Soda Lye;

Sodium Hydroxide;

MSDS 001781 DETAIL 01043

SUPPLIERS NAME : Harcros Chemicals Inc.  
 5200 Speaker Road  
 Kansas City KS 66106-1095

SUPPLIERS PHONE NUMBER : 913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER : 1-800-424-9300

## S.A.R.A. INFORMATION

HAZARDS : Acute Reactivity Chronic  
 PHYSICAL DATA : Pure Solid

## SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES			AIR CONTAMINENT LEVELS				
		312	313	372	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)	SKIN	AGENT
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2 )	100.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH				

## SECTION II HEALTH HAZARDS

## POTENTIAL EFFECTS OF EXPOSURE

HAZARD OVERVIEW: DANGER! CORROSIVE SOLID. CAUSES BURNS. DESTROYS BODY TISSUES.

## EYES

Eye contact with product may cause severe irritation burns irreversible damage blindness

## SKIN

Skin contact may cause burns tissue destruction skin damage Effects may be delayed.

## INHALATION

Inhalation may cause irritation nausea headache dizziness pain decreased breathing capacity  
 tissue destruction internal bleeding chemical pneumonia Aspiration (breathing) of liquid,  
 mist, or vomitus (vomit) into lungs can cause aspiration (chemical) pneumonia, hemorrhaging  
 (bleeding), lung damage, and even death. Symptoms of aspiration pneumonia include coughing,  
 labored breathing and bluish skin.

## INGESTION

Ingestion may cause severe irritation burns tissue ulceration gastrointestinal damage even death

## TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO,

DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all body tissues

## FIRST AID

## FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

## FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and contaminated leather articles. Call a physician.

## FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.

## FIRST AID INGESTION

Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call a physician immediately.

## OTHER INFORMATION

## ROUTES OF ENTRY

eye contact skin contact inhalation

OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE

blood circulatory system lungs respiratory system

## CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

## SECTION III SPECIAL PROTECTION

## PROTECTIVE EQUIPMENT

## PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield Always wear eye protection when working with chemicals. Do Not wear contact lenses when working with chemicals.

## PROTECTIVE EQUIPMENT SKIN

chemical resistant clothing impervious gloves rubber apron rubber boots

## PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

## VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

## ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available. In case of emergency or when dusting, misting, or splashing may occur, wear respiratory protection, eye protection, gloves, helmet, boots, and complete protective body covering.

## SECTION IV FIRE &amp; EXPLOSION HAZARD DATA

Flash Point (METHOD): > OR = N/A

Flammable Limits (% Volume in Air) UPPER: N/D Lower: N/D

HMIS Info Health : 3



Fire : 0  
React : 2  
Special : X

## EXTINGUISHING MEDIA

media appropriate for surrounding fire

## FIRE FIGHTING PROCEDURES

Not considered a fire hazard. Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing. Do not use a direct stream of water.

## UNUSUAL FIRE &amp; EXPLOSION HAZARDS

Toxic fumes may be released.

## SECTION V PHYSICAL DATA

Boiling Point: > OR = 2530 deg. F

Freezing Point: N/D

Specific Gravity (H(2)O=1): > OR = 2.1300 @ 68 deg. F

Vapor Pressure (MM HG.): N/D

Vapor Density (AIR=1) : N/D

Evaporation Rate ( NA =1): N/D

Solubility in Water: 50%

Percent Volatile by Volume: N/D

pH: aqueous approx. > OR = 13.000

Appearance:

SOLID - POWDER, CRYSTAL, FLAKE, GRANULE

TABLET, PRILL, BRIQUETTE, ETC.

Odor :

NIL

## SECTION VI REACTIVITY DATA

## STABILITY

Stable

## INCOMPATIBILITY

amphoteric metals bleaching agents (oxidizers) organic acids organic nitrogen compounds  
Contact with water will generate heat, cause violent splashing and spattering. Avoid contact with bleaching agents and oxidizers which include chlorine, oxygen, permanganates, perchlorates, percarbonates, peroxides, chromates, hypochlorites, nitric acid, and sulfuric acid.

Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass.

## HAZARDOUS DECOMPOSITION PRODUCTS

fumes of metal oxides

## HAZARDOUS POLYMERIZATION

Will not occur

## SECTION VII SPILL AND LEAK PROCEDURES

## STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non sparking tools. If acidity (low pH) is a problem, neutralize with hydrated lime, soda ash, or sodium bicarbonate. If alkalinity (high pH) is a problem neutralize with dilute acetic acid or dilute hydrochloric (muriatic) acid. If required, notify state and local authorities. Product may be toxic to fish or aquatic life.

## DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

## SECTION VIII

Proper Shipping Name: SODIUM HYDROXIDE SOLID

Hazard Class: 8, UN1823, PGII

Label Requirements: CORROSIVE

Reportable Quantity: None

## SECTION IX ADDITIONAL INFORMATION

## LABEL SIGNAL WORD

DANGER

## PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe dust. Do Not get in eyes, on skin, or clothing. Do not swallow.

## HANDLING

Keep away from water or acid. For industrial use only. Addition of water can cause violent splashing. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed. Do not use glass containers.

## STORAGE

Keep container closed when not in use. Store in a cool dry place. Keep out of reach of children.

NAME: GENE TURNER

DATE ISSUED: 940124

DATE REVISED: 940124

UNK = UNKNOWN

< = LESS THAN

N/A = NOT APPLICABLE

> = MORE THAN


N/D = NOT DETERMINED

N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

For emergency assistance involving chemicals,  
call CHEMTREC - (800) 424-9300

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320




INVOICE NUMBER:  
 0508-198  
 INVOICE DATE:  
 May 24, 2008

PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	375043	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		6/23/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Tote	1.90	1,045.00
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 1 x 275 Gallons	3.15	866.25
3.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	3,000.00
-4.00	TOTEDEP-\$1000.	Returned Totes	1,000.00	-4,000.00
		XXX _____		
		Totes Returned		

**POSTED**

Check No:

Subtotal	911.25
Sales Tax	75.18
Freight	
Total Invoice Amount	986.43
Payment Received	
<b>TOTAL</b>	<b>986.43</b>

EPAHO055002654

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176291


Sales Order Date:  
May 22, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
Customer Pickup  
Channelview, TX 77530

Customer ID	PO Number	Sales Rep Name
CES	375043	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 2 x 275 Gallon Tote		
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 1 x 275 Gallons		
3.00	TOTEDEP-\$1000.	Tote Deposit  XXX <u>4</u>  Totes Returned		

EPAHO055002655

# Order Request Form

P.O. Number: 375043

Date: 5-22-08

Vendor: ALPHA MARINE

**Contact:**

**Phone:**[illegible]

**Submitted By:**

**Approved By:**

**Office Use Only**

**Internal Expense:**

**Job Expense:**

Chas

## ~~What Job?~~

CS

FS

Trans

SGA

**MORI**

DRIVE


DEF

# ☐ ~~Give~~ Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

EPAHQ055002656

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0508-215

INVOICE DATE:


May 24, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		375050		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			6/23/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	00-2130-99	WILDEN Terminal Connector	18.00	18.00
		Signed copy of Delivery Ticket: 176305		
		<b>POSTED</b>		

Check No:

Subtotal	18.00
Sales Tax	1.49
Freight	
Total Invoice Amount	19.49
Payment Received	
<b>TOTAL</b>	<b>19.49</b>

EPAHO055002657

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176305

Sales Order Date:

May 23, 2008

Page:

1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375050	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>4.00</del> 1	00-2130-99	WILDEN Terminal Connector		
				

EPAHO055002658

# Purchase Order Request Form

P.O. Number: 375050

Date: 5/23/08

Vendor: Alpha Marine

Contact: Jandreal

Phone: 281-457-3533

Item #	Description	Quantity	Cost
--------	-------------	----------	------

--	--	--	--

<u>4</u>	<u>Ferminal Conector 00213099</u>	<u>1</u>	<u>18.00</u>
----------	-----------------------------------	----------	--------------

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

	<u>Water House</u>		
--	--------------------	--	--

Submitted By: [Signature]

Approved By: [Signature]

## For Office Use Only

Internal Expense:

- ☐ CS
- ☐ FS
- ☐ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM
- ☐ DSP

Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

678-  
DSP



**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



# Delivery Ticket

Sales Order Number:  
176305

Sales Order Date:  
May 23, 2008

Page:  
1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:


CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	375050	Janelle M. Aston
<b>Resale Certicate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>4.00</del> 1	00-2130-99	WILDEN Terminal Connector		

EPAHQ055002660

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:


0508-258

INVOICE DATE:

May 29, 2008

PAGE:

1



SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		575058		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			6/28/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 2 x 275 Gallon Tote	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-3.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-3,000.00
Signed copy of Delivery Ticket: 176314				
<b>POSTED</b>				

Check No:

Subtotal	45.00
Sales Tax	3.71
Freight	
Total Invoice Amount	48.71
Payment Received	
<b>TOTAL</b>	<b>48.71</b>

EPAHO055002661

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176314

Sales Order Date:  
May 27, 2008

Page:  
1


### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
Customer Pickup  
Channelview, TX 77530

Customer ID	PO Number	Sales Rep Name
CES	375058	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
		XXX <u>3</u>		
		TOTES RETURNED		
				

EPAHO055002662

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176314

Sales Order Date:  
May 27, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
Customer Pickup  
Channelview, TX 77530

Customer ID	PO Number	Sales Rep Name
CES	375058	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit  XXX  TOTES RETURNED		

EPAHO055002663

## Order Request Form

P.O. Number: 375058

Date: 5-27-08

Vendor: ALPHA MARINE

Contact: \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Loren Thomas

Approved By: Loren Thomas

**Office Use Only**

**Internal Expense:**

Class

### Job Expense:

## ~~What Job?~~

CS

FS

Trans

# ESGA


**MRI**

DRM

DE

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0608-012

INVOICE DATE:


June 4, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		375050		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			7/4/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
3.00	00-2130-99	WILDEN Terminal Connector	18.00	54.00
		Signed copy of Delivery Ticket: 176305		
Supplies TW				

Check No:

Subtotal	54.00
Sales Tax	4.46
Freight	
Total Invoice Amount	58.46
Payment Received	
<b>TOTAL</b>	<b>58.46</b>

EPAHO055002665

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176305

Sales Order Date:  
May 23, 2008

Page:  
1


### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:


CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375050	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>4.00</del> 3	00-2130-99	WILDEN Terminal Connector	1.00	
 JAMES PHARRIS				

EPAHO055002666


Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0608-232

INVOICE DATE:  
 June 24, 2008

PAGE:  
 1



SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 Customer Pickup  
 Channelview, TX 77530

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	Credit	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		7/24/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
-2.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-2,000.00
<div style="text-align: center;"> </div>				


Check No:

Subtotal	-2,000.00
Sales Tax	-125.00
Freight	
Total Invoice Amount	-2,125.00
Payment Received	
<b>TOTAL</b>	<b>-2,125.00</b>

EPAHO055002667



Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320




INVOICE NUMBER:  
 0608-236  
 INVOICE DATE:  
 June 25, 2008

PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

**POSTED**

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		375331	Net 30 Days	
SALES REP ID		SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON		Alpha Truck		7/25/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
2.00		476-219-000 Sandpaper Pump Part	158.00	316.00
		Signed copy of Delivery Ticket: 1765105		
		633 part for Acid pump Repair		SIB

Check No:

Subtotal	316.00
Sales Tax	26.07
Freight	
Total Invoice Amount	342.07
Payment Received	
<b>TOTAL</b>	<b>342.07</b>

EPAHO055002668

**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



**Sales Order Number:**  
1765108

Sales Order Date:  
Jun 25, 2008

Page:  
1

CES  
4904 Griggs Rd  
Houston, TX 77021

CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES		Janelle M. Aston
<b>Resale Certificate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
-2.00	TOTEDEP-\$1000.	Returned Tote Deposit		

Bolby Boston

EPAHQ055002669

# Purchase Order Request Form

P.O. Number:

375331

Date:

6-25-08

Vendor:

Alpha marine solutions

Contact:

Janeil

Phone:

281-452-3535

Item #	Description	Quantity	Cost
031-166-000	Main Air valve assembly	2	148 <sup>00</sup> 296
476-219-000	Air end kit	2	158 <sup>00</sup> 316
286-095-360	Diaphragms	4	22 <sup>00</sup> 88
	Acid PUMP		
			700 <sup>00</sup>

Submitted By:

Jorge

Approved By:

Juanita

633 eq. repair  
DSP

## For Office Use Only

Internal Expense:

- ☐ CS
- ☐ FS
- ☐ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM
- ☐ DSP


Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320




INVOICE NUMBER:  
0608-268  
INVOICE DATE:  
June 30, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES		Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		7/30/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
-2.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-2,000.00
		505000		
		Signed copy of Delivery Ticket: 1765108		
			POSTED	

Check No:

Subtotal	-2,000.00
Sales Tax	-165.00
Freight	
Total Invoice Amount	-2,165.00
Payment Received	
<b>TOTAL</b>	<b>-2,165.00</b>

EPAHO055002671

# Alpa Marine Solutions

**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



## Delivery Ticket

**Sales Order Number:**  
1765108

Sales Order Date:  
Jun 25, 2008

Page:  
1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES		Janelle M. Aston
<b>Resale Certificate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
-2.00	TOTEDEP-\$1000.	Returned Tote Deposit		

Bobby Boston

EPAHQ055002672


Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0708-013

INVOICE DATE:

July 2, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd


Houston, TX 77021

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	375354	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		8/1/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
4.00	286-007-365WR	WARREN RUPP Diaphragm Neopreme	58.44	233.76
2.00		360-049-425 Pump Parts	5.50	11.00
2.00		675-013-365 Pump parts	3.85	7.70
		<i>le 78</i>		
		Signed copy of Delivery Ticket: 1765127		

Subtotal 252.46

Sales Tax 20.83

Freight

Total Invoice Amount 273.29

Payment Received

**TOTAL 273.29**

Check No:

EPAHO055002673

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



P.O.# 375354  
**Delivery Ticket**

Sales Order Number:  
1765127

Sales Order Date:  
Jun 30, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375354	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
4.00	286-007-365WR	WARREN RUPP Diaphragm Neopreme		
2.00		360-049-425 Pump Parts		
2.00		675-013-365 Pump parts		
	Sludge pump W/H			
				252.46

EPAHO055002674

# Purchase Order Request Form

P.O. Number: 375354

Date: 6-30-08

Vendor: Alpha Marine solutions

Contact: Lesly

Phone: 281-457-3533

Item #	Description	Quantity	Cost
	<u>Diaphragms.</u>	<u>4</u>	<u>58.41</u>
	<u>Gaskets flanges</u>	<u>2</u>	<u>6.50</u>
	<u>Ring sealing.</u>	<u>2</u>	<u>3.85</u>
	<u>single pump warehouse.</u>		
			<u>252.46</u>

Submitted By: Jorge

Approved By: Juanita

## For Office Use Only

### Internal Expense:

- ☐ CS
- ☐ FS
- ☐ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM
- ☐ DSP

### Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax



2008

Customer Name: CES  
Customer ID: CES

Receipt Number: CC-6554 080508  
Date: 8/5/08  
Reference: CC-6554 080508

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0508-130				151.55
0508-143				48.71
0508-173				3,611.76

Payment Method: VISA  
XXXXXXXXXXXX6554  
023857

05/10

Subtotal: 3,812.02  
Sales Tax: 0.00  
3,812.02

Receipt Number: CC-6554 080508  
Date: 8/5/08  
Reference: CC-6554 080508

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0508-130				151.55
0508-143				48.71
0508-173				3,611.76

Payment Method: VISA  
XXXXXXXXXXXX6554  
023857

05/10

Subtotal: 3,812.02  
Sales Tax: 0.00  
3,812.02

Aug. 07 2008 08:33AM P2

FAX NO. :

FROM :

EPAHO055002677

Customer Name: CES

Customer ID: CES

Receipt Number: CC-6554 080508

Date: 8/5/08

Reference: CC-6554 080508

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0508-130				151.55
0508-143				48.71
0508-173				3,611.76

Payment Method: VISA

XXXXXXXXXXXX6554

05/10

023857

Subtotal: 3,812.02

Sales Tax: 0.00

3,812.02

Receipt Number: CC-6554 080508

Date: 8/5/08

Reference: CC-6554 080508

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0508-130				151.55
0508-143				48.71
0508-173				3,611.76

Payment Method: VISA

XXXXXXXXXXXX6554

05/10

023857


Subtotal: 3,812.02

Sales Tax: 0.00

3,812.02

EPAHO055002678

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320




INVOICE NUMBER:  
 0508-130

INVOICE DATE:  
 May 17, 2008

PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374898	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		6/16/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
4.00	94103-A	ARO Santoprene Balls	35.00	140.00
		Signed copy of Delivery Ticket: 176151		

Check No:

Subtotal	140.00
Sales Tax	11.55
Freight	
Total Invoice Amount	151.55
Payment Received	
<b>TOTAL</b>	<b>151.55</b>

EPAHO055002679

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176151

Sales Order Date:  
May 6, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374898	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>4.00</del>	<del>94091-A</del>	<del>ARO Diaphragm, Santipreme</del>		
<del>4.00</del>	<del>94104-A</del>	<del>ARO Seal</del>		
<del>2.00</del>	<del>94631</del>	<del>ARO Diaphragm Cushion</del>		
<del>1.00</del>	<del>67089-1</del>	<del>ARO Major Valve Asm</del>		
<del>2.00</del>	<del>01-5160-20</del>	<del>WILDEN Manifold</del>		
<del>4.00</del>	<del>02-1010-55W</del>	<del>WILDEN Teflon Diaphragms</del>		
Baeijas Noel				

Order Complete

EPAHO055002680

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176151

Sales Order Date:  
May 6, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021


Customer ID	PO Number	Sales Rep Name
CES	374898	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>4.00</del>	<del>94091-A</del>	<del>ARO Diaphragm, Santipreme</del>		
<del>4.00</del>	<del>94104-A</del>	<del>ARO Seat</del>		
<del>2.00</del>	<del>94631</del>	<del>ARO Diaphragm Cushion</del>		
<del>1.00</del>	<del>67089-1</del>	<del>ARO Major Valve Asm</del>		
<del>2.00</del>	<del>01-5160-20</del>	<del>WILDEN Manifold</del>		
<del>4.00</del>	<del>02-1010-55W</del>	<del>WILDEN Teflon Diaphragms</del>		

Order Complete

EPAHO055002681

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320




INVOICE NUMBER:  
 0508-143  
 INVOICE DATE:  
 May 17, 2008

PAGE:

1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374969	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		6/16/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Tote	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	2,000.00
-3.00	TOTEDEP-\$1000.	Returned Totes	1,000.00	-3,000.00
		Signed copy of Delivery Ticket: 176231		



Check No:

Subtotal	45.00
Sales Tax	3.71
Freight	
Total Invoice Amount	48.71
Payment Received	
<b>TOTAL</b>	<b>48.71</b>

EPAHO055002682

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176231

Sales Order Date:

May 14, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374969	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>550.00</del> 275	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 4 x 275 Gallon Tote		
1 <del>2.00</del>	TOTEDEP-\$1000.	Tote Deposit  XX <u>2</u> Totes Returned  John		

EPAHO055002683



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176231

Sales Order Date:  
May 14, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374969	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>550.00</del> 275	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 1 x 275 Gallon Tote		
1	<del>2.00</del> TOTEDEP-\$1000.	Tote Deposit  XX <u>1</u> Totes Returned		

EPAHO055002684

# Order Request Form

P.O. Number: 877969

Date: 5-14-08

Vendor: ALPHA MARINE

**Contact:****Phone:**

**Item #**

### Description

**Quantity**

Cost \$

Sodium Hypochlorite

2 TOTE

950 00

Submitted By,

Approved By:

**Office Use Only**

**Internal Expense:**

## Job Expense:

CS

FS

Trans

SGA

## MRI

# DRIVE

DSE

## What Job?

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176231

Sales Order Date:  
May 14, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374969	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>550.00</del> 275	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 1 x 275 Gallon Tote		
<del>1 2.00</del>	TOTEDEP-\$1000.	Tote Deposit  XX <u>2</u> Totes Returned		

EPAHO055002686



176231

**PHONE: 281 457-3533      FAX 281-452-2320**

**ORIGINAL NON-NEGOTIABLE**

**CARRIER:**

<p>PER</p>										
<p><b>Carrier Liability:</b> Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.</p>										
<p><b>COMMODITY DESCRIPTION(S):</b> THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.</p>										
<p><b>Shipment Received:</b> Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide (HHGD 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit, income, interest, attorney fees, or any special, incidental or consequential damages.</p>										
<table border="1"> <tr> <td colspan="2"> <p><b>SHIPPER</b> <b>ALPHA MARINE SOLUTIONS</b></p> </td> <td> <p><b>NUMBER OF PIECES RECEIVED</b></p> </td> </tr> <tr> <td colspan="2"> <p><b>AUTHORIZED SIGNATURE</b></p> </td> <td> <p><b>CARRIER</b>      <b>ALPHA MARINE SOLUTIONS</b></p> </td> </tr> <tr> <td colspan="2"> <p><b>AUTHORIZED SIGNATURE</b></p> </td> <td> <p><b>DATE</b>      <b>5/15/2008</b></p> </td> </tr> </table>		<p><b>SHIPPER</b> <b>ALPHA MARINE SOLUTIONS</b></p>		<p><b>NUMBER OF PIECES RECEIVED</b></p>	<p><b>AUTHORIZED SIGNATURE</b></p>		<p><b>CARRIER</b>      <b>ALPHA MARINE SOLUTIONS</b></p>	<p><b>AUTHORIZED SIGNATURE</b></p>		<p><b>DATE</b>      <b>5/15/2008</b></p>
<p><b>SHIPPER</b> <b>ALPHA MARINE SOLUTIONS</b></p>		<p><b>NUMBER OF PIECES RECEIVED</b></p>								
<p><b>AUTHORIZED SIGNATURE</b></p>		<p><b>CARRIER</b>      <b>ALPHA MARINE SOLUTIONS</b></p>								
<p><b>AUTHORIZED SIGNATURE</b></p>		<p><b>DATE</b>      <b>5/15/2008</b></p>								

EPAHQ055002687

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002688

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.



## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:**

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176231


Sales Order Date:  
May 14, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374969	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>550.00</del> 275	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 4 x 275 Gallon Tote		
4.00	TOTEDEP-\$1000.	Tote Deposit  XX <u>1</u> Totes Returned		
				

EPAHO055002693



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

176231

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 5/15/2008	PURCHASE ORDER NUMBER: 374969	SHIPPER NO. 176231
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
1	X	275 GALLON TOTE		55	2291
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
1		TOTAL			2291

REMIT COD TO:	COD AMOUNT:	COD FEE:
ADDRESS:		FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

CARRIER ALPHA MARINE SOLUTIONS

SHIPPER  
ALPHA MARINE SOLUTIONS

AUTHORIZED SIGNATURE DATE 5/15/2008

EPAHO055002694

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002695

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

**Special Remarks on Fire Hazards:**

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

**Special Remarks on Explosion Hazards:**

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791.PG: III.

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION


**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*



Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320




INVOICE NUMBER:  
 0508-173  
 INVOICE DATE:  
 May 20, 2008

PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

**POSTED**

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	375004	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		6/19/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Tote	1.90	1,045.00
410.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 1 x 275 Gallons - 1 X 135 Gallon	3.15	1,291.50
4.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	4,000.00
-3.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-3,000.00
		Signed copy of Delivery Ticket: 176269		

Check No:

Subtotal 3,336.50  
 Sales Tax 275.26  
 Freight  
 Total Invoice Amount 3,611.76  
 Payment Received  
**TOTAL 3,611.76**

EPAHO055002700

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176269

Sales Order Date:  
May 20, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375004	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 2 x 275 Gallon Tote		
<del>550.00</del> 410	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 2 x 275 Gallons		
4.00	TOTEDEP-\$1000.	Returnable Tote Deposit  XXX <u>37</u> Empties Returned		

EPAHO055002701

# Order Request Form

P.O. Number: 375 004

Date: 5.20.08

Vendor: ALPHA MARINE

**Contact:**

**Phone:**[illegible]

Submitted By: Loren Thomas

Approved By: *[Signature]*

618-  
D5P

**Office Use Only**

**Internal Expense:**

## Job Expense:

Classer

## ~~What Job?~~

CS

FS

Trans

SGA

MORI

DRIVE

DE

\_\_\_\_\_

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

EPAHQ055002702

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176269

Sales Order Date:

May 20, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021


**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	375004	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 2 x 275 Gallon Tote		
<del>550.00</del> 410	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 2 x 275 Gallons 1x275 1x135		
4.00	TOTEDEP-\$1000.	Returnable Tote Deposit  XXX  Empties Returned		

EPAHO055002703



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281 457-3533 FAX 281-452-2320

176269

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 5/20/2008	PURCHASE ORDER NUMBER: 375004	SHIPPER NO. 176269
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530
PHONE NO. 713-676-1460	ROUTE		PHONE: 281-457-3533	
			VEHICLE NO.	

NUMBER SHIPPING	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND	NMFC NO	CLASS	WEIGHT (LBS) SUBJECT TO
UNITS		EXCEPTIONS			CORRECTION
2	X	275 GALLON TOTE		55	4582
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
2	X	CAUSTIC SODA LIQUID 50% DIAPHRAM			2018
		CORROSIVE UN 1824 3509 lb			5232
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			9814 LB
4		TOTAL			11600

REMIT COD TO:	COD	COD FEE:
ADDRESS:	AMOUNT:	FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

<b>NOTICE:</b> Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding: \$ PER	<b>FREIGHT PREPAID UNLESS MARKED COLLECT</b>	<b>IS CUSTOMER'S CHECK ACCEPTABLE FOR COD?</b> YES NO
---	--	--

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

<b>SHIPPER</b> <b>ALPHA MARINE SOLUTIONS</b>	<b>NUMBER OF PIECES RECEIVED</b> CARRIER ALPHA MARINE SOLUTIONS
<b>AUTHORIZED SIGNATURE</b>	<b>AUTHORIZED SIGNATURE</b> <b>DATE</b> 5/20/2008

EPAHO055002704

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

Water **Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002705

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of



stainless steel(316). Non-corrosive in presence of glass. .

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 1

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:44.11

CAS #: 001310732

MSDS No. 000318

Revision No./Date 03 981006

Detail Number 00112/01

FORMULA: Na O H

CHEM. FAMILY: inorganic bases

CHEMICAL NAME AND SYNONYMS:

Caustic Soda; Liquid Caustic Soda; Caustic Soda Solution;  
Sodium Hydroxide; Sodium Hydroxide Solution;

Lye Solution; Soda Lye;

Liquid Alkali #4;

Liquid Alkali #4A;

Caustic Soda Liq 50% Purified

MSDS 000318 DETAIL 00112

SUPPLIERS NAME : Harcros Chemicals Inc.

5200 Speakeer Road

Kansas City

KS 66106-1095

SUPPLIERS PHONE NUMBER :

913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER : 1-800-424-9300

## S.A.R.A. INFORMATION

HAZARDS : Acute

Reactivity Chronic

PHYSICAL DATA : Mixture Liquid

## SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES			AIR CONTAMINANT LEVELS				SKIN	AGENT
		312	313	372	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)			
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2 )	50.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH					

## SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE

HAZARD OVERVIEW: DANGER! CORROSIVE LIQUID. CAUSES BURNS. DESTROYS BODY TISSUES.  
EYES

Continued On Page 2

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 2

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:44.67

## SECTION II HEALTH HAZARDS

(CONTINUED)

Eye contact with product may cause burns tissue destruction eye damage blindness  
SKIN

Skin contact may cause burns tissue ulceration skin damage Effects may be delayed.

## INHALATION

Inhalation may cause irritation nausea headache dizziness pain decreased breathing capacity  
tissue destruction internal bleeding lung damage, damage to respiratory system chemical  
pneumonia Aspiration (breathing) of liquid, mist, or vomitus (vomit) into lungs can cause  
aspiration (chemical) pneumonia, hemorrhaging (bleeding), lung damage, and even death. Symptoms  
of aspiration pneumonia include coughing, labored breathing and bluish skin.

## INGESTION

Ingestion may cause diarrhea vomiting burns tissue ulceration internal bleeding even death

## TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO,  
DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all  
body tissues

## FIRST AID

## FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart  
to ensure flushing of entire surface. Call a physician.

## FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated  
clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and  
contaminated leather articles. Call a physician.

## FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth.  
If breathing is difficult give oxygen. Call a physician.

## FIRST AID INGESTION

Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If  
vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call  
a physician immediately.

## OTHER INFORMATION

## ROUTES OF ENTRY

eye contact skin contact

OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE

skin lungs respiratory system

## CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or  
OSHA.

## SECTION III SPECIAL PROTECTION

Continued On Page 3

Harcros Chemicals Inc  
Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 3

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:45.21

SECTION III SPECIAL PROTECTION

(CONTINUED)

PROTECTIVE EQUIPMENT

PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield

PROTECTIVE EQUIPMENT SKIN

impervious gloves clean body covering clothing

PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available. In case of emergency or when dusting, misting, or splashing may occur, wear respiratory protection, eye protection, gloves, helmet, boots, and complete protective body covering.

SECTION IV FIRE & EXPLOSION HAZARD DATA

Flash Point (METHOD): > OR = N/A

Flammable Limits (% Volume in Air)

UPPER: N/D

Lower: N/D

HMIS Info

Health : 3

Fire : 0

React : 2

Special : X

EXTINGUISHING MEDIA

water fog foam carbon dioxide dry chemical media appropriate for surrounding fire

FIRE FIGHTING PROCEDURES

Not considered a fire hazard. Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing. Do not use a direct stream of water.

UNUSUAL FIRE & EXPLOSION HAZARDS

none currently known

SECTION V PHYSICAL DATA

Continued On Page 4

Jan. 30 2003 01:42PM P3

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002712

Jan. 30 2003 01:43PM P4

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc  
Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 4

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:45.77

SECTION V PHYSICAL DATA

(CONTINUED)

Boiling Point: > OR = 289 deg. F  
Freezing Point: 55 deg. F  
Specific Gravity (H(2)O=1): > OR = 1.5400 @ 60 deg. F  
Vapor Pressure (MM HG.): > OR = 6.300 @ 104 deg. F  
Vapor Density (AIR=1) : N/D  
Evaporation Rate ( NA =1): N/D  
Solubility in Water: COMPLETE  
Percent Volatile by Volume: > OR = 50.00  
pH: aqueous approx. > OR = 13.000  
Appearance:  
COLORLESS TO LIGHTLY COLORED LIQUID

Odor :  
NIL

SECTION VI REACTIVITY DATA

STABILITY

Stable

INCOMPATABILITY

amphoteric metals halogenated hydrocarbons inorganic acids organic acids Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Contact with water will generate heat, cause violent splashing and spattering.

Contact with some metals can generate explosive hydrogen gas.

HAZARDOUS POLYMERIZATION

Will not occur

SECTION VII SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non sparking tools. If acidity (low pH) is a problem, neutralize with hydrated lime, soda ash, or sodium bicarbonate. If alkalinity (high pH) is a problem neutralize with dilute acetic acid or dilute hydrochloric (muriatic) acid. If required, notify state and local authorities.

DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be

Continued On Page 5

EPAHQ0055002713

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 5

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:46.42

SECTION VII SPILL AND LEAK PROCEDURES

(CONTINUED)

reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

SECTION VIII

Proper Shipping Name: SODIUM HYDROXIDE SOLUTION

Hazard Class: 8, UN1824 PGII

Label Requirements: CORROSIVE

Reportable Quantity: All shipments are reportable

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD

DANGER

PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe dust. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing.

Do not swallow.

HANDLING

Keep away from water or acid. For industrial use only. When diluting, add product slowly to water with agitation. Heat is generated upon dilution with water. Addition of water can cause violent splashing. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Product can cause corrosion of iron and steel at elevated temperatures. Keep out of reach of children.

Continued On Page 6

Jan. 30 2003 01:43PM P5

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002714

Harcros Chemicals Inc  
Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 6

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04038

650# POLY DR

Date: 26-NOV-2001 10:01:40.16

NAME: GENE TURNER

DATE ISSUED: 921118

DATE REVISED: 981006

UNK = UNKNOWN

< = LESS THAN  
> = MORE THAN

N/A = NOT APPLICABLE  
N/D = NOT DETERMINED  
N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Jan. 30 2003 01:44PM P6

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002715



# Caustic Soda Liquid 50%

**D.O.T. CLASSIFICATION:** Sodium Hydroxide Solutions, 8 Corrosive UN 1824, PG II, RQ-All

**HEALTH:** 3

**FLAMMABILITY:** 0

**REACTIVITY:** 2

***FOR INDUSTRIAL USE ONLY - DO NOT TAKE INTERNALLY***

## IMPORTANT INFORMATION:

Alpha Marine Solutions maintains Material Safety Data Sheets on all of its chemical products. These MSDS contain relevant health and safety information about the product. Please read the MSDS for any product carefully before use to understand the requirements for safe handling. All information and data provided herein is accurate and reliable.



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281-457-3533 \* FAX: 281-452-2320

# Caustic Soda Liquid 50%

**D.O.T. CLASSIFICATION:** Sodium Hydroxide Solutions, 8 Corrosive UN 1824, PG II, RQ-All

**HEALTH:** 3

**FLAMMABILITY:** 0

**REACTIVITY:** 2

***FOR INDUSTRIAL USE ONLY - DO NOT TAKE INTERNALLY***

## IMPORTANT INFORMATION:

Alpha Marine Solutions maintains Material Safety Data Sheets on all of its chemical products. These MSDS contain relevant health and safety information about the product. Please read the MSDS for any product carefully before use to understand the requirements for safe handling. All information and data provided herein is accurate and reliable.




# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281-457-3533 \* FAX: 281-452-2320

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0508-105  
 INVOICE DATE:  
 May 12, 2008  
 PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

**PAID**  
 CK. NO. \_\_\_\_\_  
 DATE 7/2/08 *etc*

**RECEIVED**  
 MAY 16 2008  
 BY: \_\_\_\_\_

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374938		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			6/11/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Tote	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	2,000.00
-3.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-3,000.00
Signed copy of Delivery Ticket: 176193				

Check No:

Subtotal	45.00
Sales Tax	3.71
Freight	
Total Invoice Amount	48.71
Payment Received	
<b>TOTAL</b>	<b>48.71</b>

EPAHO055002717

# Alpha Marine Solutions

15914 AVÉ C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176193

Sales Order Date:  
May 9, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Tote Deposit  XX <u>3</u> EMPTY TOTES RETURNED		

EPAHO055002718

# Order Request Form

**P.O. Number:**

Date:

**Vendor:**

**Contact:****Phone:****Item #**

### Description

Quantity

**Cost \$**

SODIUM HYPOCHLORITE

2 Totals

1045

**Submitted By:**

Approved By:

### Office Use Only

**Internal Expense:**

## Job Expense:

CS

FS

Trans

# SGA

# MRI

DRIVE

DE

## ~~What Job?~~

☐ **Give Vendor Re-Sale Certificate**

## ☐ Vendor to Charge Sales Tax

EPAHQ055002719

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176193

Sales Order Date:

May 9, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021


**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Tote Deposit  XX <u>3</u> EMPTY TOTES RETURNED		

EPAHO055002720



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

176193

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 5/9/2008	PURCHASE ORDER NUMBER: LOREN	SHIPPER NO. 176193
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530
PHONE NO. 713-676-1460	ROUTE		PHONE: 281-457-3533	
			VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	X	275 GALLON TOTE		55	4582
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		TOTAL			4582

REMIT COD TO:			COD	COD FEE:
ADDRESS:			AMOUNT:	FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID

## In case of Chemical Emergency Call 281 457-3533 (24 Hour)

**NOTICE:** Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ \_\_\_\_\_ PER \_\_\_\_\_

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?  
YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide (HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit, income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>		NUMBER OF PIECES RECEIVED	
AUTHORIZED SIGNATURE		CARRIER	ALPHA MARINE SOLUTIONS
DATE		AUTHORIZED SIGNATURE	DATE 5/9/2008

EPAHO055002721

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002722

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.



## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.


## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0508-122  
INVOICE DATE:  
May 13, 2008  
PAGE:  
1


SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

A I D

DATE

7/24/08 C/C

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



BY:

CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		374947	Net 30 Days	
SALES REP ID		SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON		Alpha Truck		6/12/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
4.00	94091-A	ARO Diaphragm, Santipreme	66.30	265.20
		Signed copy of Delivery Ticket: 176203		

Check No:

Subtotal	265.20
Sales Tax	21.88
Freight	
Total Invoice Amount	287.08
Payment Received	
<b>TOTAL</b>	<b>287.08</b>

EPAHO055002727

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176203

Sales Order Date:

May 12, 2008

Page:

1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374947	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
4.00	94091-A	ARO Diaphragm, Santipreme		
				

EPAHO055002728

**\*15914 AVE C CHANNELVIEW, TX 77530**  
**\*FAX: 281 452-2320 PHONE 281 457-3533**



Sales Order Number:  
176203

Sales Order Date:  
May 12, 2008

Page:  
1

CES  
4904 Griggs Rd  
Houston, TX 77021


CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	374947	Janelle M. Aston
<b>Resale Certificate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
4.00	94091-A	ARO Diaphragm, Santipreme		

EPAHQ055002729


Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0508-082  
 INVOICE DATE:  
 May 8, 2008  
 PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

**PAID**  
 SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021  
 CK. NO. CC 712108  
 DATE 5/16/08



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374921	Net 30 Days	
SALES RFP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		6/7/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 1 x 275 Gallon Tote	1.90	522.50
1.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	1,000.00
-2.00	TOTEDEP-\$1000.	Returned Totes	1,000.00	-2,000.00
		Signed copy of Delivery Ticket: 176181		



Check No:

Subtotal -477.50  
 Sales Tax -39.39  
 Freight  
 Total Invoice Amount -516.89  
 Payment Received  
**TOTAL -516.89**

EPAHO055002730

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176181

Sales Order Date:  
May 8, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374921	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 1 x 275 Gallon Tote		
1.00	TOTEDEP-\$1000.	Tote Deposit		
		XXX <u>2</u> Empty Tote Return		

EPAHO055002731



# Order Request Form

P.O. Number: 374921

Date: 5-8-08

Vendor: ALPHA MARINE

Contact: \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Loren Thomas

Approved By: Loren Thomas

**Office Use Only**

**Internal Expense:**

### Job Expense:

Class

## What Job?

CS

FS

Trans

SGA

# MRI

DRIVE

DE

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176181

Sales Order Date:  
May 8, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374921	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 1 x 275 Gallon Tote		
1.00	TOTEDEP-\$1000.	Tote Deposit		
		XXX <u>2</u> Empty Tote Return		

EPAHO055002733

# Alpha Marine Solutions

**STRAIGHT  
BILL OF LADING**

**15914 AVE C CHANNELVIEW, TEXAS 77530**  
**PHONE: 281 457-3533 FAX 281-452-2320**

176181

**ORIGINAL NON-NEGOTIABLE**

**CARRIER:**

<b>ALPHA MARINE</b>		DATE		PURCHASE ORDER NUMBER:	SHIPPER NO.	176181
		5/8/2008		374921		
CONSIGNEE (TO)	CES ENVIROMENTAL			SHIPPER (FROM)	ALPHA MARINE SOLUTIONS	
STREET	4904 GRIGGS RD			STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON TX 77021			CITY, STATE, ZIP	CHANNELVIEW, TX 77530	
					PHONE: 281-457-3533	
PHONE NO.	ROUTE				VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
1	RQ	275 GALLON TOTE		55	2291
		SODIUM HYPOCHLORITE SOLUTIONS			
		8 CORROSIVE UN 1791 PG III			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
1		TOTAL			2291

REMIT COD TO:			COD	COD FEE:
ADDRESS:				FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID
			AMOUNT:	

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$	PER
----	-----

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability.

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received. Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

\_\_\_\_\_ this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit

income, interest, attorney fees, or any special, incidental or consequential damages.

income, interest, attorney fees, or any special, incidental or consequential damages. <b>SHIPPER</b> <b>ALPHA MARINE SOLUTIONS</b>		<b>NUMBER OF PIECES RECEIVED</b> <b>CARRIER</b> <b>ALPHA MARINE SOLUTIONS</b>	
<b>AUTHORIZED SIGNATURE</b>		<b>AUTHORIZED SIGNATURE</b> <b>DATE</b> <b>5/8/2008</b>	

EPAHQ055002734

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002735

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion,

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). (Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION


**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*



Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0508-031

INVOICE DATE:  
May 2, 2008

PAGE:  
1

MAY 08 2008

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77011

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

**PAID**

CK. NO.  
DATE

112108 C/C

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374842		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			6/1/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 1 X 275 Gallon Tote	2.95	811.25
1.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	1,000.00
		Signed copy of Delivery Ticket: 176087		

618  
DSF

**POSTED**  
5-20-08

Check No:

Subtotal	1,811.25
Sales Tax	149.43
Freight	
Total Invoice Amount	1,960.68
Payment Received	
<b>TOTAL</b>	<b>1,960.68</b>

EPAHO055002740

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176087

Sales Order Date:

Apr 30, 2008

Page:

1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
~~Customer Pickup~~  
~~Channelview, TX 77530~~

Customer ID	PO Number	Sales Rep Name
CES	<del>LOREN</del> 374842	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 1 X 275 Gallon Tote		
1.00	TOTEDEP-\$1000.	Tote Deposit		
				

EPAHO055002741

## Order Request Form

P.O. Number: 374 842

Date: 4-30-08

Vendor: \_\_\_\_\_

Contact: ALPHA MARINE

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Loren Thomas

Approved By: Lora Stone

**Office Use Only**

**Internal Expense:**

## Job Expense:

Chase

## What Job?

CS

FS

Trans

SGA

# MRI

# DRIVE

DEF

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

EPAHQ055002742

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176086

Sales Order Date:  
Apr 30, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	LOREN	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
-1.00	TOTEDEP-\$1000.	Returned Tote		
2,000.00	LIME	Lime; 50lb Bags 40 x 50 LB Bags		

EPAHO055002743

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176087

Sales Order Date:  
Apr 30, 2008

Page:  
1

### Sold To:


CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
~~Customer Pickup~~  
~~Channelview, TX 77530~~

Customer ID	PO Number	Sales Rep Name
CES	<del>LOREN</del> 374842	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm		
		1 X 275 Gallon Tote		
1.00	TOTEDEP-\$1000.	Tote Deposit		



EPAHO055002744



176063

**PHONE: 281 457-3533    FAX 281-452-2320**

**ORIGINAL NON-NEGOTIABLE**

**CARRIER:**

<b>ALPHA MARINE</b>		DATE		PURCHASE ORDER NUMBER:	SHIPPER NO.	176087
		4/30/2008		374842		
CONSIGNEE (TO)	CES ENVIROMENTAL			SHIPPER (FROM)	ALPHA MARINE SOLUTIONS	
STREET	4904 GRIGGS RD			STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON TX 77021			CITY, STATE, ZIP	CHANNELVIEW, TX 77530	
					PHONE: 281-457-3533	
PHONE NO.	ROUTE				VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
1	RQ	275 GALLON TOTE		55	3509
		SODIUM HYDROXIDE SOLUTIONS 50%			
		8, CORROSIVE, PG II, RQ-ALL			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
1		TOTAL			3509

REMIT COD TO:			COD	COD FEE:
ADDRESS:				FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID
			AMOUNT:	

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

In the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$

PER

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

Shipment Received, Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49 CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide (HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED		
CARRIER	ALPHA MARINE SOLUTIONS	
AUTHORIZED SIGNATURE	DATE	4/30/2008

EPAHQ055002745

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 1

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:44.11

CAS #: 001310732

MSDS No. 000318

Revision No./Date 03 981006

Detail Number 00112/01

FORMULA: Na O H

CHEM. FAMILY: inorganic bases

CHEMICAL NAME AND SYNONYMS:

Caustic Soda; Liquid Caustic Soda; Caustic Soda Solution;  
Sodium Hydroxide; Sodium Hydroxide Solution;

Lye Solution; Soda Lye;

Liquid Alkali #4;

Liquid Alkali #4A;

Caustic Soda Liq 50% Purified;

MSDS 000318 DETAIL 00112

SUPPLIERS NAME : Harcros Chemicals Inc.

5200 Speaker Road

Kansas City

KS 66106-1095

SUPPLIERS PHONE NUMBER :

913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER

1-800-424-9300

S.A.R.A. INFORMATION

HAZARDS : Acute

Reactivity Chronic

PHYSICAL DATA : Mixture

Liquid

SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES			AIR CONTAMINANT LEVELS				SKIN	AGENT
		312	313	372	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)			
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2 )	50.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH					

SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE

HAZARD OVERVIEW: DANGER! CORROSIVE LIQUID. CAUSES BURNS. DESTROYS BODY TISSUES.  
EYES

Continued On Page 2

EPAHQ0055002746

Jan. 30 2003 01:41PM P1

PHONE NO. : 281 452 2520

INITIALS : YLH/ML

Jan. 30 2003 01:42PM P2

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 2

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:44.67

PRODUCT CODE : 04458

BULK BIN/#-CA

SECTION II HEALTH HAZARDS

(CONTINUED)

Eye contact with product may cause burns tissue destruction eye damage blindness

SKIN

Skin contact may cause burns tissue ulceration skin damage Effects may be delayed.

INHALATION

Inhalation may cause irritation nausea headache dizziness pain decreased breathing capacity tissue destruction internal bleeding lung damage, damage to respiratory system chemical pneumonia Aspiration (breathing) of liquid, mist, or vomitus (vomit) into lungs can cause aspiration (chemical) pneumonia, hemorrhaging (bleeding), lung damage, and even death. Symptoms of aspiration pneumonia include coughing, labored breathing and bluish skin.

INGESTION

Ingestion may cause diarrhea vomiting burns tissue ulceration internal bleeding even death

TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO, DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all body tissues

FIRST AID

FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and contaminated leather articles. Call a physician.

FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.

FIRST AID INGESTION

Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call a physician immediately.

OTHER INFORMATION

ROUTES OF ENTRY

eye contact skin contact

OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE

skin lungs respiratory system

CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

SECTION III SPECIAL PROTECTION

Continued On Page 3

EPAHQ055002747



Jan. 30 2003 01:42PM P3

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002748

Harcros Chemicals Inc  
Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 3

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

Date: 15-NOV-2001 16:27:45.21

BULK BIN/#-CA

SECTION III SPECIAL PROTECTION

(CONTINUED)

PROTECTIVE EQUIPMENT

PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield

PROTECTIVE EQUIPMENT SKIN

impervious gloves clean body covering clothing

PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available. In case of emergency or when dusting, misting, or splashing may occur, wear respiratory protection, eye protection, gloves, helmet, boots, and complete protective body covering.

SECTION IV FIRE & EXPLOSION HAZARD DATA

Flash Point (METHOD): > OR = N/A

Flammable Limits (% Volume in Air)

UPPER: N/D

Lower: N/D

HMIS Info

Health : 3

Fire : 0

React : 2

Special : X

EXTINGUISHING MEDIA

water fog foam carbon dioxide dry chemical media appropriate for surrounding fire

FIRE FIGHTING PROCEDURES

Not considered a fire hazard. Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing. Do not use a direct stream of water.

UNUSUAL FIRE & EXPLOSION HAZARDS

none currently known

SECTION V PHYSICAL DATA

Continued On Page 4

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 4

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:45.77

PRODUCT CODE : 04458

BULK BIN/#-CA

SECTION V PHYSICAL DATA

(CONTINUED)

Boiling Point: > OR = 289 deg. F  
Freezing Point: 55 deg. F  
Specific Gravity (H(2)O=1): > OR = 1.5400 @ 60 deg. F  
Vapor Pressure (MM HG.): > OR = 6.300 @ 104 deg. F  
Vapor Density (AIR=1) : N/D  
Evaporation Rate ( NA =1): N/D  
Solubility in Water: COMPLETE  
Percent Volatile by Volume: > OR = 50.00  
pH: aqueous approx. > OR = 13.000  
Appearance:  
COLORLESS TO LIGHTLY COLORED LIQUID

Odor :  
NIL

SECTION VI REACTIVITY DATA

STABILITY

Stable

INCOMPATIBILITY

amphoteric metals halogenated hydrocarbons inorganic acids organic acids Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Contact with water will generate heat, cause violent splashing and spattering.  
Contact with some metals can generate explosive hydrogen gas.

HAZARDOUS POLYMERIZATION

Will not occur

SECTION VII SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non sparking tools. If acidity (low pH) is a problem, neutralize with hydrated lime, soda ash, or sodium bicarbonate. If alkalinity (high pH) is a problem neutralize with dilute acetic acid or dilute hydrochloric (muriatic) acid. If required, notify state and local authorities.

DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be

Continued On Page 5

Jan. 30 2003 01:43PM P4

PHONE NO.: 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002749

Jan. 30 2003 01:43PM P5

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 5

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:46.42

SECTION VII SPILL AND LEAK PROCEDURES

(CONTINUED)

reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

SECTION VIII

Proper Shipping Name: SODIUM HYDROXIDE SOLUTION

Hazard Class: 8, UN1824 PGII

Label Requirements: CORROSIVE

Reportable Quantity: All shipments are reportable

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD

DANGER

PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe dust. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing.

Do not swallow.

HANDLING

Keep away from water or acid. For industrial use only. When diluting, add product slowly to water with agitation. Heat is generated upon dilution with water. Addition of water can cause violent splashing. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Product can cause corrosion of iron and steel at elevated temperatures. Keep out of reach of children.

Continued On Page 6

EPAHQ0055002750

Jan. 30 2003 01:44PM P6

PHONE NO., : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHO055002751

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 6

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04038

650# POLY DR

Date: 26-NOV-2001 10:01:40.16

NAME: GENE TURNER

DATE ISSUED: 921118

DATE REVISED: 981006


UNK = UNKNOWN

< = LESS THAN  
> = MORE THAN

N/A = NOT APPLICABLE  
N/D = NOT DETERMINED  
N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0508-032  
INVOICE DATE:  
May 2, 2008  
PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

**PAID**

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021  
CK. NO. 7/24/08  
DATE 7/24/08

MAY 08 2008

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374866	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		6/1/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
825.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%Corrosive UN 1791 3 x 275 Gallon Tote	1.90	1,567.50
3.00	TOTEDEP-\$1000.	Tote Deposits	1,000.00	3,000.00
-2.00	TOTEDEP-\$1000.	Returned Totes	1,000.00	-2,000.00
		Signed copy of Delivery Ticket: 176117		

618  
OSP

**POSTED**  
5-20-08

Check No:

Subtotal	2,567.50
Sales Tax	211.82
Freight	
Total Invoice Amount	2,779.32
Payment Received	
<b>TOTAL</b>	<b>2,779.32</b>

EPAHO055002752

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176117

Sales Order Date:  
May 2, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374866	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
825.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%Corrosive UN 1791 3 x 275 Gallon Tote		
3.00	TOTEDEP-\$1000.	Tote Deposits		
<del>2.00</del>	TOTEDEP-\$1000.	Returned Totes		
2-Bleach. Per Shannon. (1) Dup 2nd Del.				

EPAHO055002753

# Order Request Form

P.O. Number: 374866

Date: 5-2-08

Vendor: ALPHA MARINE

**Contact:****Phone:**[illegible]

**Submitted By:**

Approved By:

**Office Use Only**

**Internal Expense:**

## Job Expense:

CS

FS

Trans

SGA

MIRI

DRIVE

DATE

## What Job?

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:

176117

Sales Order Date:

May 2, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374866	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
825.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%Corrosive UN 1791 3 x 275 Gallon Tote		
3.00	TOTEDEP-\$1000.	Tote Deposits		
-3.00	TOTEDEP-\$1000.	Returned Totes		

EPAHO055002755



aMs

# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281 457-3533 FAX 281-452-2320

176117

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 5/2/2008	PURCHASE ORDER NUMBER: 176117	SHIPPER NO. 176117
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING DESCRIPTION OF ARTICLES. SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
3	X	275 GALLON TOTE		55	6870
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
3		TOTAL			6870

REMIT COD TO:	COD	COD FEE:
ADDRESS:	AMOUNT:	FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

In case of Chemical Emergency Call 281 457-3533 (24 Hour)

<b>NOTICE:</b> Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding: \$ _____ PER _____	FREIGHT PREPAID UNLESS MARKED COLLECT IS CUSTOMER'S CHECK ACCEPTABLE FOR COD? YES NO
---	---

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide (HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit, income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	NUMBER OF PIECES RECEIVED	
AUTHORIZED SIGNATURE	CARRIER <b>ALPHA MARINE SOLUTIONS</b>	DATE 5/2/2008

EPAHO055002756

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002757

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride. (Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide:

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). (Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14: TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:**

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*


**Alpha Marine Solutions LLC**

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0508-033

INVOICE DATE:

May 5, 2008

PAGE:

1

**SOLD TO:**

CES

4904 Griggs Rd  
Houston, TX 77021**SHIP TO:**

CES

4904 Griggs Rd  
Houston, TX 77021**PAID**

CK. NO.

DATE

7/21/08 C/C

MAY 08 2008

CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		374866	Net 30 Days	
SALES REP ID	SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON	Alpha Truck			6/4/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 2 x 275 Gallon Totes	2.95	1,622.50
116.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 1 x 116 Gallon Tote (Partial Tote)	1.90	220.40
3.00	TOTEDEP-\$1000.	Tote Deposits	1,000.00	3,000.00
-1.00	TOTEDEP-\$1000.	Returned Totes	1,000.00	-1,000.00
		Signed copy of Delivery Ticket: 176129		

Subtotal 3,842.90

Sales Tax 317.04

Freight

Total Invoice Amount 4,159.94

Payment Received

**TOTAL 4,159.94**

Check No:

EPAHO055002762

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176129

Sales Order Date:  
May 2, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374866	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 2 x 275 Gallon Totes		
116.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 1 x 116 Gallon Tote (Partial Tote)		
3.00	TOTEDEP-\$1000.	Tote Deposits		
		<del>XXXX</del> TOTES RETURNED ?		

EPAHO055002763



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:  
176129

Sales Order Date:  
May 2, 2008

Page:  
1

## Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

## Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374866	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 2 x 275 Gallon Totes		
116.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Tote Deposit Corrosive UN 1791 1 x 116 Gallon Tote (Partial Tote)		
3.00	TOTEDEP-\$1000.	Tote Deposits		
		XXXX <u>                    </u> TOTES RETURNED ?		

EPAHO055002764

aMs

## Alpha Marine Solutions

STRAIGHT  
BILL OF LADING15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

176129

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 5/2/2008	PURCHASE ORDER NUMBER: 374866	SHIPPER NO. 176129
CONSIGNEE (TO)	CES ENVIROMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON TX 77021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO.	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	RQ	275 GALLON TOTE		55	7018
		SODIUM HYDROXIDE SOLUTIONS 50%			
		8, CORROSIVE, PG II, RQ-ALL			
1	X	116 GALLON TOTE		55	967
		SODIUM HYPOCHLORITE SOLUTION 8			
		CORROSIVE UN1791 PG III			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
3		TOTAL			7985

REMIT COD TO:			COD AMOUNT:	COD FEE:
ADDRESS:				FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID

## In case of Chemcial Emergency Call 281 457-3533 (24 Hour)

FREIGHT PREPAID UNLESS MARKED COLLECT

## NOTICE:

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

CARRIER ALPHA MARINE SOLUTIONS

SHIPPER  
ALPHA MARINE SOLUTIONS

AUTHORIZED SIGNATURE

AUTHORIZED SIGNATURE

DATE

5/2/2008

EPAHO055002765

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%  
**CAS#:** Mixture.  
**RTECS:** Not applicable.  
**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;  
**Water Chemical Name:** Not applicable  
**Chemical Formula:** Not applicable

CHEMTREC  
(24HR Emergency Telephone: 1-800-424-9300)  
For non-emergency assistance call: 281-457-3533

**Contact Information:**  
Alpha Marine Solutions  
15914 Ave C  
Channelview, TX 77530  
Sales 281-457-3533  
Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

#### Toxicological Data on Ingredients:

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].  
Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

#### Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion. . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002766

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). (Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14: TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:**

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 1

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

Date: 15-NOV-2001 16:27:44.11

BULK BIN/#-CA

CAS #: 001310732

MSDS No. 000318 Revision No./Date 03 981006  
Detail Number 00112/01

FORMULA: Na O H

CHEM. FAMILY: inorganic bases

CHEMICAL NAME AND SYNONYMS:

Caustic Soda; Liquid Caustic Soda; Caustic Soda Solution;  
Sodium Hydroxide; Sodium Hydroxide Solution;

Lye Solution; Soda Lye;

Liquid Alkali #4;

Liquid Alkali #4A;

Caustic Soda Liq 50% Purified;

MSDS 000318 DETAIL 00112

SUPPLIERS NAME : Harcros Chemicals Inc.

5200 Speaker Road

Kansas City

KS 66106-1095

SUPPLIERS PHONE NUMBER :

913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER :

1-800-424-9300

S.A.R.A. INFORMATION

HAZARDS : Acute Reactivity Chronic

PHYSICAL DATA : Mixture Liquid

SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES			AIR CONTAMINANT LEVELS			
		312	313	372	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)	SKIN/AGENT
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2 )	50.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH			

SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE

HAZARD OVERVIEW: DANGER! CORROSIVE LIQUID. CAUSES BURNS. DESTROYS BODY TISSUES.  
EYES

Continued On Page 2

EPAHQ055002771

Jan. 30 2003 01:41PM P1

PHONE NO. : 281 452 2520

PRINTED BY : JMM



Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 2

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:44.67

PRODUCT CODE : 04458

BULK BIN/#-CA

## SECTION II HEALTH HAZARDS

(CONTINUED)

Eye contact with product may cause burns tissue destruction eye damage blindness

## SKIN

Skin contact may cause burns tissue ulceration skin damage Effects may be delayed.

## INHALATION

Inhalation may cause irritation nausea headache dizziness pain decreased breathing capacity tissue destruction internal bleeding lung damage, damage to respiratory system chemical pneumonia Aspiration (breathing) of liquid, mist, or vomitus (vomit) into lungs can cause aspiration (chemical) pneumonia, hemorrhaging (bleeding), lung damage, and even death. Symptoms of aspiration pneumonia include coughing, labored breathing and bluish skin.

## INGESTION

Ingestion may cause diarrhea vomiting burns tissue ulceration internal bleeding even death

## TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO, DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all body tissues

## FIRST AID

## FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

## FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and contaminated leather articles. Call a physician.

## FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.

## FIRST AID INGESTION

Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call a physician immediately.

## OTHER INFORMATION

## ROUTES OF ENTRY

eye contact skin contact

OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE

skin lungs respiratory system

## CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

## SECTION III SPECIAL PROTECTION

Continued On Page 3

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 3

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:45.21

## SECTION III SPECIAL PROTECTION

(CONTINUED)

## PROTECTIVE EQUIPMENT

## PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield

## PROTECTIVE EQUIPMENT SKIN

impervious gloves clean body covering clothing

## PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

## VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

## ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available. In case of emergency or when dusting, misting, or splashing may occur, wear respiratory protection, eye protection, gloves, helmet, boots, and complete protective body covering.

## SECTION IV FIRE &amp; EXPLOSION HAZARD DATA

Flash Point (METHOD): &gt; OR = N/A

Flammable Limits (% Volume in Air)

UPPER: N/D

Lower: N/D

## HMIS Info

Health : 3

Fire : 0

React : 2

Special : X

## EXTINGUISHING MEDIA

water fog foam carbon dioxide dry chemical media appropriate for surrounding fire

## FIRE FIGHTING PROCEDURES

Not considered a fire hazard. Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing. Do not use a direct stream of water.

## UNUSUAL FIRE &amp; EXPLOSION HAZARDS

none currently known

## SECTION V PHYSICAL DATA

Continued On Page 4

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 4

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:45.77

## SECTION V PHYSICAL DATA

(CONTINUED)

Boiling Point: > OR = 289 deg. F  
Freezing Point: 55 deg. F  
Specific Gravity (H<sub>2</sub>O=1): > OR = 1.5400 @ 60 deg. F  
Vapor Pressure (MM HG.): > OR = 6.300 @ 104 deg. F  
Vapor Density (AIR=1): N/D  
Evaporation Rate (NA =1): N/D  
Solubility in Water: COMPLETE  
Percent Volatile by Volume: > OR = 50.00  
pH: aqueous approx. > OR = 13.000  
Appearance:  
COLORLESS TO LIGHTLY COLORED LIQUID

Odor :  
NIL

## SECTION VI REACTIVITY DATA

## STABILITY

Stable

## INCOMPATIBILITY

amphoteric metals halogenated hydrocarbons inorganic acids organic acids Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Contact with water will generate heat, cause violent splashing and spattering.  
Contact with some metals can generate explosive hydrogen gas.

## HAZARDOUS POLYMERIZATION

Will not occur

## SECTION VII SPILL AND LEAK PROCEDURES

## STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non sparking tools. If acidity (low pH) is a problem, neutralize with hydrated lime, soda ash, or sodium bicarbonate. If alkalinity (high pH) is a problem neutralize with dilute acetic acid or dilute hydrochloric (muriatic) acid. If required, notify state and local authorities.

## DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be

Continued On Page 5

Jan. 30 2003 01:43PM P5

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 5

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:46.42

SECTION VII SPILL AND LEAK PROCEDURES

(CONTINUED)

reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

SECTION VIII

Proper Shipping Name: SODIUM HYDROXIDE SOLUTION

Hazard Class: 8, UN1824 PGII

Label Requirements: CORROSIVE

Reportable Quantity: All shipments are reportable

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD

DANGER

PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe dust. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing.

Do not swallow.

HANDLING

Keep away from water or acid. For industrial use only. When diluting, add product slowly to water with agitation. Heat is generated upon dilution with water. Addition of water can cause violent splashing. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Product can cause corrosion of iron and steel at elevated temperatures. Keep out of reach of children.

Continued On Page 6

EPAHQ0055002775

Jan. 30 2003 01:44PM P6

PHONE NO. : 281 452 2320

FROM: QUALITY IS EVERYTHING

EPAHQ0055002776

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 6

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04038

650# POLY DR

Date: 26-NOV-2001 10:01:40.16

NAME: GENE TURNER

DATE ISSUED: 921118

DATE REVISED: 981006


UNK = UNKNOWN

< = LESS THAN  
> = MORE THAN

N/A = NOT APPLICABLE  
N/D = NOT DETERMINED  
N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0508-061

INVOICE DATE:

May 7, 2008

PAGE:

1

SOLD TO:


CES

4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:

CES

4904 Griggs Rd  
 Houston, TX 77021



**PAID**

CK. NO.

DATE

7/21/08 *clc*

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374898	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		6/6/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
4.00	94091-A	ARO Diaphragm, Santipreme	66.30	265.20
4.00	94104-A	ARO Seat	17.25	69.00
4.00	94103-A	ARO Santoprene Balls	35.00	140.00
2.00	94631	ARO Diaphragm Cushion	12.35	24.70
1.00	67089-1	ARO Major Valve Asm	202.35	202.35
2.00	01-5160-20	WILDEN Manifold	26.80	53.60
4.00	02-1010-55W	WILDEN Teflon Diaphragms	125.20	500.80
Signed copy of Delivery Ticket: 176151				

**POSTED**  
 5-20-08

*633 Equip Repair*

Check No:

Subtotal	1,255.65
Sales Tax	103.59
Freight	
Total Invoice Amount	1,359.24
Payment Received	
<b>TOTAL</b>	<b>1,359.24</b>

EPAHO055002777

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176151

Sales Order Date:  
May 6, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374898	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
4.00	94091-A	ARO Diaphragm, Santipreme		
4.00	94104-A	ARO Seat		
4 <del>8.00</del>	94103-A	ARO Santoprene Balls		
2.00	94631	ARO Diaphragm Cushion		
1.00	67089-1	ARO Major Valve Asm		
2.00	01-5160-20	WILDEN Manifold		
4.00	02-1010-55W	WILDEN Teflon Diaphragms		
Barajas Noellig				

EPAHO055002778

# Order Request Form

P.O. Number: 374-898

Date: 5-6-08

Vendor: Alpha Marine

Contact: Tina.

Phone: 281-457-3533

[illegible]

Submitted By: Jovce.

**Approved By:**

Office Use Only

**Internal Expense:**

**Job Expense:**

CS  
FS  
Trans  
SGA  
MRI  
DRM

## What Job?

☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

EPAHQ055002779



Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320

aMs

INVOICE NUMBER:

0508-062

INVOICE DATE:

May 7, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

**PAID**

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

CK. NO.

DATE

*7/21/08*

MAY 12 2008

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374907		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			6/6/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 1 x 275 Gallons	3.15	866.25
1.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	1,000.00
-1.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-1,000.00
		Signed copy of Delivery Ticket: 176166		

618

058

**POSTED**  
5-20-08

Check No:

Subtotal	866.25
Sales Tax	71.47
Freight	
Total Invoice Amount	937.72
Payment Received	
<b>TOTAL</b>	<b>937.72</b>

EPAHO055002780

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176166

Sales Order Date:

May 7, 2008

Page:

1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374907	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 1 x 275 Gallons		
1.00	TOTEDEP-\$1000.	Tote Deposit  XX <u>2</u> TOTE RETURNED.... 1 TOTE FOR CREDIT 1 TOTE -REPAIRED...		
				

EPAHO055002781

## Order Request Form

P.O. Number: 374907

Date: 5-7-08

Vendor: ALPHA MARINE

**Contact:**

**Phone:**[illegible]

**Submitted By:**

**Approved By:**

Office Use Only

**Internal Expense:**

**Job Expense:**

CS

ES

Trans

# SGA

**MRI**

DRIVE

155

## What Job?

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176166

Sales Order Date:

May 7, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374907	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 1 x 275 Gallons		
1.00	TOTEDEP-\$1000.	Tote Deposit  XX <u>2</u> TOTE RETURNED.... 1 TOTE FOR CREDIT 1 TOTE -REPAIRED...		

EPAHO055002783



# Alpha Marine Solutions

**STRAIGHT  
BILL OF LADING**

**15914 AVE C CHANNELVIEW, TEXAS 77530**

176166

**PHONE: 281 457-3533    FAX 281-452-2320**

**ORIGINAL NON-NEGOTIABLE**

**CARRIER:**

<b>ALPHA MARINE</b>		<b>DATE</b> 5/7/2008	<b>PURCHASE ORDER NUMBER:</b> 374907	<b>SHIPPER NO.</b>	176166
<b>CONSIGNEE (TO)</b>	<b>CES ENVIROMENTAL</b>		<b>SHIPPER (FROM)</b>	<b>ALPHA MARINE SOLUTIONS</b>	
<b>STREET</b>	<b>4904 GRIGGS RD</b>		<b>STREET</b>	<b>15914 AVE C</b>	
<b>CITY, STATE, ZIP</b>	<b>HOUSTON TX 77021</b>		<b>CITY, STATE, ZIP</b>	<b>CHANNELVIEW, TX 77530</b>	
				<b>PHONE: 281-457-3533</b>	
<b>PHONE NO.</b>	<b>ROUTE</b>			<b>VEHICLE NO.</b>	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
1	RQ	275 GALLON TOTE		55	3509
		SODIUM HYDROXIDE SOLUTIONS 50%			
		8, CORROSIVE, PG II, RQ-ALL			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
1		TOTAL			3509

REMIT COD TO:			COD	COD FEE:
ADDRESS:				FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID
			AMOUNT:	

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

FREIGHT PREPAID UNLESS MARKED COLLECT

**IS CUSTOMER'S CHECK**

ACCEPTABLE FOR COD?

**YES**      **NO**

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability.

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

\_\_\_\_\_ (this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

in the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit.

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

CARRIER	ALPHA MARINE SOLUTIONS
---------	------------------------

SHIPPER  
ALPHA MARINE SOLUTIONS

**AUTHORIZED SIGNATURE**

DATE \_\_\_\_\_

5/8/2008

EPAHQ055002784

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 1

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

Date: 15-NOV-2001 16:27:44.11

BULK BIN/#-CA

CAS #: 001310732

MSDS No. 000318

Revision No./Date 03 981006  
Detail Number 00112/01

FORMULA: Na O H

CHEM. FAMILY: inorganic bases

CHEMICAL NAME AND SYNONYMS:

Caustic Soda; Liquid Caustic Soda; Caustic Soda Solution;  
Sodium Hydroxide; Sodium Hydroxide Solution;

Lye Solution; Soda Lye;

Liquid Alkali #4;

Liquid Alkali #4A;

Caustic Soda Liq 50% Purified;

MSDS 000318 DETAIL 00112

SUPPLIERS NAME : Harcros Chemicals Inc.

5200 Speaker Road

Kansas City

KS 66106-1095

SUPPLIERS PHONE NUMBER :

913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER

1-800-424-9300

S.A.R.A. INFORMATION

HAZARDS : Acute

Reactivity Chronic

PHYSICAL DATA : Mixture

Liquid

SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES			AIR CONTAMINANT LEVELS				SKIN	AGENT
		312	313	372	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)			
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2 )	50.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH					

SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE

HAZARD OVERVIEW: DANGER! CORROSIVE LIQUID. CAUSES BURNS. DESTROYS BODY TISSUES.  
EYES

Continued On Page 2

EPAHQ0055002785

Jan. 30 2003 01:41PM P1

PHONE NO. : 281 452 2520

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 2

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:44.67

PRODUCT CODE : 04458

BULK BIN/#-CA

## SECTION II HEALTH HAZARDS

(CONTINUED)

Eye contact with product may cause burns tissue destruction eye damage blindness

## SKIN

Skin contact may cause burns tissue ulceration skin damage Effects may be delayed.

## INHALATION

Inhalation may cause irritation nausea headache dizziness pain decreased breathing capacity tissue destruction internal bleeding lung damage, damage to respiratory system chemical pneumonia Aspiration (breathing) of liquid, mist, or vomitus (vomit) into lungs can cause aspiration (chemical) pneumonia, hemorrhaging (bleeding), lung damage, and even death. Symptoms of aspiration pneumonia include coughing, labored breathing and bluish skin.

## INGESTION

Ingestion may cause diarrhea vomiting burns tissue ulceration internal bleeding even death

## TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO,  
DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all body tissues

## FIRST AID

## FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

## FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and contaminated leather articles. Call a physician.

## FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth.

If breathing is difficult give oxygen. Call a physician.

## FIRST AID INGESTION

Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call a physician immediately.

## OTHER INFORMATION

## ROUTES OF ENTRY

eye contact skin contact

OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE

skin lungs respiratory system

## CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

## SECTION III SPECIAL PROTECTION

Continued On Page 3

Jan. 30 2003 01:42PM P3

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 3

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 0445B

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:45.21

SECTION III SPECIAL PROTECTION

(CONTINUED)

PROTECTIVE EQUIPMENT

PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield

PROTECTIVE EQUIPMENT SKIN

impervious gloves clean body covering clothing

PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available. In case of emergency or when dusting, misting, or splashing may occur, wear respiratory protection, eye protection, gloves, helmet, boots, and complete protective body covering.

SECTION IV FIRE & EXPLOSION HAZARD DATA

Flash Point (METHOD): > OR = N/A

Flammable Limits (% Volume in Air) UPPER: N/D

Lower: N/D

HMIS Info

Health : 3  
Fire : 0  
React : 2  
Special : X

EXTINGUISHING MEDIA

water fog foam carbon dioxide dry chemical media appropriate for surrounding fire

FIRE FIGHTING PROCEDURES

Not considered a fire hazard. Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing. Do not use a direct stream of water.

UNUSUAL FIRE & EXPLOSION HAZARDS

none currently known

SECTION V PHYSICAL DATA

Continued On Page 4

EPAHQ055002787



Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 4

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:45.77

## SECTION V PHYSICAL DATA

(CONTINUED)

Boiling Point: > OR = 289 deg. F  
Freezing Point: 55 deg. F  
Specific Gravity (H<sub>2</sub>O=1): > OR = 1.5400 @ 60 deg. F  
Vapor Pressure (MM HG.): > OR = 6.300 @ 104 deg. F  
Vapor Density (AIR=1) : N/D  
Evaporation Rate ( NA =1): N/D  
Solubility in Water: COMPLETE  
Percent Volatile by Volume: > OR = 50.00  
pH: aqueous approx. > OR = 13.000  
Appearance:  
COLORLESS TO LIGHTLY COLORED LIQUID

Odor :  
NIL

## SECTION VI REACTIVITY DATA

## STABILITY

Stable

## INCOMPATIBILITY

amphoteric metals halogenated hydrocarbons inorganic acids organic acids Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Contact with water will generate heat, cause violent splashing and spattering.

Contact with some metals can generate explosive hydrogen gas.

## HAZARDOUS POLYMERIZATION

Will not occur

## SECTION VII SPILL AND LEAK PROCEDURES

## STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non sparking tools. If acidity (low pH) is a problem, neutralize with hydrated lime, soda ash, or sodium bicarbonate. If alkalinity (high pH) is a problem neutralize with dilute acetic acid or dilute hydrochloric (muriatic) acid. If required, notify state and local authorities.

## DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be

Continued On Page 5

Jan. 30 2003 01:43PM P5

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 5

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:46.42

SECTION VII SPILL AND LEAK PROCEDURES

(CONTINUED)

reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

SECTION VIII

Proper Shipping Name: SODIUM HYDROXIDE SOLUTION

Hazard Class: 8, UN1824 PGII

Label Requirements: CORROSIVE

Reportable Quantity: All shipments are reportable

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD

DANGER

PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe dust. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing.

Do not swallow.

HANDLING

Keep away from water or acid. For industrial use only. When diluting, add product slowly to water with agitation. Heat is generated upon dilution with water. Addition of water can cause violent splashing. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Product can cause corrosion of iron and steel at elevated temperatures. Keep out of reach of children.

Continued On Page 6

EPAHQ055002789

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 6

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04038

650# POLY DR

Date: 26-NOV-2001 10:01:40.16

NAME: GENE TURNER

DATE ISSUED: 921118

DATE REVISED: 981006

UNK = UNKNOWN

< = LESS THAN  
> = MORE THAN

N/A = NOT APPLICABLE  
N/D = NOT DETERMINED  
N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Jan. 30 2003 01:44PM P6

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002790

Customer Name: CES

Receipt Number:

CC-6554 071008

Customer ID: CES

Date:

7/10/08

Reference:

CC-6554 071008

*Alpha Marine Solutions.*

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0308-167				570.73
0408-206				2,009.39
0408-234				2,213.71
0408-238				3,848.91
0408-239				-1,425.65
0408-274				5,052.57
0408-285				361.28
0408-305				-324.75
0508-046				-596.19

Payment Method: VISA

Subtotal:

11,710.00

XXXXXXXXXXXX6554

05/10

Sales Tax:

0.00

025526

11,710.00

Receipt Number:

CC-6554 071008

Date:

7/10/08

Reference:

CC-6554 071008

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0308-167				570.73
0408-206				2,009.39
0408-234				2,213.71
0408-238				3,848.91
0408-239				-1,425.65
0408-274				5,052.57
0408-285				361.28
0408-305				-324.75
0508-046				-596.19

Payment Method: VISA

Subtotal:

11,710.00

XXXXXXXXXXXX6554

05/10

Sales Tax:

0.00

025526

11,710.00

EPAHO055002791

\$ 2,009.39	0408-206
\$ 2,213.71	0408-234
\$ 3,848.91	0408-238
\$ (1,425.65)	0408-239
\$ 361.28	0408-285
\$ 5,052.57	0408-274
\$ (324.75)	0408-305
\$ (596.19)	0508-046
\$ 570.73	0308-167

\$ 11,710.00


Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0308-167

INVOICE DATE:

March 20, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

**POSTED**  
5-19-08

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES				Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			4/19/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00		WILDEN Model: 15-10668 3" Poly Diaphragm Pump with Teflon Packing  Signed copy of Delivery Ticket: 175685	6,776.10	6,776.10
	<i>Returned Pump Re stocking Fee</i>			

MRI

Check No: 0408-252 *credit*

Subtotal	6,776.10
Sales Tax	559.03
Freight	
Total Invoice Amount	7,335.13
Payment Received	6,764.40

**TOTAL 570.73**

EPAHO055002793

**Alpha Marine Solutions LLC**

Remit to: PO Box 1088  
Channelview, TX 77530-1088

**CREDIT MEMO**

Credit Memo Number: 0408-252  
Credit Date: Apr 24, 2008  
Page: 1  
*Duplicate*

Voice: 281-457-3533  
Fax: 281-452-2320

**Credit To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	Customer PO	Sales Rep ID
CES		ASTON

Quantity	Item	Description	Unit Price	Amount
1.00		WILDEN Model: 15-10668 3" Poly Diaphragm Pump with Teflon Packing  ** Restock Fee Charged from our Vendor **  Signed copy of Delivery Ticket: 175685	6,248.87	6,248.87
Subtotal				6,248.87
Sales Tax				515.53
Freight				
<b>TOTAL</b>				<b>6,764.40</b>

Invoice No: 0308-167

EPAHO055002794

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175685

Sales Order Date:  
Mar 19, 2008

Page:  
1



### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days


Quantity	Item	Description	Shipped Prior	This Shipment
1.00		WILDEN Model: 15-10668 3" Poly Diaphragm Pump with Teflon Packing		
<div><p>Return For Credit Subject to Inspection &amp; possible <del>the</del> Re-stocking Charged from our Vendor</p><p>527.23</p></div>				

212

EPAHO055002795



Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0408-206  
 INVOICE DATE:  
 April 21, 2008  
 PAGE:  
 1

APR 24 2008

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374750		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			5/21/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Totes	1.90	1,045.00
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 1 x 275 Gallon tote	2.95	811.25
3.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	3,000.00
-3.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-3,000.00
	<i>ok per Loren</i>	Signed copy of Delivery Ticket: 175981		

Check No:

**POSTED**  
 4/25/08

Subtotal 1,856.25  
 Sales Tax 153.14  
 Freight  
 Total Invoice Amount 2,009.39  
 Payment Received  
**TOTAL 2,009.39**

EPAHO055002796

# Alpha Marine Solutions

15914 AVE C. CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

175981

Sales Order Date:

Apr 17, 2008

Page:

1

APR 24 2008

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 2 x 275 Gallon Totes		
<del>275.00</del>	<del>CAU/LIQ-TOTE</del>	<del>Caustic Soda Liquid 50% Diaphragm Corrosive UN 1824 3828 lb 1 x 275 Gallon tote</del>		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-3.00	TOTEDEP-\$1000.	Returned Tote Deposit		
<i>S. Brown</i>				

EPAHO055002797

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175981

Sales Order Date:  
Apr 17, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>550.00</del>	<del>SOD HYP-TOTE</del>	<del>Sodium Hypochlorite 12.5% Corrosive</del> <del>UN 1791</del> <del>2 x 275 Gallon Totes</del>		
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Corrosive UN 1824 3828 1b 1 x 275 Gallon tote		
<del>100.00</del>	<del>TOTE DEP \$1000</del>	<del>Returned Tote Deposit</del>		
<del>3.00</del>	<del>TOTE DEP \$1000</del>	<del>Returned Tote Deposit</del>		
<div>Order complete</div> <div>1-Tote Deposit</div>				

EPAHO055002798

# Order Request Form

P.O. Number: 374750

Date: 4-18-08

Vendor: ALPHA MARINE SOLUTION

**Contact:****Phone:**

**Item #**

### Description

**Quantity**

Cost \$

SODIUM HYPOCHLORITE 12.5% 20TES

1095 <sup>2</sup>

CAUSTIC SODA 50% 1 TOTE

8/1 25

EX

Submitted By:

Approved By:

**Office Use Only**

**Internal Expense:**

**Job Expense:**

Chase

## ~~What Job?~~

CS

ES

Trans

TRANS  
SCA

101

MRI  
SPIN


# DRIVE

DSE

## Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0408-234

INVOICE DATE:  
April 22, 2008

PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		Loren		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			5/22/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Tote	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	2,000.00
-1.00	TOTEDEP-\$1000.	Returned Totes	1,000.00	-1,000.00
Signed copy of Delivery Ticket: 176022				
<b>POSTED</b> 4/25/08				

Check No:

Subtotal	2,045.00
Sales Tax	168.71
Freight	
Total Invoice Amount	2,213.71
Payment Received	
<b>TOTAL</b>	<b>2,213.71</b>

EPAHO055002800

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176022

Sales Order Date:

Apr 22, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Tote Deposit		
-1.00	TOTEDEP-\$1000.	Returned Totes		
		<i>Jose Jara</i>		

EPAHO055002801

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:  
176056

Sales Order Date:  
Apr 25, 2008

Page:  
1

## Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

## Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 300 Gallon Tote 2 x 275 Gallon Totes		
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit -Waived Corrosive UN 1824 3828 lb / 300 Gallons 2 X 275 Gallon Totes		
4.00	TOTEDEP-\$1000.	Tote Deposits		
-1.00	TOTEDEP-\$1000.	Returned Totes		

EPAHO055002802

# Alpha Marine Solutions

**STRAIGHT  
BILL OF LADING**

**15914 AVE C CHANNELVIEW, TEXAS 77530**

176056

**PHONE: 281 457-3533      FAX 281-452-2320**

ORIGINAL NON-NEGOTIABLE

**CARRIER:**

<b>ALPHA MARINE</b>		DATE 4/25/2008		PURCHASE ORDER NUMBER: LOREN	SHIPPER NO.	176056
CONSIGNEE (TO)	CES ENVIROMENTAL		SHIPPER (FROM)		ALPHA MARINE SOLUTIONS	
STREET	4904 GRIGGS RD		STREET		15914 AVE C	
CITY, STATE, ZIP	HOUSTON TX 77021		CITY, STATE, ZIP		CHANNELVIEW, TX 77530	
					PHONE: 281-457-3533	
PHONE NO. 713-472-3388	ROUTE			VEHICLE NO.		

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	RQ	275 GALLON TOTE		55	7018
		SODIUM HYDROXIDE SOLUTIONS 50%			
		8, CORROSIVE, PG II, RQ-ALL			
2	X	275 GALLON TOTE		55	4580
		SODIUM HYPOCHLORITE SOLUTION 8			
		CORROSIVE UN1791 PG III			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
4		TOTAL			11598

REMIT COD TO:			COD	COD FEE:
ADDRESS:				FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID
			AMOUNT:	

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

FREIGHT PREPAID UNLESS MARKED COLLECT

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

In the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability.

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED.

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

Shipment Received. Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHG8 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit.

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER  
ALPHA MARINE SOLUTIONS

CARRIER	ALPHA MARINE SOLUTIONS
---------	------------------------

**AUTHORIZED SIGNATURE**

**AUTHORIZED SIGNATURE**

DATE \_\_\_\_\_

4/25/2008

EPAH0055002803



## MATERIAL SAFETY DATA SHEET

Harcros Chemicals, Inc.  
MSDS No. 001767/ Revision No. 07  
Page 1

DATE: 26-SEPT-2007

### Section I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL NAME : Sodium Hypochlorite  
CAS #: 7681-52-9  
FORMULA: NaOCL  
CHEM. FAMILY: Bleaching Agents (oxidizers)

PRODUCT NAMES: SODIUM HYPOCHLORITE (5% + CL2, 5.25% + CL2, 10% + CL2, 12% + CL2, 12.5% + CL2)  
SODIUM HYPOCHLORITE (10%, 12.5%, 15%, 18%, 20%)  
(12.5%, 12.5% GAC, 12.5%, 16% TRADE)  
EXTRACT 2; LCS LIQ CHLORINATION SANITIZER

SYNONYMS:  
Bleach;  
Soda Bleach Liquor;  
Chlorine Bleach;

SUPPLIERS NAME: Harcros Chemicals Inc.  
5200 Speaker Road  
Kansas City, KS 66106-1095

SUPPLIERS PHONE NUMBER : 913-321-3131  
TRANSPORTATION EMERGENCY PHONE NUMBER: 1-800-424-9300

### Section II. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS	CAS NUMBER	MAX Percentage%	EXPOSURE LIMITS			SKIN AGENT
			TWA/TLV ppm	STEL ppm	CEIL ppm	
Sodium Hypochlorite Hypochlorous Acid, Sodium Salt	7681-52-9	20.00	(As chlorine) 0.50	1.00		OSHA/ACGIH
Caustic Soda Sodium Hydroxide	1310-73-2	3.00	(As sodium hydroxide) 2.00 mg/m3			OSHA/ACGIH (CEIL)

### Section III. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

LABEL Signal Word: DANGER!

#### PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not get in eyes, skin, or clothing. Keep from contact with clothing or other combustible materials. Do not swallow.

ROUTE(S) OF ENTRY: Eye contact, Skin contact, Inhalation.

#### Potential Health Effects (ACUTE AND CHRONIC):

OVEREXPOSURE MAY CAUSE DAMAGE TO,  
DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS:  
Destruction of all body tissues.

#### OVEREXPOSURE MAY AGGRAVATE DISORDERS OF:

The skin, eyes, respiratory system.

CARCINOGENICITY: No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

EPAHO055002804

DATE: 26-SEPT-2007

### Section III. HAZARDS IDENTIFICATION CONTINUED

**EYE:** Eye contact with product may cause severe irritation, eye damage, or blindness.

**SKIN:** Skin contact may cause Irritation, burns.  
Prolonged r repeated contact may cause skin damage.

**INHALATION:** Inhalation may cause severe irritation, sneezing  
Prolonged or repeated overexposure by inhalation may cause pneumonia, lung damage, damage to respiratory system, even death

**INGESTION:** Ingestion may cause severe irritation, tissue ulceration, gastrointestinal damage, circulatory collapse, convulsions, or coma.

### Section IV. FIRST AID MEASURES

**EYE CONTACT:**

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

**SKIN CONTACT:**

Immediately flush skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Thoroughly clean clothing and shoes before reuse. Call a physician.

**INHALATION:**

Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.

**INGESTION:**

If swallowed, DO NOT induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing of vomit into lungs. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Call a physician or poison control center immediately.

### Section V. FIRE FIGHTING MEASURES

**FLASHPOINT (METHOD):** N/A

**FLAMMABLE LIMITS:**(% Volume in Air) UPPER: N/D Lower: N/D

**EXTINGUISHING MEDIA:** Water

**SPECIAL FIRE FIGHTING PROCEDURES:**

Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non-essential personnel. Firefighters should wear full face, self-contained breathing apparatus and impervious protective clothing.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**

Product does not burn, but can provide oxygen which can intensify a fire. Toxic fumes may be released. Product is an oxidizer. It may react vigorously with organics or other materials resulting in an explosion and fire.

EPAHO055002805

DATE: 26-SEPT-2007

## Section VI. ACCIDENTAL RELEASE MEASURES

### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Product may be toxic to fish or aquatic life. Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section VIII). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, reduce by adding reducing agents such as bisulfites or ferrous salt solutions. Some heat will be produced. May be neutralized with reducing agents. Keep on alkaline side and dilute with copious quantities of water. Principal end product is salt water (NaCl).

### DISPOSAL METHOD:

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be reprocessed or incinerated. Incineration must be handled in a permitted facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

## Section VII. HANDLING AND STORAGE

### HANDLING: For Industrial use only.

Do Not add any other product to this container. For industrial use only. Do Not apply heat to container. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

### STORAGE:

Keep container closed when not in use. Store in a cool dry place. Store out of direct sunlight and away from heat. Decomposition can cause pressure-buildup in closed containers. Relieve internal pressure when received and at least weekly thereafter by slowly loosening bung. Retighten immediately. Wear protective equipment. Keep out of reach of children.

## Section VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Mechanical: General ventilation is usually adequate.

Mechanical ventilation may be required to maintain exposure levels below limits.

**RESPIRATORY PROTECTION:** If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure-breathing apparatus should be readily available.

**EYE PROTECTION:** Chemical goggles, Safety glasses with non-perforated side shield. Always wear eye protection when working with chemicals. Do Not wear contact lenses when working with chemicals.

**SKIN PROTECTION:** Impervious gloves, clean body covering, rubber apron.

### OTHER PROTECTIVE EQUIPMENT:

Safety shower, eye wash fountain, and washing facilities should be readily available.

**WORK HYGIENIC PRACTICES:** Avoid contact with skin, eyes, and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take First Aid action shown in Section IV. Launder contaminated clothing before reuse.

DATE: 26-SEPT-2007

#### Section IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless to lightly Colored Liquid  
Odor: Sharp  
pH: aqueous approx. > or = to 11.000 to 12.0000  
Boiling point/boiling range: > or = to 230 deg. F.  
Freezing Point: N/D  
Flash Point: N/A  
Vapor Pressure: (MM HG.): < or = to 12.1000 to 17.5000 @ 68 deg. F.  
Vapor Density (Air =1): N/D  
Solubility In Water: Soluble  
Specific Gravity:(H2O=1): 1.0800 to 1.2800 @ 68 deg. F  
Evaporation Rate: ( Water =1): N/D  
Percent Volatile by Volume : N/D

#### Section X. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored in container under proper conditions.

Materials to avoid: Amphoteric metals, inorganic acids, organic acids, organic bases, hydrocarbons, organic mixtures.  
Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Avoid contact with strong reducing agents which include hydrogen, hydrazine, sulfides, sulfites, and nitrites. Product is an oxidizer. It may react vigorously with organics or other materials resulting in an explosion and fire.

Hazardous Decomposition or Byproducts: Hydrogen Chloride, Chlorine, Oxygen.

Hazardous Polymerization: Will not occur

#### Section XI. TOXICOLOGICAL INFORMATION

ANIMAL TEST DATA  
Not Available.

#### Section XII. ECOLOGICAL INFORMATION

Not Available.

#### Section XIII. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Follow applicable local, state, and federal regulations.

#### Section XIV. TRANSPORT INFORMATION

DOT (Department of Transportation)  
Proper Shipping Name: Hypochlorite Solutions  
Hazard Class: 8  
UN/NA Number: UN1791  
Packaging Group: III  
Label Requirements: Corrosive  
Reportable Quantity (RQ): None

#### Section XV. REGULATORY INFORMATION

##### S.A.R.A. Information

HAZARDS : Acute, Fire, Chronic  
PHYSICAL DATA : Mixture, Liquid

##### EPCRA APPLIES:

312: Y  
313: N

##### MAXIMUM USE LEVEL IN POTABLE WATER:

For Sodium Hypochlorite 10% 100 mg/L  
For sodium Hypochlorite 12.5% 80 mg/L

##### CERCLA Reportable Quantity:

Contains Sodium Hypochlorite with an RQ of 100 lbs.

##### TSCA INVENTORY STATUS : Listed

TSCA, 40 CFR 710: Sources of the raw materials used in this mixture assure that all chemical ingredients present are in compliance with Section 8(b) Chemical Substance Inventory, or are otherwise in compliance with TSCA.

##### International Inventories:

Canada (DSL): Listed  
China (CIS): Listed  
Australia (AICS): Listed  
Europe (EINECS): Listed  
Japan (MITI): Listed

#### Section XVI. OTHER INFORMATION

HMIS HEALTH: 2  
FLAMMABILITY: 0  
REACTIVITY: 2  
PERSONAL PROTECTION: X

DATE ISSUED: 931230  
DATE REVISED: 070926  
SECTIONS: New Format

N/A = NOT APPLICABLE  
N/D = NOT DETERMINED  
N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 1

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
 PRODUCT CODE : 04458

Date: 15-NOV-2001 16:27:44.11

BULK BIN/#-CA

CAS #: 001310732

MSDS No. 000318

Revision No./Date 03 981006

Detail Number 00112/01

FORMULA: Na O H

CHEM. FAMILY: inorganic bases

CHEMICAL NAME AND SYNONYMS:

Caustic Soda; Liquid Caustic Soda; Caustic Soda Solution;  
 Sodium Hydroxide; Sodium Hydroxide Solution;  
 Lye Solution; Soda Lye;

Liquid Alkali #4;

Liquid Alkali #4A;

Caustic Soda Liq 50% Purified;

MSDS 000318 DETAIL 00112

SUPPLIERS NAME : Harcros Chemicals Inc.

5200 Speaker Road

Kansas City

KS 66106-1095

SUPPLIERS PHONE NUMBER :

913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER :

1-800-424-9300

## S.A.R.A. INFORMATION

HAZARDS : Acute Reactivity Chronic

PHYSICAL DATA : Mixture Liquid

## SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES			AIR CONTAMINANT LEVELS				SKIN	AGENT
		312	313	372	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)			
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2 )	50.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH					

## SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE

HAZARD OVERVIEW: DANGER! CORROSIVE LIQUID. CAUSES BURNS. DESTROYS BODY TISSUES.  
 EYES

Continued On Page 2

Jan. 30 2003 01:42PM P2

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ055002810

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 2

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:44.67

PRODUCT CODE : 04458

BULK BIN/#-CA

SECTION II HEALTH HAZARDS

(CONTINUED)

Eye contact with product may cause burns tissue destruction eye damage blindness

SKIN

Skin contact may cause burns tissue ulceration skin damage Effects may be delayed.

INHALATION

Inhalation may cause irritation nausea headache dizziness pain decreased breathing capacity tissue destruction internal bleeding lung damage, damage to respiratory system chemical pneumonia Aspiration (breathing) of liquid, mist, or vomitus (vomit) into lungs can cause aspiration (chemical) pneumonia, hemorrhaging (bleeding), lung damage, and even death. Symptoms of aspiration pneumonia include coughing, labored breathing and bluish skin.

INGESTION

Ingestion may cause diarrhea vomiting burns tissue ulceration internal bleeding even death

TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO, DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all body tissues

FIRST AID

FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and contaminated leather articles. Call a physician.

FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.

FIRST AID INGESTION

Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call a physician immediately.

OTHER INFORMATION

ROUTES OF ENTRY

eye contact skin contact

OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE

skin lungs respiratory system

CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

SECTION III SPECIAL PROTECTION

Continued On Page 3

Jan. 30 2003 01:42PM P3

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002811

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 3

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHIRAGM

Date: 15-NOV-2001 16:27:45.21

PRODUCT CODE : 04458

BULK BIN/#-CA

SECTION III SPECIAL PROTECTION

(CONTINUED)

PROTECTIVE EQUIPMENT

PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield

PROTECTIVE EQUIPMENT SKIN

impervious gloves clean body covering clothing

PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available. In case of emergency or when dusting, misting, or splashing may occur, wear respiratory protection, eye protection, gloves, helmet, boots, and complete protective body covering.

SECTION IV FIRE & EXPLOSION HAZARD DATA

Flash Point (METHOD): > OR = N/A

Flammable Limits (% Volume in Air)

UPPER: N/D

Lower: N/D

HMIS Info

Health : 3

Fire : 0

React : 2

Special : X

EXTINGUISHING MEDIA

water fog foam carbon dioxide dry chemical media appropriate for surrounding fire

FIRE FIGHTING PROCEDURES

Not considered a fire hazard. Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing. Do not use a direct stream of water.

UNUSUAL FIRE & EXPLOSION HAZARDS

none currently known

SECTION V PHYSICAL DATA

Continued On Page 4



Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 4

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:45.77

SECTION V PHYSICAL DATA

(CONTINUED)

Boiling Point: > OR = 289 deg. F  
Freezing Point: 55 deg. F  
Specific Gravity (H(2)O=1): > OR = 1.5400 @ 60 deg. F  
Vapor Pressure (MM HG.): > OR = 6.300 @ 104 deg. F  
Vapor Density (AIR=1) : N/D  
Evaporation Rate ( NA =1): N/D  
Solubility in Water: COMPLETE  
Percent Volatile by Volume: > OR = 50.00  
pH: aqueous approx. > OR = 13.000  
Appearance:  
COLORLESS TO LIGHTLY COLORED LIQUID

Odor :  
NIL

SECTION VI REACTIVITY DATA

STABILITY

Stable

INCOMPATABILITY

amphoteric metals halogenated hydrocarbons inorganic acids organic acids Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Contact with water will generate heat, cause violent splashing and spattering.

Contact with some metals can generate explosive hydrogen gas.

HAZARDOUS POLYMERIZATION

Will not occur

SECTION VII SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non sparking tools. If acidity (low pH) is a problem, neutralize with hydrated lime, soda ash, or sodium bicarbonate. If alkalinity (high pH) is a problem neutralize with dilute acetic acid or dilute hydrochloric (muriatic) acid. If required, notify state and local authorities.

DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be

Continued On Page 5

Jan. 30 2003 01:43PM P5

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 5

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:46.42

SECTION VII SPILL AND LEAK PROCEDURES

(CONTINUED)

reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

SECTION VIII

Proper Shipping Name: SODIUM HYDROXIDE SOLUTION

Hazard Class: 8, UN1824 PGII

Label Requirements: CORROSIVE

Reportable Quantity: All shipments are reportable

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD

DANGER

PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe dust. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing.

Do not swallow.

HANDLING

Keep away from water or acid. For industrial use only. When diluting, add product slowly to water with agitation. Heat is generated upon dilution with water. Addition of water can cause violent splashing. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Product can cause corrosion of iron and steel at elevated temperatures. Keep out of reach of children.

Continued On Page 6

EPAHQ0055002813

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 6

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04038

Date: 26-NOV-2001 10:01:40.16

650# POLY DR

NAME: GENE TURNER

DATE ISSUED: 921118

DATE REVISED: 981006

UNK = UNKNOWN

< = LESS THAN  
> = MORE THAN

N/A = NOT APPLICABLE  
N/D = NOT DETERMINED  
N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Jan. 30 2003 01:44PM P6

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002814

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176022

Sales Order Date:  
Apr 22, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Tote Deposit		
-1.00	TOTEDEP-\$1000.	Returned Totes		
1				

EPAHO055002815

aMs

## Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281 457-3533 FAX 281-452-2320

176022

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 4/22/2008	PURCHASE ORDER NUMBER: LOREN	SHIPPER NO. 176022
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	X	275 GALLON TOTE		55	4580
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		<b>TOTAL</b>			<b>4580</b>

REMIT COD TO:	COD	COD FEE:
ADDRESS:	AMOUNT:	FREIGHT CHARGES:
CITY: STATE: ZIP:		<b>PREPAID</b>

In case of Chemical Emergency Call 281 457-3533 (24 Hour)

NOTICE: Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER  
**ALPHA MARINE SOLUTIONS**

CARRIER ALPHA MARINE SOLUTIONS

AUTHORIZED SIGNATURE

AUTHORIZED SIGNATURE

DATE

4/22/2008

EPAHO055002816

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion. . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002817

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of



stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). (Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.


## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0408-238

INVOICE DATE:

April 22, 2008

PAGE:

1

APR 24 2008

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
Customer Pickup  
Channelview, TX 77530

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	LOREN	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	CPU	4/22/08	5/22/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 2 X 275 Gallon Totes	2.95	1,622.50
2.00	TOTEDEP-\$1000.	Tote Deposit  Signed copy of Delivery Ticket: 176027	1,000.00	2,000.00
<div>ok per Loren</div> <div>POSTED 4/25/08</div>				

Check No:

Subtotal	3,622.50
Sales Tax	226.41
Freight	
Total Invoice Amount	3,848.91
Payment Received	
<b>TOTAL</b>	<b>3,848.91</b>

EPAHO055002822

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176027

Sales Order Date:

Apr 22, 2008

Page:

1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
Customer Pickup  
Channelview, TX 77530

Customer ID	PO Number	Sales Rep Name
CES	LOREN	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Corrosive UN 1824 2 X 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Tote Deposit		
				

EPAHO055002823

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176027

Sales Order Date:  
Apr 22, 2008

Page:  
1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
Customer Pickup  
Channelview, TX 77530

Customer ID	PO Number	Sales Rep Name
CES	LOREN	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Corrosive UN 1824 2 X 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Tote Deposit		

EPAHO055002824



176027

**PHONE: 281 457-3533      FAX 281-452-2320**

**ORIGINAL NON-NEGOTIABLE**

**CARRIER:**

<b>CARRIER:</b>		<b>CES</b>		<b>DATE</b> 4/22/2008		<b>PURCHASE ORDER NUMBER:</b> LOREN	<b>SHIPPER NO.</b>	176027
<b>CONSIGNEE (TO)</b>		<b>CES ENVIROMENTAL</b>			<b>SHIPPER (FROM)</b>		<b>ALPHA MARINE SOLUTIONS</b>	
<b>STREET</b>		<b>4904 GRIGGS RD</b>			<b>STREET</b>		<b>15914 AVE C</b>	
<b>CITY, STATE, ZIP</b>		<b>HOUSTON TX 77021</b>			<b>CITY, STATE, ZIP</b>		<b>CHANNELVIEW, TX 77530</b>	
							<b>PHONE: 281-457-3533</b>	
<b>PHONE NO.</b> 713-472-3388		<b>ROUTE</b>				<b>VEHICLE NO.</b>		

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	RQ	275 GALLON TOTE		55	7018
		SODIUM HYDROXIDE SOLUTIONS 50%			
		8, CORROSIVE, PG II, RQ-ALL			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		TOTAL			7018

REMIT COD TO:			<b>COD</b>  <b>AMOUNT:</b>	COD FEE:
ADDRESS:				FREIGHT CHARGES:
CITY:	STATE:	ZIP:		<b>PREPAID</b>

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:** Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$	PER
----	-----

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability.

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED.

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit.

income, interest, attorney fees, or any special, incidental or consequential damages.

income, interest, attorney fees, or any special, incidental or consequential damages.	<b>NUMBER OF PIECES RECEIVED</b>	
<b>SHIPPER</b> <b>ALPHA MARINE SOLUTIONS</b>	<b>CARRIER</b>	CES ENVIROMENTAL
<b>AUTHORIZED SIGNATURE</b>	<b>AUTHORIZED SIGNATURE</b>	<b>DATE</b> 4/22/2008

EPAHQ055002825

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 1

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

Date: 15-NOV-2001 16:27:44.11

BULK BIN/#-CA

CAS #: 001310732

MSDS No. 000318

Revision No./Date 03 981006

Detail Number 00112/01

FORMULA: Na O H

CHEM. FAMILY: inorganic bases

CHEMICAL NAME AND SYNONYMS:

Caustic Soda; Liquid Caustic Soda; Caustic Soda Solution;  
Sodium Hydroxide; Sodium Hydroxide Solution;

Lye Solution; Soda Lye;

Liquid Alkali #4;

Liquid Alkali #4A;

Caustic Soda Liq 50% Purified;

MSDS 000318 DETAIL 00112

SUPPLIERS NAME : Harcros Chemicals Inc.

5200 Speaker Road

Kansas City

KS 66106-1095

SUPPLIERS PHONE NUMBER :

913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER

1-800-424-9300

S.A.R.A. INFORMATION

HAZARDS : Acute

Reactivity Chronic

PHYSICAL DATA : Mixture

Liquid

SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES			AIR CONTAMINANT LEVELS				SKIN	AGENT
		312	313	372	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)			
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2 )	50.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH					

SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE

HAZARD OVERVIEW: DANGER! CORROSIVE LIQUID. CAUSES BURNS. DESTROYS BODY TISSUES.  
EYES

Continued On Page 2

Jan. 30 2003 01:41PM P1

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002826

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 2

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:44.67

PRODUCT CODE : 04458

BULK BIN/#-CA

## SECTION II HEALTH HAZARDS

(CONTINUED)

Eye contact with product may cause burns tissue destruction eye damage blindness

## SKIN

Skin contact may cause burns tissue ulceration skin damage Effects may be delayed.

## INHALATION

Inhalation may cause irritation nausea headache dizziness pain decreased breathing capacity tissue destruction internal bleeding lung damage, damage to respiratory system chemical pneumonia Aspiration (breathing) of liquid, mist, or vomitus (vomit) into lungs can cause aspiration (chemical) pneumonia, hemorrhaging (bleeding), lung damage, and even death. Symptoms of aspiration pneumonia include coughing, labored breathing and bluish skin.

## INGESTION

Ingestion may cause diarrhea vomiting burns tissue ulceration internal bleeding even death

## TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO,  
DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all body tissues

## FIRST AID

## FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

## FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and contaminated leather articles. Call a physician.

## FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.

## FIRST AID INGESTION

Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call a physician immediately.

## OTHER INFORMATION

## ROUTES OF ENTRY

eye contact skin contact  
OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE  
skin lungs respiratory system

## CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

## SECTION III SPECIAL PROTECTION

Continued On Page 3



Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 3

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
 PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:45.21

## SECTION III SPECIAL PROTECTION

(CONTINUED)

## PROTECTIVE EQUIPMENT

## PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield

## PROTECTIVE EQUIPMENT SKIN

impervious gloves clean body covering clothing

## PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

## VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

## ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available. In case of emergency or when dusting, misting, or splashing may occur, wear respiratory protection, eye protection, gloves, helmet, boots, and complete protective body covering.

## SECTION IV FIRE &amp; EXPLOSION HAZARD DATA

Flash Point (METHOD): &gt; OR = N/A

Flammable Limits (% Volume in Air) UPPER: N/D Lower: N/D

HMIS Info Health : 3  
 Fire : 0  
 React : 2  
 Special : X

## EXTINGUISHING MEDIA

water fog foam carbon dioxide dry chemical media appropriate for surrounding fire

## FIRE FIGHTING PROCEDURES

Not considered a fire hazard. Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing. Do not use a direct stream of water.

## UNUSUAL FIRE &amp; EXPLOSION HAZARDS

none currently known

## SECTION V PHYSICAL DATA

Continued On Page 4

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 4

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:45.77

PRODUCT CODE : 04458

BULK BIN/#-CA

## SECTION V PHYSICAL DATA

(CONTINUED)

Boiling Point: > OR = 289 deg. F  
Freezing Point: 55 deg. F  
Specific Gravity (H<sub>2</sub>O=1): > OR = 1.5400 @ 60 deg. F  
Vapor Pressure (MM HG.): > OR = 6.300 @ 104 deg. F  
Vapor Density (AIR=1): N/D  
Evaporation Rate (NA =1): N/D  
Solubility in Water: COMPLETE  
Percent Volatile by Volume: > OR = 50.00  
pH: aqueous approx. > OR = 13.000  
Appearance:  
COLORLESS TO LIGHTLY COLORED LIQUID

Odor :  
NIL

## SECTION VI REACTIVITY DATA

## STABILITY

Stable

## INCOMPATIBILITY

amphoteric metals halogenated hydrocarbons inorganic acids organic acids Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Contact with water will generate heat, cause violent splashing and spattering.

Contact with some metals can generate explosive hydrogen gas.

## HAZARDOUS POLYMERIZATION

Will not occur

## SECTION VII SPILL AND LEAK PROCEDURES

## STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non sparking tools. If acidity (low pH) is a problem, neutralize with hydrated lime, soda ash, or sodium bicarbonate. If alkalinity (high pH) is a problem neutralize with dilute acetic acid or dilute hydrochloric (muriatic) acid. If required, notify state and local authorities.

## DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be

Continued On Page 5

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 5

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:46.42

PRODUCT CODE : 04458

BULK BIN/#-CA

SECTION VII SPILL AND LEAK PROCEDURES

(CONTINUED)

reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

SECTION VIII

Proper Shipping Name: SODIUM HYDROXIDE SOLUTION

Hazard Class: 8, UN1824 PGII

Label Requirements: CORROSIVE

Reportable Quantity: All shipments are reportable

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD

DANGER

PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe dust. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing.

Do not swallow.

HANDLING

Keep away from water or acid. For industrial use only. When diluting, add product slowly to water with agitation. Heat is generated upon dilution with water. Addition of water can cause violent splashing. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Product can cause corrosion of iron and steel at elevated temperatures. Keep out of reach of children.

Continued On Page 6

Jan. 30 2003 01:43PM P5

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002830

Jan. 30 2003 01:44PM P6

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002831

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 6

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04038

650# POLY DR

Date: 26-NOV-2001 10:01:40.16

NAME: GENE TURNER

DATE ISSUED: 921118

DATE REVISED: 981006


UNK = UNKNOWN

< = LESS THAN  
> = MORE THAN

N/A = NOT APPLICABLE  
N/D = NOT DETERMINED  
N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0408-285

INVOICE DATE:

April 29, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

MAY 6 5 2008

CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		374828	Net 30 Days	
SALES REP ID		SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON		Alpha Truck		5/29/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 1 X 275 Gallon tote	1.90	522.50
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 1 x 275 Gallon Tote	2.95	811.25
2.00	TOTEDEP-\$1000.	Tote Deposits	1,000.00	2,000.00
-3.00	TOTEDEP-\$1000.	Returned Tote Deposits 1 CSL 2 Bleach	1,000.00	-3,000.00
6/8		Signed copy of Delivery Ticket: 176063		

DSF

Check No:

**POSTED**  
5-20-08

Subtotal	333.75
Sales Tax	27.53
Freight	
Total Invoice Amount	361.28
Payment Received	
<b>TOTAL</b>	<b>361.28</b>

EPAHO055002832

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176063

Sales Order Date:

Apr 28, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374828	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 275 Gallon Tote 1 X 275 Gallon tote		
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Corrosive UN 1824 3828 lb / 1 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Tote Deposits		
-3.00	TOTEDEP-\$1000.	Returned Tote Deposits 1 CSL 2 Bleach		
		*** Drop off 1 Tote for Repair ***		

EPAHO055002833

# Order Request Form

P.O. Number: 374828

Date: 4-28-08

Vendor: ALPHA MARINE

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

[illegible]

Submitted By: Loran Thomas

Approved By: Lorena Poma

618  
DSP.

## Office Use Only

**Internal Expense:**

Classes

CS

FS

Trans

SGA

**MRI**

# DRM

DECL

### Job Expense:

## What Job?

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176063

Sales Order Date:  
Apr 28, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374828	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 275 Gallon Tote 1 X 275 Gallon tote		
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Corrosive UN 1824 3828 lb / 1 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Tote Deposits		
-3.00	TOTEDEP-\$1000.	Returned Tote Deposits 1 CSL 2 Bleach		
		*** Drop off 1 Tote for Repair ***		

EPAHO055002835





176063

**PHONE: 281 457-3533      FAX 281-452-2320**

ORIGINAL NON-NEGOTIABLE

**CARRIER:**

<b>ALPHA MARINE</b>		DATE		PURCHASE ORDER NUMBER:	SHIPPER NO.	176063
		4/28/2008		374828		
CONSIGNEE (TO)	CES ENVIROMENTAL			SHIPPER (FROM)	ALPHA MARINE SOLUTIONS	
STREET	4904 GRIGGS RD			STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON TX 77021			CITY, STATE, ZIP	CHANNELVIEW, TX 77530	
					PHONE: 281-457-3533	
PHONE NO.	ROUTE				VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
1	RQ	275 GALLON TOTE		55	3509
		SODIUM HYDROXIDE SOLUTIONS 50%			
		8, CORROSIVE, PG II, RQ-ALL			
1	X	275 GALLON TOTE		55	2290
		SODIUM HYPOCHLORITE SOLUTION 8			
		CORROSIVE UN1791 PG III			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		TOTAL			5799

REMIT COD TO:			COD	COD FEE:
ADDRESS:				FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID
			AMOUNT:	

**In case of Chemcial Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$	PER
----	-----

FREIGHT PREPAID UNLESS MARKED COLLECT

**IS CUSTOMER'S CHECK**

ACCEPTABLE FOR COD?

YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability.

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit.

income, interest, attorney fees, or any special, incidental or consequential damages.

income, interest, attorney fees, or any special, incidental or consequential damages.		<b>NUMBER OF PIECES RECEIVED</b>	
<b>SHIPPER</b> <b>ALPHA MARINE SOLUTIONS</b>		<b>CARRIER</b> <b>ALPHA MARINE SOLUTIONS</b>	
<b>AUTHORIZED SIGNATURE</b>		<b>AUTHORIZED SIGNATURE</b>	<b>DATE</b> 4/28/2008

EPAHQ055002836

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%  
**CAS#:** Mixture.  
**RTECS:** Not applicable.  
**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;  
**Water Chemical Name:** Not applicable  
**Chemical Formula:** Not applicable

CHEMTREC  
(24HR Emergency Telephone: 1-800-424-9300)  
For non-emergency assistance call: 281-457-3533

**Contact Information:**  
Alpha Marine Solutions  
15914 Ave C  
Channelview, TX 77530  
Sales 281-457-3533  
Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

#### Toxicological Data on Ingredients:

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].  
Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

#### Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002837

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride. (Sodium hypochlorite)

## SECTION: 6 ACCIDENAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 1

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

Date: 15-NOV-2001 16:27:44.11

BULK BIN/#-CA

CAS #: 001310732

MSDS No. 000318

Revision No./Date 03 981006

Detail Number 00112/01

FORMULA: Na O H

CHEM. FAMILY: inorganic bases

CHEMICAL NAME AND SYNONYMS:

Caustic Soda; Liquid Caustic Soda; Caustic Soda Solution;

Sodium Hydroxide; Sodium Hydroxide Solution;

Lye Solution; Soda Lye;

Liquid Alkali #4;

Liquid Alkali #4A;

Caustic Soda Liq 50% Purified;

MSDS 000318 DETAIL 00112

SUPPLIERS NAME : Harcros Chemicals Inc.

5200 Speaker Road

Kansas City

KS 66106-1095

SUPPLIERS PHONE NUMBER :

913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER

1-800-424-9300

S.A.R.A. INFORMATION

HAZARDS : Acute

Reactivity Chronic

PHYSICAL DATA : Mixture

Liquid

SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES			AIR CONTAMINANT LEVELS				SKIN	AGENT
		312	313	372	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)			
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2 )	50.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH					

SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE

HAZARD OVERVIEW: DANGER! CORROSIVE LIQUID. CAUSES BURNS. DESTROYS BODY TISSUES.  
EYES

Continued On Page 2

EPAHQ0055002842

Jan. 30 2003 01:41PM P1

PHONE NU. : 281 452 2520

PRINTING EVERY 51 LITERS

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 2

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:44.67

## SECTION II HEALTH HAZARDS

(CONTINUED)

Eye contact with product may cause burns tissue destruction eye damage blindness  
SKIN

Skin contact may cause burns tissue ulceration skin damage Effects may be delayed.

## INHALATION

Inhalation may cause irritation nausea headache dizziness pain decreased breathing capacity  
tissue destruction internal bleeding lung damage, damage to respiratory system chemical  
pneumonia Aspiration (breathing) of liquid, mist, or vomitus (vomit) into lungs can cause  
aspiration (chemical) pneumonia, hemorrhaging (bleeding), lung damage, and even death. Symptoms  
of aspiration pneumonia include coughing, labored breathing and bluish skin.

## INGESTION

Ingestion may cause diarrhea vomiting burns tissue ulceration internal bleeding even death

## TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO,  
DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all  
body tissues

## FIRST AID

## FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart  
to ensure flushing of entire surface. Call a physician.

## FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated  
clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and  
contaminated leather articles. Call a physician.

## FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth.  
If breathing is difficult give oxygen. Call a physician.

## FIRST AID INGESTION

Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If  
vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call  
a physician immediately.

## OTHER INFORMATION

## ROUTES OF ENTRY

eye contact skin contact

OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE

skin lungs respiratory system

## CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or  
OSHA.

## SECTION III SPECIAL PROTECTION

Continued On Page 3



Jan. 30 2003 01:42PM P3

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 3

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:45.21

PRODUCT CODE : 04458

BULK BIN/#-CA

SECTION III SPECIAL PROTECTION

(CONTINUED)

PROTECTIVE EQUIPMENT

PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield

PROTECTIVE EQUIPMENT SKIN

impervious gloves clean body covering clothing

PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available. In case of emergency or when dusting, misting, or splashing may occur, wear respiratory protection, eye protection, gloves, helmet, boots, and complete protective body covering.

SECTION IV FIRE & EXPLOSION HAZARD DATA

Flash Point (METHOD): > OR = N/A

Flammable Limits (% Volume in Air) UPPER: N/D Lower: N/D

HMIS Info

Health : 3

Fire : 0

React : 2

Special : X

EXTINGUISHING MEDIA

water fog foam carbon dioxide dry chemical media appropriate for surrounding fire

FIRE FIGHTING PROCEDURES

Not considered a fire hazard. Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing. Do not use a direct stream of water.

UNUSUAL FIRE & EXPLOSION HAZARDS

none currently known

SECTION V PHYSICAL DATA

Continued On Page 4

EPAHQ0055002844

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 4

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:45.77

SECTION V PHYSICAL DATA

(CONTINUED)

Boiling Point: > OR = 289 deg. F  
Freezing Point: 55 deg. F  
Specific Gravity (H(2)O=1): > OR = 1.5400 @ 60 deg. F  
Vapor Pressure (MM HG.): > OR = 6.300 @ 104 deg. F  
Vapor Density (AIR=1) : N/D  
Evaporation Rate ( NA =1): N/D  
Solubility in Water: COMPLETE  
Percent Volatile by Volume: > OR = 50.00  
pH: aqueous approx. > OR = 13.000  
Appearance:  
COLORLESS TO LIGHTLY COLORED LIQUID

Odor :  
NIL

SECTION VI REACTIVITY DATA

STABILITY

Stable

INCOMPATIBILITY

amphoteric metals halogenated hydrocarbons inorganic acids organic acids Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Contact with water will generate heat, cause violent splashing and spattering.  
Contact with some metals can generate explosive hydrogen gas.

HAZARDOUS POLYMERIZATION

Will not occur

SECTION VII SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non sparking tools. If acidity (low pH) is a problem, neutralize with hydrated lime, soda ash, or sodium bicarbonate. If alkalinity (high pH) is a problem neutralize with dilute acetic acid or dilute hydrochloric (muriatic) acid. If required, notify state and local authorities.

DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be

Continued On Page 5

Jan. 30 2003 01:43PM P4

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002845

Jan. 30 2003 01:43PM P5

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 5

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:46.42

SECTION VII SPILL AND LEAK PROCEDURES

(CONTINUED)

reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

SECTION VIII

Proper Shipping Name: SODIUM HYDROXIDE SOLUTION

Hazard Class: 8, UN1824 PGII

Label Requirements: CORROSIVE

Reportable Quantity: All shipments are reportable

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD

DANGER

PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe dust. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing.

Do not swallow.

HANDLING

Keep away from water or acid. For industrial use only. When diluting, add product slowly to water with agitation. Heat is generated upon dilution with water. Addition of water can cause violent splashing. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Product can cause corrosion of iron and steel at elevated temperatures. Keep out of reach of children.

Continued On Page 6

EPAHQ0055002846

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 6

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04038

650# POLY DR

Date: 26-NOV-2001 10:01:40.16

NAME: GENE TURNER

DATE ISSUED: 921118

DATE REVISED: 981006


UNK = UNKNOWN

< = LESS THAN  
> = MORE THAN

N/A = NOT APPLICABLE  
N/D = NOT DETERMINED  
N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0408-274  
INVOICE DATE:  
April 25, 2008

PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

MAY 05 2008

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374828		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			5/25/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Totes	1.90	1,045.00
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 2 X 275 Gallon Totes	2.95	1,622.50
4.00	TOTEDEP-\$1000.	Tote Deposits	1,000.00	4,000.00
-2.00	TOTEDEP-\$1000.	Returned Totes	1,000.00	-2,000.00

618

DSF

POSTED  
5-20-08

Check No:

Subtotal	4,667.50
Sales Tax	385.07
Freight	
Total Invoice Amount	5,052.57
Payment Received	
<b>TOTAL</b>	<b>5,052.57</b>

EPAHO055002848

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176056

Sales Order Date:

Apr 25, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days


Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 300 Gallon Tote 2 x 275 Gallon Totes		
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit -Waived Corrosive UN 1824 3828 lb / 300 Gallons 2 X 275 Gallon Totes		
4.00	TOTEDEP-\$1000.	Tote Deposits		
2.00	TOTEDEP-\$1000.	Returned Totes		

*MLH*

*MLH*

EPAHO055002849

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0408-239  
 INVOICE DATE:  
 April 23, 2008

PAGE:  
 1

APR 26 2008

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

**POSTED**

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

618

Credit

CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		374789	Net 30 Days	
SALES REP ID		SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON		Alpha Truck		5/23/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 X 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Tote Deposits	1,000.00	2,000.00
-5.00	TOTEDEP-\$1000.	Returned Totes	1,000.00	-5,000.00
220.00	FERCHL	Ferric Chloride Solution 40% 4 x 55 Gallon Drums  Signed copy of Delivery Ticket: 176030	2.90	638.00

Check No:

Subtotal -1,317.00  
 Sales Tax -108.65  
 Freight  
 Total Invoice Amount -1,425.65  
 Payment Received  
**TOTAL -1,425.65**

EPAHO055002850

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530

FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176030

Sales Order Date:

Apr 23, 2008

Page:

1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374789	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 2 X 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Tote Deposits		
-5.00	TOTEDEP-\$1000.	Returned Totes		
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		

EPAHO055002851



## Order Request Form

P.O. Number: 374789

Date: 4-22-08

Vendor: ALPHA MARINE

**Contact:****Phone:**[illegible]

Submitted By:

**Approved By:**

**Office Use Only**

**Internal Expense:**

### Job Expense:

Chas

## ~~What Job?~~

CS

FS

Trans

SGA

# MRI

DRIVE

DEF

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:  
176030

Sales Order Date:  
Apr 23, 2008

Page:  
1

## Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

## Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374789	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 2 X 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Tote Deposits		
-5.00	TOTEDEP-\$1000.	Returned Totes		
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		

EPAHO055002853



**15914 AVE C CHANNELVIEW, TEXAS 77530**  
**PHONE: 281 457-3533 FAX 281-452-2320**

ORIGINAL NON-NEGOTIABLE

**CARRIER:**

AUTHORIZED SIGNATURE	AUTHORIZED SIGNATURE	DATE
		4/23/2008

EPAHQ055002854

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: [alphamarine@sbcglobal.net](mailto:alphamarine@sbcglobal.net)

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

#### Contact Information:

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

#### Toxicological Data on Ingredients:

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

#### Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002855

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION


**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*



Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0408-305  
 INVOICE DATE:  
 April 30, 2008


PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

APR 30 5 2008

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374842	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		5/30/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
-1.00	TOTEDEP-\$1000.	Returned Tote	1,000.00	-1,000.00
2,000.00	LIME	Lime; 50lb Bags 40 x 50 LB Bags	0.35	700.00
		Signed copy of Delivery Ticket: 176086		
				

Check No:

Subtotal	-300.00
Sales Tax	-24.75
Freight	
Total Invoice Amount	-324.75
Payment Received	
<b>TOTAL</b>	<b>-324.75</b>

EPAHO055002860

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176086

Sales Order Date:

Apr 30, 2008

Page:

1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	LOREN	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
-1.00	TOTEDEP-\$1000.	Returned Tote		
2,000.00	LIME	Lime; 50lb Bags 40 x 50 LB Bags		
				

EPAHO055002861


Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0508-046

INVOICE DATE:

May 5, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

*CREDIT*

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374879		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			6/4/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40 % 4 x 55 Gallon Drums	2.90	638.00
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 1 x 275 Gallons	2.95	811.25
1.00	TOTEDEP-\$1000.	Tote Deposits	1,000.00	1,000.00
-3.00	TOTEDEP-\$1000.	Return Totes	1,000.00	-3,000.00
		Signed copy of Delivery Ticket: 176139		

Check No:

**POSTED**  
5-20-08

Subtotal -550.75

Sales Tax -45.44

Freight

Total Invoice Amount -596.19

Payment Received

**TOTAL -596.19**

EPAHO055002862

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

176139

Sales Order Date:

May 5, 2008

Page:

1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374879	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 1 x 275 Gallons		
1.00	TOTEDEP-\$1000.	Tote Deposits		
		XX <u>3</u> EMPTY TOTES RETURNED 		

EPAHO055002863

# Order Request Form

P.O. Number: 374879

Date: 5-5-08

Vendor: ALPHA MARINE

**Contact:****Phone:**

Item #

### Description

Quantity

Cost \$

FERRIC CHLORIDE

4 Dec.

500 no

Caustic soda

1 TOTAL

811 2

Submitted By

Loren Thomas

618

Approved By

: Loren Thorne

DSP.

**Office Use Only**

**Internal Expense:**

## Job Expense:

Chase

## What Job?

CS

FS

Trans

SGA

MRI

# DRIVE

DSE

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

EPAHQ055002864

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
176139

Sales Order Date:  
May 5, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374879	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Tote Deposit Corrosive UN 1824 3509 lb 1 x 275 Gallons		
1.00	TOTEDEP-\$1000.	Tote Deposits		
		XX <u>3</u> EMPTY TOTES RETURNED		

EPAHO055002865

# Alpha Marine Solutions

**STRAIGHT  
BILL OF LADING**

15914 AVE C CHANNELVIEW, TEXAS 77530

176139

**PHONE: 281 457-3533    FAX 281-452-2320**

ORIGINAL NON-NEGOTIABLE

**CARRIER:**

<b>ALPHA MARINE</b>		DATE 5/5/2008	PURCHASE ORDER NUMBER: 374879	SHIPPER NO.	176139
CONSIGNEE (TO)	CES ENVIROMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS	
STREET	4904 GRIGGS RD		STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON TX 77021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530	
				PHONE: 281-457-3533	
PHONE NO.	ROUTE			VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
1	RQ	275 GALLON TOTE		55	3509
		SODIUM HYDROXIDE SOLUTIONS 50%			
		8, CORROSIVE, PG II, RQ-ALL			
4	RQ	55 GALLON DRUMS		55	2400
		FERRIC CHLORIDE SOLUTIONS 40%			
		CORROSIVE MATERIAL 8, UN2582 PG III			
		RQ-1000			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
5		TOTAL			5909

REMIT COD TO:			COD	COD FEE:
ADDRESS:				FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID
			AMOUNT:	

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability.

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED.

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading


in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

11 This contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

e route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit.

income, interest, attorney fees, or any special, incidental or consequential damages.

income, interest, attorney fees, or any special, incidental or consequential damages.		NUMBER OF PIECES RECEIVED	
SHIPPER ALPHA MARINE SOLUTIONS		CARRIER      ALPHA MARINE SOLUTIONS	
AUTHORIZED SIGNATURE 		AUTHORIZED SIGNATURE	DATE      5/5/2008

EPAHQ055002866

# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIER: HARCROS CHEMICALS, INC  
5200 Speaker road  
Kansas City, KS 66106-1095  
SUPPLIERS TELEPHONE NUMBER: 913-321-3131

TRANSPORTATION EMERGENCY TELEPHONE: 1-800-424-9300

MSDS No. 106882

REVISION DATE: 10-01-06

**Product Name:** Ferric Chloride  
**Chemical Family:** Inorganic Salts  
**Formula:**  $\text{FeCl}_3$   
**Synonym:** Iron (III) Chloride  
**Acceptable Product Uses:** Water and wastewater treatment, odor removal, adhesive for dye, textile impression pigment, ink and photoengraving.

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS Number #</u>	<u>Concentration</u>	<u>ACGIH TWA</u>
Ferric Chloride	7705-08-0	28 – 43 %	1 mg/m <sup>3</sup> (as Fe)
Hydrochloric Acid	7647-01-0	<5 %	5 ppm

### 3. HAZARDS IDENTIFICATION

**Emergency Overview:** Eye contact may cause irritation. Harmful if inhaled. Harmful or fatal if swallowed.

**Potential Effects on Health:** Acute and chronic.

**Carcinogenicity:** Does not contain any known carcinogens or potential carcinogens.

### 4. FIRST AID MEASURES

**General:** If you feel unwell, seek medical attention (show the label or this MSDS if possible). Effects of exposure (inhalation, ingestion, or skin contact) to substance may be delayed. Ensure that medical personnel are



## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

aware of the material(s) involved, and take precautions to protect themselves.

- Skin Contact:** Remove all contaminated clothing, jewellery, and shoes. Wash affected area with soap or mild detergent and running water for at least 15 minutes. If irritation is still present, seek medical attention.
- Eye Contact:** Flush immediately with water for at least 15 minutes, occasionally lifting upper and lower lids, until no evidence of chemical remains. Obtain medical attention immediately.
- Inhalation:** Move to fresh air. Give artificial respiration ONLY if breathing has stopped. Do not use mouth-to-mouth method if victim has ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Obtain medical attention immediately.
- Ingestion:** *If conscious*, give two (2) glasses of water. **DO NOT INDUCE VOMITING.** Do not give anything by mouth to an unconscious person. Obtain immediate medical attention.

#### 5. FIRE FIGHTING MEASURES

Flash point	Not applicable. Will not burn
Flammable Limits (Lower)	Not applicable
Flammable Limits (Upper)	Not applicable
Auto Ignition Temperature	Not applicable
Combustion and Thermal Decomposition Products	hydrogen chloride gas, phosgene gas if dried and then heated
Rate of Burning	Does not burn
Explosive Power	Not applicable
Sensitivity to Static Discharge	Not available

**Fire and Explosion Hazards:** During a fire, irritating/toxic hydrogen chloride, and/or phosgene gases may be generated if material is dried and then heated to decomposition.

**Extinguishing Media:** The substance is not combustible. Use extinguishing media appropriate to the surrounding fire.

**NOTE:** Also see "Section 10 – Stability and Reactivity"

#### 6. ACCIDENTAL RELEASE MEASURES

##### Spills, Leaks, or Release:

- **Restrict access** until clean-up operations are complete. Wear appropriate Personal Protective Equipment per Section 8. Ensure trained personnel conduct clean up and wear Personal Protective Equipment per Section 8.
- **Stop leak if possible.** Avoid personal risk.
- **Notify Authorities** if release exceeds reportable quantity per Section 15

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

**Small Spills** – Absorb spill with clay or dry material or neutralize with lime, limestone or soda ash and collect in appropriate container for disposal. Neutralization with soda ash can generate carbon dioxide so additional ventilation may be necessary.

→ **Large Spills** – Prevent entry into sewers and confined areas. Dike, if possible. Keep unnecessary people away, isolate area and deny entry. Pump liquid material into appropriate vessels as possible or absorb spill with clay absorbents or non-reactive dry materials and collect in appropriate container for disposal.

**Neutralize spill residuals** carefully with lime, limestone, or soda ash and collect in suitable container for disposal. Flush area with water. This could generate carbon dioxide so additional ventilation may be necessary. Notify the appropriate environmental authorities.

#### 7. HANDLING AND STORAGE

**Handling:** Handle all chemicals with respect. Review the label, this MSDS and any other applicable information before use. Keep separated from incompatible substances. Use appropriate Personal Protective Equipment per Section 8. Handle only with equipment, materials and supplies specified by their manufacturer as being compatible and appropriate for use with this product.

**Storage Requirements:**

Bulk storage containers and ancillary fill and feed systems should be constructed out of appropriate materials such as polyethylene, polypropylene, rubber-lined steel and FRP designated as appropriate for use with this product. Storage tanks should be vented to scrubber or exterior atmosphere. Storage facilities should have secondary containment as required by law or regulation. **Storage tanks, piping and offloading points should be labeled with appropriate signage to avoid accidents.**

Some concentrations of this product will freeze or crystallize at low temperatures. Insulate and heat-trace storage tanks, pumps, pipes and ancillary equipment as necessary.

Product should be used within one (1) year.

Material may be stored in tightly closed shipping containers, preferably the supplier containers. Containers of this material may be hazardous when empty, since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Preventive Measures:**

**Engineering Controls:** A ventilation system of local/general exhaust is recommended to keep employee exposure below the Airborne Exposure Limits. Ensure that eyewash station and safety showers are proximal to the workstation location.

**Personal Protection Equipment:**

**Eye Protection:** Wear splash resistant chemical goggles and, where splashing is possible, a full face shield. Maintain eye wash fountain and quick-drench facilities in work area.

**Skin Protection:** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to avoid skin contact.

**Recommended Protective Material:** Neoprene

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

**Respiratory Protection:** Under conditions of misting or contact with head gases, respiratory protection may be needed. Consider respirator warning properties before use.

- With limited contact use an appropriate chemical cartridge respirator with acid gas cartridge(s)
- When cleaning, decontaminating or performing maintenance on tanks, containers, piping systems and accessories, and in any other situations where airborne contaminants and/or dust could be generated, use protective equipment to protect against ingestion or inhalation. HEPA or air supplied respirator, full protective coveralls with head cover, gloves and boots or chemical suits, and boots are suggested.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Reddish Brown
Odor:	Slight pungent odor
Form:	Liquid
pH as is:	<2
Vapor Pressure (mm Hg):	Negligible
Boiling Point:	105 °C - 110 °C (220 - 230 °F)
Specific Gravity (20°C):	1.26 - 1.48
Solubility (water):	max 0.78 kg FeCl <sub>3</sub> (anhydrous) / kg water
Vapor Density (Air=1):	N/A
Percent Volatile by Vol.:	N/A
Freezing Point:	Concentration dependent (Consult your Kemiron representative)

#### 10. STABILITY AND REACTIVITY

**Hazardous Decomposition Products:** Thermal decomposition of dried residues - will produce hydrogen chloride gas.

**Chemical Stability:** Stable at normal temperatures and pressure.

**Conditions to Avoid:** Dangerous gases may accumulate in confined spaces.

**Incompatibility with other Substances:** Reacts with most metals (except Titanium and Tantalum) and bases (alkaline materials). Material has moderate oxidizing capability, avoid contact with strong reducing agents.

**Hazardous Polymerization:** Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

Based on Ferric Chloride Solid (anhydrous)

**TOXICOLOGICAL DATA:** LD<sub>50</sub> (oral, rat) = 450 mg/kg

**Mutagenicity:** Other mutation test systems: Escherichia coli - 500 nmol/tube;  
Phage inhibition capacity: Escherichia coli 41 ng/well

**Reproductive Effects:** TDLo Rat 1 day(s) intratesticular 12976 µg/kg;  
TDLo Rat 1 day(s) intravaginal 29 mg/kg pre pregnancy continuous

# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

**Teratogenicity and Fetotoxicity:** Not available

**Synergistic Materials:** Not available

### 12. ECOLOGICAL INFORMATION

Based on Ferric Chloride Solution

**Ecotoxicological Information:** TLM Daphnia 15 ppm/96 hr fresh water / Conditions of bioassay not specified

**Persistence and Degradation:** No data available

### 13. DISPOSAL CONSIDERATIONS

Review Federal, State, Provincial, and Local government regulations prior to disposal.

This material exhibits the characteristic of corrosivity to metals and other building materials and any disposal must comply with hazardous waste disposal requirements. Any residues and/or rinse waters from cleaning of tanks, containers, piping systems and accessories may be a hazardous characteristic waste and must be properly disposed of in accordance with federal, state, provincial and local laws.

**RCRA:** Test waste material for corrosivity, D002, prior to disposal

### 14. TRANSPORT INFORMATION

	Canada (TDG)	U.S. (DOT)
Shipping Name	Ferric Chloride Solution	Ferric Chloride Solution
Hazard Class/Division	8: Corrosive liquid	8: Corrosive liquid
Identification No.	UN2582	UN2582
Packing Group:	III	III

**IATA/ICAO Class:** 8

### 15. REGULATORY INFORMATION

#### USA CLASSIFICATION:

**OSHA Classification:** Hazardous by definition of Hazard Communication Standard (29 CFR 1920.1200)

**CERCLA:** Hazardous substance/reportable quantity (RQ): final RQ = 1000 lb. (454 kg)

Based on Anhydrous Ferric Chloride (divide by solution concentration to obtain solution weight)

**SARA Regulations sections 313 and 40 CFR 372:** No

**SARA Hazard Categories, SARA SECTIONS 311/312 (40CFR370.21):**

Acute	Yes
Chronic	No
Fire	No
Reactive	No
Sudden Release	No

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

OSHA Process Safety (29CFR1910.119)
-------------------------------------

Yes
-----

**Clean Water Act Requirements:** Designated as a hazardous substance under section 311(b)(2)(A) of the Federal Water Pollution Control Act and further regulated by the Clean Water Act Amendments of 1977 and 1978. These regulations apply to discharges of this substance.

**TSCA:** This substance or all ingredients of this product are listed on the Chemical Substances Inventory of the TSCA. Does not require reporting.

**Other Regulations/Legislation which apply to this product:**

California Proposition 65: No

**Right-To-Know Lists:** Massachusetts, New Jersey, Pennsylvania, California

This product does not contain, nor is it manufactured with, ozone-depleting substances.

#### CANADIAN CLASSIFICATION

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations) and this MSDS (Material Safety Data Sheet) contains all information required by the CPR.

**Controlled Products Regulation (WHMIS) Classification:** E: Corrosive

**CEPA / Canadian Domestic Substances List (DSL):** The substance in this product is not on the Canadian Domestic Substances List (CEPA DSL).

EEC CLASSIFICATION

EINECS: 231-729-4

#### 16. OTHER INFORMATION

**National Fire Protection Association (NFPA) and Hazardous Materials Identification System (HMIS) Ratings:**

	NFPA	HMIS
HEALTH	2	2
FIRE	0	0
REACTIVITY	1	1

4 = Extreme/Severe

3 = High/Serious

2 = Moderate

1 = Slight

0 = Minimum

The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable. Harcros chemicals, Inc. provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc., knows of no medical conditions other than those noted on this Material Safety Data Sheet, which are generally recognized as being aggravated by exposure to this product.

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 1

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

Date: 15-NOV-2001 16:27:44.11

BULK BIN/#-CA

CAS #: 001310732

MSDS No. 000318

Revision No./Date 03 981006

Detail Number 00112/01

FORMULA: Na O H

CHEM. FAMILY: inorganic bases

CHEMICAL NAME AND SYNONYMS:

Caustic Soda; Liquid Caustic Soda; Caustic Soda Solution;

Sodium Hydroxide; Sodium Hydroxide Solution;

Lye Solution; Soda Lye;

Liquid Alkali #4;

Liquid Alkali #4A;

Caustic Soda Liq 50% Purified;

MSDS 000318 DETAIL 00112

SUPPLIERS NAME : Harcros Chemicals Inc.

5200 Speaker Road

Kansas City

KS 66106-1095

SUPPLIERS PHONE NUMBER :

913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER

1-800-324-9300

S.A.R.A. INFORMATION

HAZARDS : Acute Reactivity Chronic

PHYSICAL DATA : Mixture Liquid

SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	SARA APPLIES			AIR CONTAMINANT LEVELS				SKIN	AGENT
		312	313	372	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)			
Caustic Soda Sodium Hydroxide (CAS # 1310-73-2 )	50.0	Y	N	N	As Sodium Hydroxide TWA/TLV 2 mg/m3 (Ceiling) OSHA/ACGIH					

SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE

HAZARD OVERVIEW: DANGER! CORROSIVE LIQUID. CAUSES BURNS. DESTROYS BODY TISSUES.  
EYES

Continued On Page 2

Jan. 30 2003 01:41PM P1

PHONE NO. : 281 452 2520

FROM : QUALITY IS EVERYTHING

EPAHQ0055002873

Jan. 30 2003 01:42PM P2

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ055002874

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 2

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:44.67

PRODUCT CODE : 04458

BULK BIN/#-CA

SECTION II HEALTH HAZARDS

(CONTINUED)

Eye contact with product may cause burns tissue destruction eye damage blindness

SKIN

Skin contact may cause burns tissue ulceration skin damage Effects may be delayed.

INHALATION

Inhalation may cause irritation nausea headache dizziness pain decreased breathing capacity tissue destruction internal bleeding lung damage, damage to respiratory system chemical pneumonia Aspiration (breathing) of liquid, mist, or vomitus (vomit) into lungs can cause aspiration (chemical) pneumonia, hemorrhaging (bleeding), lung damage, and even death. Symptoms of aspiration pneumonia include coughing, labored breathing and bluish skin.

INGESTION

Ingestion may cause diarrhea vomiting burns tissue ulceration internal bleeding even death

TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO, DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all body tissues

FIRST AID

FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and contaminated leather articles. Call a physician.

FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.

FIRST AID INGESTION

Do not induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call a physician immediately.

OTHER INFORMATION

ROUTES OF ENTRY

eye contact skin contact

OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE

skin lungs respiratory system

CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

SECTION III SPECIAL PROTECTION

Continued On Page 3

Harcros Chemicals Inc

Kansas City, Kansas

## MATERIAL SAFETY DATA SHEET Page 3

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:45.21

PRODUCT CODE : 04458

BULK BIN/#-CA

## SECTION III SPECIAL PROTECTION

(CONTINUED)

## PROTECTIVE EQUIPMENT

## PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield

## PROTECTIVE EQUIPMENT SKIN

impervious gloves clean body covering clothing

## PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

## VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

## ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available. In case of emergency or when dusting, misting, or splashing may occur, wear respiratory protection, eye protection, gloves, helmet, boots, and complete protective body covering.

## SECTION IV FIRE &amp; EXPLOSION HAZARD DATA

Flash Point (METHOD): &gt; OR = N/A

Flammable Limits (% Volume in Air)

UPPER: N/D

Lower: N/D

## HMIS Info

Health : 3

Fire : 0

React : 2

Special : X

## EXTINGUISHING MEDIA

water fog foam carbon dioxide dry chemical media appropriate for surrounding fire

## FIRE FIGHTING PROCEDURES

Not considered a fire hazard. Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing. Do not use a direct stream of water.

## UNUSUAL FIRE &amp; EXPLOSION HAZARDS

none currently known

## SECTION V PHYSICAL DATA

Continued On Page 4



Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 4

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM

Date: 15-NOV-2001 16:27:45.77

PRODUCT CODE : 04458

BULK BIN/#-CA

SECTION V PHYSICAL DATA

(CONTINUED)

Boiling Point: > OR = 289 deg. F  
Freezing Point: 55 deg. F  
Specific Gravity (H(2)O=1): > OR = 1.5400 @ 60 deg. F  
Vapor Pressure (MM HG.): > OR = 6.300 @ 104 deg. F  
Vapor Density (AIR=1) : N/D  
Evaporation Rate ( NA =1) : N/D  
Solubility in Water: COMPLETE  
Percent Volatile by Volume: > OR = 50.00  
pH: aqueous approx. > OR = 13.000  
Appearance:  
COLORLESS TO LIGHTLY COLORED LIQUID

Odor :  
NIL

SECTION VI REACTIVITY DATA

STABILITY

Stable

INCOMPATABILITY

amphoteric metals halogenated hydrocarbons inorganic acids organic acids Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Contact with water will generate heat, cause violent splashing and spattering.

Contact with some metals can generate explosive hydrogen gas.

HAZARDOUS POLYMERIZATION

Will not occur

SECTION VII SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, flush sparingly with water or use an absorbent. Avoid runoff to ground water, surface waters, and sewers. It may be necessary to remove contaminated soil. If product is flammable or combustible, use non sparking tools. If acidity (low pH) is a problem, neutralize with hydrated lime, soda ash, or sodium bicarbonate. If alkalinity (high pH) is a problem neutralize with dilute acetic acid or dilute hydrochloric (muriatic) acid. If required, notify state and local authorities.

DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be

Continued On Page 5

Jan. 30 2003 01:43PM P4

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ055002876

Jan. 30 2003 01:43PM P5

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002877

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 5

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04458

BULK BIN/#-CA

Date: 15-NOV-2001 16:27:46.42

SECTION VII SPILL AND LEAK PROCEDURES

(CONTINUED)

reprocessed or incinerated. Incineration must be handled in a permitted hazardous waste management facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

SECTION VIII

Proper Shipping Name: SODIUM HYDROXIDE SOLUTION

Hazard Class: 8, UN1824 PGII

Label Requirements: CORROSIVE

Reportable Quantity: All shipments are reportable

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD

DANGER

PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe dust. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing.

Do not swallow.

HANDLING

Keep away from water or acid. For industrial use only. When diluting, add product slowly to water with agitation. Heat is generated upon dilution with water. Addition of water can cause violent splashing. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Product can cause corrosion of iron and steel at elevated temperatures. Keep out of reach of children.

Continued On Page 6

Harcros Chemicals Inc

Kansas City, Kansas

MATERIAL SAFETY DATA SHEET Page 6

PRODUCT NAME : CAUSTIC SODA LIQ 50% DIAPHRAGM  
PRODUCT CODE : 04038

650# POLY DR

Date: 26-NOV-2001 10:01:40.16

NAME: GENE TURNER

DATE ISSUED: 921118

DATE REVISED: 981006

UNK = UNKNOWN

< = LESS THAN  
> = MORE THAN

N/A = NOT APPLICABLE  
N/D = NOT DETERMINED  
N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Jan. 30 2003 01:44PM P6

PHONE NO. : 281 452 2320

FROM : QUALITY IS EVERYTHING

EPAHQ0055002878

8,420.00

paid w/cc

9114.105  
9113.56

694.65  
SALES  
TAX

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0308-135

INVOICE DATE:

March 17, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

MAR 21 2008

CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		374459	Net 30 Days	
SALES REP ID		SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON		Alpha Truck		4/16/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
3.00	PD20P-FPS-PTT	ARO 2" Poly Diaphragm Pump - Poly Center Section/Teflon Packing	3,125.00	9,375.00
		Signed copy of Delivery Ticket: 175654		
		SIB		
		ICED		
		3/24/08		

Check No:

Subtotal  
Sales Tax  
Freight  
Total Invoice Amount  
Payment Received

**TOTAL**

9,375.00

9,375.00

9,375.00

9,375.00

\$10,148.44

EPAHO055002880

**Alpha Marine Solutions**15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533**Delivery Ticket**Sales Order Number:  
175654Sales Order Date:  
Mar 17, 2008

Page:

1

**Sold To:**CES  
4904 Griggs Rd  
Houston, TX 77021**Ship To:**CES  
4904 Griggs Rd  
Houston, TX 77021*ATTN: Bryan*

Customer ID	PO Number	Sales Rep Name
CES	374459	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
3.00	PD20P-FPS-PTT	ARO 2" Poly Diaphragm Pump - Poly Center Section/Teflon Packing		
<i>Joe Joe N/A</i>				

# Order Request Form

P.O. Number: 374459

Date: 3/12/02

**Vendor:**

**Contact:**

**Phone:**

Item #

### Description

**Quantity**

Cost \$

3 2<sup>nd</sup> Diaphragm  
purps for  
SIB Tank project

9,750,00

Submitted By:

**Approved By:**

## Office Use Only

Internal Expense:

**Job Expense:**

## What Job?

## Ras Gas

CS  
FS  
Trans  
SGA  
MRI  
DRM  
DSP

☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

**Alpha Marine Solutions**15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533**Delivery Ticket**

Sales Order Number:

175654

Sales Order Date:

Mar 17, 2008

Page:

1

## Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

## Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

ATTN: Bryan

Customer ID	PO Number	Sales Rep Name
CES	374459	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
3.00	PD20P-FPS-PTT	ARO 2" Poly Diaphragm Pump - Poly Center Section/Teflon Packing		



Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320

aMs

INVOICE NUMBER:

0308-092

INVOICE DATE:

March 13, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021


SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

CREDIT



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374431		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			4/12/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-4.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-4,000.00
		Signed copy of Delivery Ticket: 175613		

Subtotal -955.00

Sales Tax

Freight

Total Invoice Amount -955.00

Payment Received

**TOTAL**

-955.00

Check No:

78.79  
\$1034.79

EPAHO055002884

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175613

Sales Order Date:  
Mar 12, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374431	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 300 Gallon Tote 2 x 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-4.00	TOTEDEP-\$1000.	Returned Tote Deposit		
<i>Lara Howell</i>				

EPAHO055002885

Alpha Marine  
Solutions.


Alpha Marine Solutions

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
4/10/2008	Bill	0308-225	371.30	371.30		371.30
4/10/2008	Bill	0408-050	3,921.36	3,921.36		3,921.36
4/10/2008	Bill	0408-048	1,401.84	1,401.84		1,401.84
4/10/2008	Bill	0308-230	1,131.21	1,131.21		1,131.21
4/11/2008	Bill	0408-011	2,262.43	2,262.43		2,262.43
4/14/2008	Bill	0408-102	1,337.97	1,337.97		1,337.97
4/21/2008	Bill	0408-152	1,443.78	1,443.78		1,443.78
4/10/2008	Credit	0308-226	-2,165.00	-2,165.00		-2,165.00
4/14/2008	Credit	0408-099	-721.22	-721.22		-721.22
				Check Amount		8,983.67

CES Environmental S CES

8,983.67

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0308-225

INVOICE DATE:  
March 27, 2008

APR 01 2008

PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374404	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		4/26/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
2.00	00-1030-55	WILDEN Diaphragms	54.30	108.60
4.00	01-6100-03	WILDEN Clamp Bands	3.00	12.00
4.00	01-7300-03	WILDEN Bolts	53.40	213.60
4.00	01-6400-03	WILDEN Nuts	2.20	8.80
Signed copy of Delivery Ticket: 175587				
<b>POSTED</b> 4/10/08				

Check No:

Subtotal	343.00
Sales Tax	
Freight	28.30
Total Invoice Amount	343.00
Payment Received	
<b>TOTAL</b>	<del>343.00</del> 371.30

EPAHO055002888

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175587

Sales Order Date:  
Mar 10, 2008

Page:

1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374404	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
2.00		00-1030-55 2 x Diaphragms		
4.00		01-6100-03 4 x Bolts		
4.00		01-7300-03 4 x clamp/bands		
4.00		01-6400-03 4 x nuts		
Cody Hampton				

EPAHO055002889

# Order Request Form

P.O. Number: 374104

Date: 3-10-08

Vendor: Alpha Marine

Contact: Tina

Phone: 281-457-3533

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
<u>00-1030-55</u>	<u>Diaphragms</u>	<u>2</u>	<u>54.30</u>
<u>00-1300-03</u>	<u>Clamp band assembly</u>	<u>4</u>	<u>53.40</u>
<u>01-6100-03</u>	<u>Clamp band bolt</u>	<u>4</u>	<u>3.00</u>
<u>01-6400-03</u>	<u>Clamp band nut</u>	<u>4</u>	<u>220</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	<u>1/4" wilden pump</u>	_____	<u>820.00</u>
_____	_____	_____	_____
_____	<u>Pump in Water House</u>	_____	_____
_____	_____	_____	_____

Submitted By: Jorge

Approved By: \_\_\_\_\_

## Office Use Only

Internal Expense:

Classics

\_\_\_\_\_ CS

\_\_\_\_\_ FS

\_\_\_\_\_ Trans

\_\_\_\_\_ SGA

\_\_\_\_\_ MRI

\_\_\_\_\_ DRM

\_\_\_\_\_ DSP


Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0408-050  
 INVOICE DATE:  
 April 4, 2008  
 PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

APR 09 2008

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		Loren		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			5/4/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 2 x 275 Gallon Totes	2.95	1,622.50
2.00	TOTEDEP-\$1000.	Tote Deposit  Signed copy of Delivery Ticket: 175854  <b>POSTED</b> 4/10/08	1,000.00	2,000.00

Check No:

Subtotal	3,622.50
Sales Tax	298.86
Freight	
Total Invoice Amount	3,921.36
Payment Received	
<b>TOTAL</b>	<b>3,921.36</b>

EPAHO055002891



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175854

Sales Order Date:  
Apr 4, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021


Customer ID	PO Number	Sales Rep Name
CES	Loren	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 2 x 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Tote Deposit		
<i>0 - Empty Return</i>				

*Handwritten signature*

EPAHO055002892

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0408-048

INVOICE DATE:

April 4, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

APR 09 2008

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374630		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck		4/4/08	5/4/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
100.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% 1 x 100 Gallon Tote	2.95	295.00
1.00	TOTEDEP-\$1000.	Tote Deposit  Signed copy of Delivery Ticket: 175846	1,000.00	1,000.00
<div>POSTED 4/9/08</div>				

Check No:

Subtotal	1,295.00
Sales Tax	106.84
Freight	
Total Invoice Amount	1,401.84
Payment Received	
<b>TOTAL</b>	<b>1,401.84</b>

EPAHO055002893

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

175846

Sales Order Date:

Apr 4, 2008

Page:

1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
100.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Corrosive UN 1824 1 x 100 Gallon Tote		
1.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
				

EPAHO055002894

# Order Request Form

P.O. Number: 374630

Date: 4-8-08

Vendor: Alpha Marine Solution

Contact: \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Loren Stone

Approved By: Loren Thomas

618-  
DSP

**Office Use Only**

**Internal Expense:**

Classes

CS

FS

Trans

SGA

# MRI

# DRIVE

7-11


**Job Expense:**

## ~~What Job?~~

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

EPHO055002895

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320




INVOICE NUMBER:  
0308-230

INVOICE DATE:  
March 28, 2008

PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		Loren		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			4/27/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5 2 x 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-2.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-2,000.00
		Signed copy of Delivery Ticket: 175766		
		<b>POSTED</b> 4/10/08		

Check No:

Subtotal	1,045.00
Sales Tax	86.21
Freight	
Total Invoice Amount	1,131.21
Payment Received	
<b>TOTAL</b>	<b>1,131.21</b>

EPAHO055002896

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175766

Sales Order Date:  
Mar 28, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-1.00	TOTEDEP-\$1000.	Returned Tote Deposit		
2/4				
		S. Aston		

EPAHO055002897

# Order Request Form

P.O. Number: 314644

Date: 4-1-08

Vendor: Alptra 911

Contact: \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]Submitted By: Cohen

Approved By: \_\_\_\_\_

**Office Use Only**

**Internal Expense:**

# Classes

CS

FS

Trans

SGA

MRI

DRM

DSF


**Job Expense:**

**What Job?** \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0408-011

INVOICE DATE:

April 3, 2008

PAGE:

1

**SOLD TO:**

CES  
 4904 Griggs Rd  
 Houston, TX 77021

**SHIP TO:**

CES  
 4904 Griggs Rd  
 Houston, TX 77021

APR 07 2008

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374594	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		5/3/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Signed copy of Delivery Ticket: 175797 Sodium Hypochlorite 12.5% 2 x 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-2.00	TOTEDEP-\$1000.	Returned for Credit	1,000.00	-2,000.00
550.00	SOD HYP-55	Sodium Hypochlorite 12.5% 10 x 55 Gallon Drums	1.90	1,045.00
<div style="text-align: center;"> <b>POSTED</b>            4/11/08         </div>				

Check No:

Subtotal	2,090.00
Sales Tax	172.43*
Freight	
Total Invoice Amount	2,262.43
Payment Received	
<b>TOTAL</b>	<b>2,262.43</b>

EPAHO055002899



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175797

Sales Order Date:  
Apr 1, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374594	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 2 x 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
<del>550.00</del>	<del>SOD HYP 55</del>	<del>Sodium Hypochlorite 12.5% Sodium Hypochlorite Solution 12.5% Corrosive UN 1791, PG III 10 x 55 Gallon Drums</del>		
<div>S. Price</div> <div>* P/u Empty Totes</div> <div>1</div> <div>Collection 2 Totes</div>				

EPAHO055002900

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175797

Sales Order Date:  
Apr 1, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374594	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 2 x 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
<del>550.00</del>	<del>SOD HYP-55</del>	<del>Sodium Hypochlorite 12.5% Sodium Hypochlorite Solution 12.5% Corrosive UN 1791, PG III 10 x 55 Gallon Drums</del>		

*S.B.*

*\* P/U Empty Totes \**

*↑*

*←*

*①*

*②*

EPAHO055002901

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175797

Sales Order Date:  
Apr 1, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374594	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 2 x 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
<del>550.00</del>	<del>SOD HYP-55</del>	<del>Sodium Hypochlorite 12.5% Sodium Hypochlorite Solution 12.5% Corrosive UN 1791, PG III 10 x 55 Gallon Drums</del>		

X P/u Empty Totes  
I

EPAHO055002902



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

175797

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 4/2/2008	PURCHASE ORDER NUMBER: 374594	SHIPPER NO. 175797
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	X	275 GALLON TOTE		55	4580
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		TOTAL			4580

REMIT COD TO:	COD	COD FEE:
ADDRESS:	AMOUNT:	FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

## In case of Chemical Emergency Call 281 457-3533 (24 Hour)

**NOTICE:** Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ \_\_\_\_\_ PER \_\_\_\_\_

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?  
YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	NUMBER OF PIECES RECEIVED	
AUTHORIZED SIGNATURE	CARRIER ALPHA MARINE SOLUTIONS	
	AUTHORIZED SIGNATURE	DATE 4/2/2008

EPAHO055002903

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

**TERATOGENIC EFFECTS:** Not available.

**DEVELOPMENTAL TOXICITY:** Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride. (Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.



## SECTION 14: TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175797

Sales Order Date:  
Apr 1, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:


CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374594	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 2 x 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
550.00	SOD HYP-55	Sodium Hypochlorite 12.5% Sodium Hypochlorite Solution 12.5% Corrosive UN 1791, PG III 10 x 55 Gallon Drums		

P/u Empty Totes.

EPAHO055002909



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281 457-3533 FAX 281-452-2320

175766

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 4/1/2008	PURCHASE ORDER NUMBER: 374594	SHIPPER NO. 175797
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530
PHONE NO. 713-676-1460	ROUTE		PHONE: 281-457-3533	
		VEHICLE NO.		

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
10	X	55 GALLON DRUMS		55	4580
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		TOTAL			4580

REMIT COD TO:	COD	COD FEE:
ADDRESS:	AMOUNT:	FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

<b>In case of Chemical Emergency Call 281 457-3533 (24 Hour)</b>		FREIGHT PREPAID UNLESS MARKED COLLECT
<b>NOTICE:</b> Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:		IS CUSTOMER'S CHECK ACCEPTABLE FOR COD?
\$ PER		YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide (HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit, income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	NUMBER OF PIECES RECEIVED	
AUTHORIZED SIGNATURE	CARRIER ALPHA MARINE SOLUTIONS	
	AUTHORIZED SIGNATURE	DATE 4/1/2008

EPAHO055002910

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%  
**CAS#:** Mixture.  
**RTECS:** Not applicable.  
**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;  
**Water Chemical Name:** Not applicable  
**Chemical Formula:** Not applicable

CHEMTREC  
(24HR Emergency Telephone: 1-800-424-9300)  
For non-emergency assistance call: 281-457-3533

**Contact Information:**  
Alpha Marine Solutions  
15914 Ave C  
Channelview, TX 77530  
Sales 281-457-3533  
Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

#### Toxicological Data on Ingredients:

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].  
Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

#### Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002911

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro cmpd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14: TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:**

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*




Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0408-102

INVOICE DATE:

April 10, 2008

APR 12 2008

PAGE:

1

**SOLD TO:**

CES

4904 Griggs Rd

Houston, TX 77021

**SHIP TO:**

CES

4904 Griggs Rd

Houston, TX 77021

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374672		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			5/10/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40% 4 X 55 Gallon Drums	2.50	550.00
2,450.00	SOD CHL-50LB	Sodium Chloride 50lb bag 1 Pallet/ 49 Bags	0.28	686.00
Signed copy of Delivery Ticket: 175890				
<b>POSTED</b> 4/14/08				

Subtotal 1,236.00

Sales Tax 101.97

Freight

Total Invoice Amount 1,337.97

Payment Received

**TOTAL 1,337.97**

Check No:

EPAHO055002916

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175890

Sales Order Date:  
Apr 10, 2008

Page:  
1


### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374672	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% 4 X 55 Gallon Drums		
2,450.00	TRUSOF-50LB	True Soft Pellets - 50 lb Bags 1 Pallet/49 Bags		
				

EPAHO055002917

# Order Request Form

P.O. Number: 374672

Date: 4-10-08

Vendor: Alpha Marine

Contact: \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Loren Thomas

Approved By: Lora Thoma

608  
DSC

### Office Use Only

**Internal Expense:**

## Job Expense:

# Classes

## What Job?

CS

FS

Trans

# SGA

**MRI**


DRM

DSJ

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

EPAHQ055002918

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0408-152

INVOICE DATE:

April 15, 2008

PAGE:

1

APR 18 2008

**SOLD TO:**  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

**SHIP TO:**  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374723	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		5/15/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm 1 x 275 Gallon Tote	2.95	811.25
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 1 x 275 Gallon Tote	1.90	522.50
2.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	2,000.00
-2.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-2,000.00
		Signed copy of Delivery Ticket: 175947		

**POSTED**  
 4/21

Check No:

Subtotal	1,333.75
Sales Tax	110.03
Freight	
Total Invoice Amount	1,443.78
Payment Received	
<b>TOTAL</b>	<b>1,443.78</b>

EPAHO055002919

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175947

Sales Order Date:  
Apr 15, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374723	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Corrosive UN 1824 3828 lb / 1 x 275 Gallon Tote		
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 1 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-2.00	TOTEDEP-\$1000.	Returned Tote Deposit		

EPAHO055002920

# Order Request Form

P.O. Number: 379 723

Date: 4-15-08

Vendor: ALPHA MARINE

**Contact:**

**Phone:**[illegible]

Submitted By

Approved By:

**Office Use Only**

**Internal Expense:**

**Job Expense:**

CS

## What Job?

50

FS

Tra

SGA

MRI

## DRIVE

11

D54

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

EPAHQ055002921

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175947

Sales Order Date:  
Apr 15, 2008

Page:  
1


Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374723	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Corrosive UN 1824 3828 lb / 1 x 275 Gallon Tote		
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 1 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-2.00	TOTEDEP-\$1000.	Returned Tote Deposit		

EPAHO055002922



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281 457-3533 FAX 281-452-2320

175947

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 4/15/2008	PURCHASE ORDER NUMBER: 374723	SHIPPER NO. 175947
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530
PHONE NO. 713-676-1460	ROUTE		PHONE: 281-457-3533	
			VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
1	X	275 GALLON TOTE		55	2290
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
1	X	275 GALLON TOTE		55	3509
		CAUSTIC SODA LIQUID 50%			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		TOTAL			5799

REMIT COD TO:	COD	COD FEE:
ADDRESS:	AMOUNT:	FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

In case of Chemical Emergency Call 281 457-3533 (24 Hour)

FREIGHT PREPAID UNLESS MARKED COLLECT

**NOTICE:** Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?  
YES NO

\$ PER

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	CARRIER ALPHA MARINE SOLUTIONS
AUTHORIZED SIGNATURE	AUTHORIZED SIGNATURE DATE 4/15/2008

EPAHO055002923



# MATERIAL SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIERS NAME: HARCROS CHEMICALS, INC.  
5200 Speaker Road  
Kansas City, KS 66106-1095

SUPPLIERS TELEPHONE NUMBER: 913-321-3131

TRANSPORTATION EMERGENCY TELEPHONE NUMBER: 1-800-424-9300

MSDS NUMBER: 105132

**SUBSTANCE: CAUSTIC SODA LIQUID (ALL GRADES)**

### TRADE NAMES:

Caustic Soda 25%, 30%; Caustic Soda Liquid: 10%, 15%, 18%, 19%, 20%, 25%, 30%  
Caustic Soda Liquid Rayon; 15%, 25%, 30%, 50%, 20%  
Caustic Liquid Soda Diaphragm; 30%, 50%, 25%  
Caustic Liquid Soda Chelated; 50%  
Caustic Liquid Soda Purified; 50%  
Caustic Liquid Soda Liquid 25% FCC; Caustic Soda 50% FG  
Liquid Alkali #4, #4A; NIO Caustic Soda Liquid 50% Diaphragm

### SYNONYMS:

Sodium hydroxide solution; Liquid caustic; Lye solution; Caustic; Lye; Soda lye

**PRODUCT USE:** metal finishing, cleaner, process chemical, petroleum industry

**REVISION DATE:** March 10, 2006

## 2. HAZARDS IDENTIFICATION

**NFPA RATINGS (SCALE 0-4):** HEALTH=3 FIRE=0 REACTIVITY=1

**HMIS RATINGS (SCALE 0-4):** HEALTH=3 FLAMMABILITY=0 REACTIVITY=1

Harcros Chemicals, Inc.  
MSDS No. 105132

**EMERGENCY OVERVIEW:****COLOR:** colorless to slightly colored**PHYSICAL FORM:** liquid**ODOR:** odorless**SIGNAL WORD:** DANGER**MAJOR HEALTH HAZARDS:** CORROSIVE. CAUSES BURNS TO THE RESPIRATORY TRACT, SKIN, EYES AND GASTROINTESTINAL TRACT. CAUSES PERMANENT EYE DAMAGE.**PHYSICAL HAZARDS:** Mixing with water, acid or incompatible materials may cause splattering and release of heat.**ECOLOGICAL HAZARDS:** This material has exhibited moderate toxicity to aquatic organisms.**PRECAUTIONARY STATEMENTS:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor or mist. Keep container tightly closed. Wash thoroughly after handling. Use only with adequate ventilation.**POTENTIAL HEALTH EFFECTS:****INHALATION:****SHORT TERM EXPOSURE:** irritation (possibly severe), burns, pulmonary edema**LONG TERM EXPOSURE:** to our knowledge, no effects are known**SKIN CONTACT:****SHORT TERM EXPOSURE:** irritation (possibly severe), burns**LONG TERM EXPOSURE:** dermatitis**EYE CONTACT:****SHORT TERM EXPOSURE:** irritation (possibly severe), burns, eye damage, blindness**LONG TERM EXPOSURE:** visual disturbances**INGESTION:****SHORT TERM EXPOSURE:** irritation (possibly severe), burns, nausea, vomiting**LONG TERM EXPOSURE:** to our knowledge, no effects are known**CARCINOGEN STATUS:****OSHA:** No**NTP:** No**IARC:** No**3. COMPOSITION INFORMATION ON INGREDIENTS****COMPONENT:** WATER**CAS NUMBER:** 7732-18-5**PERCENTAGE:** 48.5-94.5**COMPONENT:** SODIUM HYDROXIDE**CAS NUMBER:** 1310-73-2**PERCENTAGE:** 5.5-51.5**COMPONENT:** SODIUM CHLORIDE**CAS NUMBER:** 7647-14-5**PERCENTAGE:** 0-5.0**4. FIRST AID MEASURES****INHALATION:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not

Harcros Chemicals, Inc.  
MSDS No. 105132

breathing. If breathing is difficult, oxygen should be administered by qualified personnel. If respiration or pulse has stopped, have a trained person administer Basic Life Support (Cardio-Pulmonary Resuscitation/Automatic External Defibrillator) and CALL FOR EMERGENCY SERVICES IMMEDIATELY.

**SKIN CONTACT:** Immediately flush contaminated areas with water. Remove contaminated clothing, jewelry, and shoes immediately. Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Discard contaminated leather goods. GET MEDICAL ATTENTION IMMEDIATELY.

**EYE CONTACT:** Immediately flush eyes with a directed stream of water for at least 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissues. Washing eyes within several seconds is essential to achieve maximum effectiveness. GET MEDICAL ATTENTION IMMEDIATELY.

**INGESTION:** Never give anything by mouth to an unconscious or convulsive person. If swallowed, do not induce vomiting. Give large amounts of water. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. GET MEDICAL ATTENTION IMMEDIATELY.

**NOTE TO PHYSICIAN:** The absence of visible signs or symptoms of burns does NOT reliably exclude the presence of actual tissue damage. Probable mucosal damage may contraindicate the use of gastric lavage.

## 5. FIRE FIGHTING MEASURES

**FIRE AND EXPLOSION HAZARDS:** Negligible fire hazard.

**EXTINGUISHING MEDIA:** Use extinguishing agents appropriate for surrounding fire.

**FIRE FIGHTING:** Move container from fire area if it can be done without risk. Cool containers with water. Wear NIOSH approved positive-pressure self-contained breathing apparatus. Avoid contact with skin.

**SENSITIVITY TO MECHANICAL IMPACT:** Not sensitive

**SENSITIVITY TO STATIC DISCHARGE:** Not sensitive

**FLASH POINT:** not flammable

## 6. ACCIDENTAL RELEASE MEASURES

### OCCUPATIONAL RELEASE:

Wear appropriate personal protective equipment recommended in Section 8 of the MSDS. Completely contain spilled material with dikes, sandbags, etc. Keep out of water supplies and sewers. Reprocess or reuse if possible. Shovel dry material into suitable container. Liquid material may be removed with a vacuum truck. Remaining material may be diluted with water and neutralized with dilute acid. Flush spill area with water, if appropriate. This material is alkaline and may raise the pH of surface waters with low buffering capacity. Releases should be reported, if required, to appropriate agencies. Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RQ (U.S. SARA Section 304). If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Center at (800) 424-8802 (USA) or (202)426-2675 (USA).

Harcros Chemicals, Inc.  
MSDS No. 105132

## 7. HANDLING AND STORAGE

**STORAGE:** Store and handle in accordance with all current regulations and standards. Keep container tightly closed and properly labeled. Do not store in aluminum container or use aluminum fittings or transfer lines, as flammable hydrogen gas may be generated. Keep separated from incompatible substances (see Section 10 of the MSDS).

**HANDLING:** Avoid breathing vapor or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. When mixing, slowly add to water to minimize heat generation and spattering.

## 8. EXPOSURE CONTROLS. PERSONAL PROTECTION

### EXPOSURE LIMITS:

#### SODIUM HYDROXIDE:

2 mg/m<sup>3</sup> OSHA TWA

2 mg/m<sup>3</sup> OSHA ceiling (vacated by 58 FR 35338, June 30, 1993)

2 mg/m<sup>3</sup> ACGIH ceiling

**VENTILATION:** Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

**EYE PROTECTION:** Wear safety glasses with side shields. Wear chemical safety goggles with a faceshield to protect against skin contact when appropriate. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**CLOTHING:** Wear chemical resistant clothing and rubber boots when potential for contact with the material exists. Contaminated clothing should be removed, then discarded or laundered. Always place pants legs over boots.

**GLOVES:** Wear appropriate chemical resistant gloves.

**PROTECTIVE MATERIAL TYPES:** butyl rubber, natural rubber, neoprene, nitrile, polyvinyl chloride (PVC), Tychem(R)

**IMMEDIATELY DANGEROUS TO LIFE OR HEALTH:** 10 mg/m<sup>3</sup>

**RESPIRATOR:** Where vapor concentration exceeds or is likely to exceed applicable exposure limits, a NIOSH approved respirator is required. If eye irritation occurs, a full face style mask should be used. When an air-purifying respirator is not adequate or for spills and/or emergencies of unknown concentrations, a NIOSH approved self-contained breathing apparatus or airline respirator with full-face piece is required. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** liquid

**APPEARANCE:** clear to opaque

**COLOR:** colorless to slightly colored

Harcros Chemicals, Inc.  
MSDS No. 105132

**ODOR:** odorless

**BOILING POINT:** 230-291 F (110-144 C)

**FREEZING POINT:** -26 to 59 F (-32 to 15 C)

**VAPOR PRESSURE:** 13-135 mmHg @ 60 C

**VAPOR DENSITY:** Not available

**SPECIFIC GRAVITY (water=1):** 1.11-1.53 @ 15.6 C

**DENSITY:** 9.27-12.76 lbs/gal @ 15.6 C

**WATER SOLUBILITY:** 100%

**PH:** 14.0 (7.5% solution)

**VOLATILITY:** Not available

**ODOR THRESHOLD:** Not available

**EVAPORATION RATE:** Not available

**COEFFICIENT OF WATER/OIL DISTRIBUTION:** Not available

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:** Mixing with water, acid or incompatible materials may cause splattering and release of large amounts of heat. Will react with some metals forming flammable hydrogen gas. Carbon monoxide gas may form upon contact with reducing sugars or food and beverage products in enclosed spaces.

**INCOMPATIBILITIES:** acids, halogenated compounds, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys

### HAZARDOUS DECOMPOSITION:

Thermal decomposition products: None known.

**POLYMERIZATION:** Will not polymerize.

## 11. TOXICOLOGICAL INFORMATION

### CAUSTIC SODA LIQUID (ALL GRADES):

**TOXICITY DATA:** Sodium Hydroxide: 1350 mg/kg Dermal-Rabbit LD50. The severity of the tissue damage is a function of concentration, the length of tissue contact time, and local tissue conditions. After exposure there may be a time delay before irritation and other effects occur. This material is a strong irritant and is corrosive to the skin, eyes, and mucous membranes. This material may cause severe burns and permanent damage to any tissue with which it comes into contact. Inhalation will cause severe irritation, possible burns with pulmonary edema, which may lead to pneumonitis. Skin contact with this material may cause severe irritation and corrosion of tissue. Eye contact can cause severe irritation, corrosion with possible corneal damage and blindness. Ingestion may cause irritation, corrosion/ulceration, nausea, and vomiting. In general, chronic effects are due to long-term irritation. This material may cause dermatitis on the skin, or recurrent corneal ulceration and visual disturbances. In rare cases reports have noted long-term inhalation causes bronchial inflammatory reaction or obstructive airway dysfunction.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** respiratory system (including asthma and other breathing disorders)

Harcros Chemicals, Inc.  
MSDS No. 105132

## 12. ECOLOGICAL INFORMATION

### ECOTOXICITY DATA:

**FISH TOXICITY:** This material has exhibited moderate toxicity to aquatic organisms. For sodium hydroxide: 100 ppm LC50 Daphnia; 25 ppm 24 hours LC50 Brook trout; 48 ppm LC50 King salmon; 33 - 100 ppm 48 hours LC50 Shrimp; 330 - 1000 ppm 48 hours LC50 Cockle

### FATE AND TRANSPORT:

**BIODEGRADATION:** This material is inorganic and not subject to biodegradation.

**PERSISTENCE:** This material is alkaline and may raise the pH of surface waters with low buffering capacity. This material is believed to exist in the disassociated state in the environment.

**BIOCONCENTRATION:** This material is believed not to bioaccumulate.

**OTHER ECOLOGICAL INFORMATION:** This material has exhibited slight toxicity to terrestrial organisms.

## 13. DISPOSAL CONSIDERATIONS

Reuse or reprocess if possible. Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D002.

## 14. TRANSPORT INFORMATION

### U.S. DOT 49 CFR 172.101:

**PROPER SHIPPING NAME:** Sodium hydroxide solution

**ID NUMBER:** UN1824

**HAZARD CLASS OR DIVISION:** 8

**PACKING GROUP:** II

**LABELING REQUIREMENTS:** 8

**DOT HAZARDOUS SUBSTANCE(S):**

Sodium hydroxide 1000 lb(s) (454 kg(s))

### CANADIAN TRANSPORTATION OF DANGEROUS GOODS:

**SHIPPING NAME:** Sodium hydroxide solution

**UN NUMBER:** UN1824

**CLASS:** 8

**PACKING GROUP/RISK GROUP:** II

## 15. REGULATORY INFORMATION

### U.S. REGULATIONS:

**CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):**

**SODIUM HYDROXIDE:** 1000 LBS RQ

**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):** Not

Harcros Chemicals, Inc.

MSDS No. 105132

regulated.

**SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):**

ACUTE: Yes

CHRONIC: No

FIRE: No

REACTIVE: No

SUDDEN RELEASE: No

**SARA TITLE III SECTION 313 (40 CFR 372.65):** Not regulated.

**OSHA PROCESS SAFETY (29CFR1910.119):** Not regulated.

**FDA:** This material has Generally Recognized as Safe (GRAS) status under specific FDA regulations. Additional information is available from the Code of Federal Register (CFR) which is accessible on the FDA's website.

**STATE REGULATIONS:**

**California Proposition 65:** This product is not listed, but it may contain contaminants known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act. For additional information, contact Customer Service.

**NEW JERSEY WORKER AND COMMUNITY RIGHT TO KNOW:**

**REPORTING REQUIREMENT:**

WATER 7732-18-5 48.5-94.5%

SODIUM HYDROXIDE 1310-73-2 5.5-51.5%

SODIUM CHLORIDE 7647-14-5 0-5.0%

**RIGHT TO KNOW HAZARDOUS SUBSTANCE LIST:**

SODIUM HYDROXIDE 1310-73-2 5.5-51.5%

**SPECIAL HEALTH HAZARD SUBSTANCE LIST:**

SODIUM HYDROXIDE 1310-73-2 5.5-51.5%

**PENNSYLVANIA RIGHT TO KNOW:**

**REPORTING REQUIREMENT:**

WATER 7732-18-5 48.5-94.5%

SODIUM HYDROXIDE 1310-73-2 5.5-51.5%

SODIUM CHLORIDE 7647-14-5 0-5.0%

**HAZARDOUS SUBSTANCE LIST:**

SODIUM HYDROXIDE 1310-73-2 5.5-51.5%

**ENVIRONMENTAL HAZARDOUS SUBSTANCE LIST:**

SODIUM HYDROXIDE 1310-73-2 5.5-51.5%

**SPECIAL HAZARDOUS SUBSTANCE LIST:**

Not regulated.

**CANADIAN REGULATIONS:**

**CONTROLLED PRODUCTS REGULATIONS (CPR):** This product has been classified in accordance with

Harcros Chemicals, Inc.  
MSDS No. 105132

the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

**WHMIS CLASSIFICATION:** E.

**NATIONAL INVENTORY STATUS:**

**U.S. INVENTORY (TSCA):** All the components of this substance are listed on or are exempt from the inventory.

**TSCA 12(b) EXPORT NOTIFICATION:** Not listed.

**CANADA INVENTORY (DSL/NDL):** All components of this product are listed on the DSL.

<b>16. OTHER INFORMATION</b>
------------------------------

**MSDS SUMMARY OF CHANGES**

**11. TOXICOLOGICAL INFORMATION**

**15. REGULATORY INFORMATION**

*The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable. Harcos Chemicals, Inc. provides no warranties, either expressed or implied and assumes no responsibilities for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcos Chemicals, Inc. knows of no medical condition, other than those noted on this Material Safety Data sheet, which are generally recognized as being aggravated by exposure to this product.*



CHEMICAL NAME: Sodium Hypochlorite Solutions

DATE: 27-Mar-2006

CAS #: 007681529

MSDS No. 001767 Revision No./Date 06 27-Mar-2006  
Detail Number 01038/02

FORMULA: NaOCl

CHEM. FAMILY: bleaching agents (oxidizers)

**PRODUCT NAMES:** SODIUM HYPOCHLORITE (5% + CL2, 5.25% + CL2, 10% + CL2, 12% + CL2, 12.5% + CL2)  
SODIUM HYPOCHLORITE (10%, 12.5%, 15%, 18%, 20%)  
(12.5%, 12.5% GAC, 12.5%, 16% TRADE)

**EXTRACT 2; LCS LIQ CHLORINATION SANITIZER; PRODUCT C(SOD.HYPOCHLORITE 12.5%**

SYNONYMS:

Bleach;

Soda Bleach Liquor;

Chlorine Bleach;

Chemland Extract 2;

Extract 2;

MSDS NO. 001767 DEATIL NO. 01308

SUPPLIERS NAME : Harcros Chemicals Inc.

5200 Speaker Road

Kansas City KS 66106-1095

SUPPLIERS PHONE NUMBER : 913-321-3131

TRANSPORTATION EMERGENCY PHONE NUMBER : 1-800-424-9300

S.A.R.A. INFORMATION

HAZARDS : Acute Fire Chronic

PHYSICAL DATA : Mixture Liquid

SECTION I HAZARDOUS INGREDIENTS

Ingredient Cas Number	MAX % W/W	EPCRA APPLIES		AIR CONTAMINENT LEVELS					SKIN	AGENT	
		312	313	TWA/TLV (ppm)	STEL (ppm)	CEIL (ppm)					
Sodium Hypochlorite	15.0	Y	N	As Chlorine							
Hypochlorous Acid, Sodium Salt				TWA/TLV	0.5 ppm	OSHA/ACGIH					
(CAS # 7681-52-9 )				STEL	1 ppm	OSHA/ACGIH					
Caustic Soda	3.0	Y	N	As Sodium Hydroxide							
Sodium Hydroxide				TWA/TLV	2 mg/m3 (Ceiling)		OSHA/ACGIH				
(CAS # 1310-73-2 )											

Continued On Page 2

CHEMICAL NAME: Sodium Hypochlorite Solutions

DATE: 27-Mar-2006

SECTION II HEALTH HAZARDS

POTENTIAL EFFECTS OF EXPOSURE

EYES

Eye contact with product may cause severe irritation eye damage blindness

SKIN

Skin contact may cause irritation burns

Prolonged or repeated skin contact may cause skin damage

INHALATION

Inhalation may cause severe irritation sneezing

Prolonged or repeated overexposure by inhalation may cause pneumonia lung damage, damage to respiratory system even death

INGESTION

Ingestion may cause severe irritation tissue ulceration gastrointestinal damage circulatory collapse convulsions coma even death

TARGET ORGANS

OVEREXPOSURE MAY CAUSE DAMAGE TO,  
DISORDERS OF, OR ADVERSELY AFFECT THE FOLLOWING SYSTEMS, FUNCTIONS, ORGANS: destruction of all body tissues

FIRST AID

FIRST AID EYES

Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician.

FIRST AID SKIN

Immediately flush skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Thoroughly clean clothing and shoes before reuse. Call a physician.

FIRST AID INHALATION

Remove to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Call a physician.

FIRST AID INGESTION

DO NOT induce vomiting. Rinse mouth with water. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Call a physician immediately.

OTHER INFORMATION

ROUTES OF ENTRY

eye contact skin contact inhalation

Continued On Page 3

CHEMICAL NAME: Sodium Hypochlorite Solutions

DATE: 27-Mar-2006

SECTION II HEALTH HAZARDS

(CONTINUED)

OVEREXPOSURE MAY AGGRAVATE DISORDERS OF THE  
eyes skin respiratory system  
CARCINOGEN STATUS

No components, present in excess of 0.1% by weight are listed as carcinogens by IARC, NTP, or OSHA.

SECTION III SPECIAL PROTECTION

PROTECTIVE EQUIPMENT

PROTECTIVE EQUIPMENT EYES

chemical goggles faceshield

PROTECTIVE EQUIPMENT SKIN

impervious gloves rubber apron clean body covering clothing

PROTECTIVE EQUIPMENT INHALATION

If exposure limits are exceeded, or if exposure may occur, use a NIOSH/MSHA respirator approved for your conditions of exposure. Refer to the most recent NIOSH publications concerning chemical hazards, or consult your safety equipment supplier. Respiratory protection programs must be in compliance with OSHA requirements in 29 CFR 1910.134. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

VENTILATION REQUIRED:

Adequate ventilation is required to minimize exposure or to maintain exposure levels below OSHA/ACGIH requirements. Local mechanical ventilation may be required.

ADDITIONAL PROTECTIVE MEASURES

Safety shower, eye wash fountain, and washing facilities should be readily available.

SECTION IV FIRE & EXPLOSION HAZARD DATA

Flash Point (METHOD): > OR = N/A

Flammable Limits (% Volume in Air) UPPER: N/D

Lower: N/D

HMIS Info      Health : 2  
                 Fire : 0  
                 React : 2  
                 Special : X

EXTINGUISHING MEDIA

water

FIRE FIGHTING PROCEDURES

Continued On Page 4

CHEMICAL NAME: Sodium Hypochlorite Solutions

DATE: 27-Mar-2006

SECTION IX ADDITIONAL INFORMATION

(CONTINUED)

HANDLING

Do Not add any other product to this container. For industrial use only. Do Not apply heat to container. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Store out of direct sunlight and away from heat. Decomposition can cause pressure-buildup in closed containers. Relieve internal pressure when received and at least weekly thereafter by slowly loosening bung. Retighten immediately. Wear protective equipment. Keep out of reach of children.

SECTION X COMPLIANCE INFORMATION

TSCA INVENTORY STATUS :

Listed

INTERNATIONAL INVENTORY STATUS:

Australia (AICS) Listed Canada (DSL) Listed Europe (EINECS) Listed

MAXIMUM USE LEVEL IN POTABLE WATER:

For Sodium Hypochlorite 12.5% - 80 mg/L & For Sodium Hypochlorite 10% - 100 mg/L

DATE ISSUED: 931230

DATE REVISED: 060327

UNK = UNKNOWN

< = LESS THAN

N/A = NOT APPLICABLE

> = MORE THAN

N/D = NOT DETERMINED

N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

CHEMICAL NAME: Sodium Hypochlorite Solutions

DATE: 27-Mar-2006

SECTION IV FIRE & EXPLOSION HAZARD DATA

(CONTINUED)

Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non essential personnel. Firefighters should wear full face, self contained breathing apparatus and impervious protective clothing.

UNUSUAL FIRE & EXPLOSION HAZARDS

Product does not burn, but can provide oxygen which can intensify a fire. Toxic fumes may be released. Product is an oxidizer. It may react vigorously with organics or other materials resulting in an explosion and fire.

SECTION V PHYSICAL DATA

Boiling Point: > OR = to 230 deg. F

Freezing Point: N/D

Specific Gravity (H<sub>2</sub>O=1): 1.0800 TO 1.2800 @ 68 deg. F

Vapor Pressure (MM HG.): > OR = 12.1000 TO 17.500 @ 68 deg. F

Vapor Density (AIR=1) : N/D

Evaporation Rate ( NA =1): N/D

Solubility in Water: SOLUBLE

Percent Volatile by Volume: N/D

pH: aqueous approx. > OR = 11.000 TO 12.000

Appearance:

COLORLESS TO LIGHTLY COLORED LIQUID

Odor :

SHARP

SECTION VI REACTIVITY DATA

STABILITY

Stable when stored in container under proper conditions.

INCOMPATIBILITY

amphoteric metals inorganic acids organic acids organic bases hydrocarbons organic mixtures Avoid contact with amphoteric metals which include aluminum, copper, zinc, and brass. Avoid contact with strong reducing agents which include hydrogen, hydrazine, sulfides, sulfites, and nitrites. Product is an oxidizer. It may react vigorously with organics or other materials resulting in an explosion and fire.

HAZARDOUS DECOMPOSITION PRODUCTS

Continued On Page 5

CHEMICAL NAME: Sodium Hypochlorite Solutions

DATE: 27-Mar-2006

SECTION VI REACTIVITY DATA

(CONTINUED)

chlorine hydrogen chloride oxygen  
HAZARDOUS POLYMERIZATION  
Will not occur

SECTION VII SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Product may be toxic to fish or aquatic life. Evacuate non essential personnel, eliminate ignition sources, and wear protective equipment (See Section III). Shut off source of leak only if safe to do so. Contain spill. Recover free product. To clean up residue, reduce by adding reducing agents such as bisulfites or ferrous salt solutions. Some heat will be produced. May be neutralized with reducing agents. Keep on alkaline side and dilute with copious quantities of water. Principal end product is salt water (NaCl).

DISPOSAL METHOD

Solids must be disposed of in a permitted waste management facility. Recovered liquids may be reprocessed or incinerated. Incineration must be handled in a permitted facility. Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State.

CERCLA REPORTABLE QUANTITY

CONTAINS SODIUM HYPOCHLORITE WHICH HAS AN RQ OF 100 LBS.

SECTION VIII

Proper Shipping Name: HYPOCHLORITE SOLUTIONS

Hazard Class: 8, UN1791, PGIII

Label Requirements: CORROSIVE

SECTION IX ADDITIONAL INFORMATION

LABEL SIGNAL WORD

DANGER

PRECAUTIONS

Wear protective equipment when handling. Use only with adequate ventilation. Wash thoroughly after handling. Do Not breathe vapor, mist, or dust. Do Not get in eyes, on skin, or clothing. Keep from contact with clothing or other combustible materials.

Do not swallow.

Continued On Page 6

CHEMICAL NAME: Sodium Hypochlorite Solutions

DATE: 27-Mar-2006

SECTION IX ADDITIONAL INFORMATION

(CONTINUED)

HANDLING

Do Not add any other product to this container. For industrial use only. Do Not apply heat to container. ATTENTION: This container hazardous when emptied. Since emptied container contains product residues (vapor or liquid), all labeled hazard precautions must be observed.

STORAGE

Keep container closed when not in use. Store in a cool dry place. Store out of direct sunlight and away from heat. Decomposition can cause pressure-buildup in closed containers. Relieve internal pressure when received and at least weekly thereafter by slowly loosening bung. Retighten immediately. Wear protective equipment. Keep out of reach of children.

SECTION X COMPLIANCE INFORMATION

TSCA INVENTORY STATUS :

Listed

INTERNATIONAL INVENTORY STATUS:

Australia (AICS) Listed Canada (DSL) Listed Europe (EINECS) Listed

MAXIMUM USE LEVEL IN POTABLE WATER:

For Sodium Hypochlorite 12.5% - 80 mg/L & For Sodium Hypochlorite 10% - 100 mg/L

DATE ISSUED: 931230

DATE REVISED: 060327

UNK = UNKNOWN

< = LESS THAN

N/A = NOT APPLICABLE


> = MORE THAN

N/D = NOT DETERMINED

N/E = NOT ESTABLISHED

The information provided in this Material Safety data sheet has been obtained from sources believed to be reliable. Harcros Chemicals Inc provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc knows of no medical condition, other than those noted on this material safety data sheet, which are generally recognized as being aggravated by exposure to this product.

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0308-226

INVOICE DATE:  
March 27, 2008

PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	CREDIT	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		4/26/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
-2.00	TOTEDEP-\$1000.	Empty Totes Returned Deposit  Signed copy of Delivery Ticket: 175725  <b>POSTED</b> 4/10/08	1,000.00	-2,000.00

Check No:

Subtotal	-2,000.00
Sales Tax	-165.00
Freight	
Total Invoice Amount	-2,165.00
Payment Received	
<b>TOTAL</b>	<b>-2,165.00</b>

EPAHO055002939



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:  
175725

Sales Order Date:  
Mar 25, 2008

Page:  
1

## Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

## Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	CREDIT	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
-2.00	TOTEDEP-\$1000.	Empty Totes Returned Deposit		
		<i>S. Broer</i>		

EPAHO055002940

**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



Sales Order Number:  
175725

**Sales Order Date:**  
Mar 25, 2008

Page:  
1

CES  
4904 Griggs Rd  
Houston, TX 77021

CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	CREDIT	Janelle M. Aston
<b>Resale Certicate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
-2.00	TOTEDEP-\$1000.	Empty Totes Returned Deposit		

EPAHO055002941


Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0408-099

INVOICE DATE:

April 10, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

APR 12 2008

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374667		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			5/10/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm C 1 x 275 Gallon Tote	2.95	811.25
1.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	1,000.00
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 1 x 275 Gallon Tote	1.90	522.50
1.00	TOTEDEP-\$1000.	Tote Deposit	1,000.00	1,000.00
-4.00	TOTEDEP-\$1000.	Returned Tote Deposits	1,000.00	-4,000.00
		Signed copy of Delivery Ticket: 175882		

POSTED  
4/14/08

Subtotal -666.25

Sales Tax -54.97

Freight

Total Invoice Amount -721.22

Payment Received

**TOTAL -721.22**

Check No:

EPAHO055002942

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175882

Sales Order Date:  
Apr 9, 2008

Page:  
1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
275.00	CAU/LIQ-TOTE	Caustic Soda Liquid 50% Diaphragm Corrosive UN 1824 3828 lb 1 x 275 Gallon tote		
1.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
275.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Corrosive UN 1791 1 x 275 Gallon Tote		
1.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-4.00	TOTEDEP-\$1000.	Returned Tote Deposit		
				

EPAHO055002943

Alpha Marine Solutions			5/5/2008			
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
3/24/2008	Bill	0308-144	2,213.71	2,213.71		2,213.71
3/25/2008	Bill	0308-136	3,412.91	3,412.91		3,412.91
3/25/2008	Bill	0308-151	2,213.71	2,213.71		2,213.71
3/25/2008	Bill	0308-166	3,296.21	3,296.21		3,296.21
3/26/2008	Bill	0308-116	462.01	462.01		462.01
3/25/2008	Credit	0308-153	-1,082.50	-1,082.50		-1,082.50
				Check Amount		10,516.05

CES Environmental S CES

10,516.05

560532 (1/08)

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



SIB

INVOICE NUMBER:  
 0308-136

INVOICE DATE:  
 March 18, 2008

PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

MAR 24 2008

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374472	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		4/17/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
2.00	PD10P-FPS-PAA	ARO 1" Poly Diaphragm Pump with Santipreme Packing	925.00	1,850.00
2.00	66605J-3EB	ARO 1/2 Diaphragm Pump with Santifpreme Packing	478.00	956.00
4.00	93465	ARO Diaphragm, Santipreme	26.45	105.80
4.00	96267-A	ARO Diaphragm, Santipreme 2 - For Delivery Today 2 - For Delivery 03-19-08	15.50	62.00
4.00	94329-A	ARO Diaphragm, Santipreme	44.75	179.00

Subtotal Continued  
 Sales Tax Continued

Freight  
 Total Invoice Amount Continued  
 Payment Received

Check No:

**TOTAL** Continued

EPAHO055002945



**0308-136**

March 18, 2008

2

**SHIP TO:**  
CES  
4904 Griggs Rd  
Houston, TX 77021

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
		Signed copy of Delivery Ticket: 175668		

Subtotal	3,152.80
Sales Tax	240.11
Freight	
Total Invoice Amount	3,152.80
Payment Received	
<b>TOTAL</b>	<del>3,152.80</del> 3412.91

EPAHQ055002946

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175668

Sales Order Date:  
Mar 18, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374472	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
2.00	PD10P-FPS-PAA	ARO 1" Poly Diaphragm Pump with Santipreme Packing		
2.00	66605J-3EB	ARO 1/2 Diaphragm Pump with Santifpreme Packing		
4.00	93465	ARO Diaphragm, Santipreme		
<del>4.00</del>	96267-A	ARO Diaphragm, Santipreme		
2		2 - For Delivery Today		
		2 - For Delivery 03-19-08		
4.00	94329-A	ARO Diaphragm, Santipreme		

*page 1 mk*

EPAHO055002947



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175668

Sales Order Date:  
Mar 18, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374472	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>2.00</del>	<del>PD10P-FPS-PAA</del>	<del>ARO 1" Poly Diaphragm Pump with Santipreme Packing</del>		
<del>2.00</del>	<del>66605J-3EB</del>	<del>ARO 1/2 Diaphragm Pump with Santipreme Packing</del>		
<del>4.00</del>	<del>93465</del>	<del>ARO Diaphragm, Santipreme</del>		
<del>4.00</del>	<del>96267-A</del>	<del>ARO Diaphragm, Santipreme</del>		
2		2 - For Delivery Today		
		2 - For Delivery 03-19-08		
<del>4.00</del>	<del>94329-A</del>	<del>ARO Diaphragm, Santipreme</del>		

Order Complete

EPAHO055002948

# Order Request Form

**P.O. Number:**

374472

Date: \_\_\_\_\_

3/18/08

**Vendor:**

Alpha Marine

**Contact:**

**Phone:**

Item #

### Description

**Quantity**

**Cost \$**

SIB  
TANK  
PUMPS

3500

Submitted By:

**Approved By:**

## Office Use Only

**Internal Expense:**

**Job Expense:**

CS

FS

 $\equiv$ Trans

SGA

**MRI**

DRM

DSP

## What Job?

☐ Give Vendor Resale Certificate

☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533

## Sales Order

Sales Order Number:  
175668

Sales Order Date:  
Mar 18, 2008

Voice: 281-457-3533  
Fax: 281-452-2320

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374472	Janelle M. Aston
Customer Contact	Shipping Method	Payment Terms
Juanita	Alpha Truck	Net 30 Days

Quantity	Item	Description	Unit Price	Extension
2.00	PD10P-FPS-PAA	ARO 1" Poly Diaphragm Pump with Santipreme Packing	925.00	1,850.00
2.00	66605J-3EB	ARO 1/2 Diaphragm Pump with Santifpreme Packing	478.00	956.00
4.00	93465	ARO Diaphragm, Santipreme	26.45	105.80
4.00	96267-A	ARO Diaphragm, Santipreme 2 - For Delivery Today 2 - For Delivery 03-19-08	15.50	62.00
4.00	94329-A	ARO Diaphragm, Santipreme	44.75	179.00

Subtotal 3,152.80

Sales Tax

Freight 0.00

**TOTAL ORDER AMOUNT 3,152.80**

EPAHO055002950



Sales Order Date:

Mar 18, 2008

Page:

1

## Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

## Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374472	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>2.00</del>	<del>PD10P-FPS-PAA</del>	<del>ARO 1" Poly Diaphragm Pump with Santipreme Packing</del>		
<del>2.00</del>	<del>66605J-3EB</del>	<del>ARO 1/2 Diaphragm Pump with Santipreme Packing</del>		
<del>4.00</del>	<del>93465</del>	<del>ARO Diaphragm, Santipreme</del>		
<del>4.00</del>	<del>96267-A</del>	<del>ARO Diaphragm, Santipreme</del>		
<del>2</del>		<del>2 - For Delivery Today</del>		
		<del>2 - For Delivery 03-19-08</del>		
<del>4.00</del>	<del>94329-A</del>	<del>ARO Diaphragm, Santipreme</del>		
Order Complete				

EPAHO055002951

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0308-144

INVOICE DATE:

March 18, 2008

PAGE:

1


**SOLD TO:**

CES  
 4904 Griggs Rd  
 Houston, TX 77021

**SHIP TO:**

CES  
 4904 Griggs Rd  
 Houston, TX 77021

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374463		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			4/17/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Tote	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-1.00	TOTEDEP-\$1000.	Returned Tote Deposit	1,000.00	-1,000.00
Signed copy of Delivery Ticket: 175659				
				

Check No:

Subtotal	2,045.00
Sales Tax	168.72
Freight	
Total Invoice Amount	2,045.00
Payment Received	
<b>TOTAL</b>	<del>2,045.00</del> 2213.72

EPAHO055002952

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175659

Sales Order Date:  
Mar 18, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374463	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Tote		
SB (2) (-1)	12.00	TOTEDEP-\$1000.Returnable Tote Deposit		
	-2.00	TOTEDEP-\$1000.Returned Tote Deposit		
<div>2-Tote Dep. -1 Tote Returned</div> <div>ONLY Return (1) Tote</div>				

EPAHO055002953

# Order Request Form

P.O. Number: 374463

Date: 3-18-08

Vendor: ALPHA MARINE SOLUTION

Contact: [Signature]

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>SODIUM HYPOCHLORITE</u>	<u>2 TOTES.</u>	<u>1045.00</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Loren Thomas

Approved By: Loren Thomas

618-DSP

## Office Use Only

Internal Expense:

Chassis

\_\_\_\_\_ CS

\_\_\_\_\_ FS

\_\_\_\_\_ Trans

\_\_\_\_\_ SGA

\_\_\_\_\_ MRI

\_\_\_\_\_ DRM

\_\_\_\_\_ DSP

Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175659

Sales Order Date:  
Mar 18, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:


CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374463	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Tote		
18.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-2.00	TOTEDEP-\$1000.	Returned Tote Deposit		

EPAHO055002955





# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

175659

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 3/18/2008	PURCHASE ORDER NUMBER: 374463	SHIPPER NO. 175659
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	X	275 GALLON TOTES		55	4580
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		TOTAL			4580

REMIT COD TO:			COD AMOUNT:	COD FEE:
ADDRESS:				FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:** Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ \_\_\_\_\_ PER \_\_\_\_\_

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?  
YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER

CARRIER

ALPHA MARINE SOLUTIONS

ALPHA MARINE SOLUTIONS

AUTHORIZED SIGNATURE

AUTHORIZED SIGNATURE

DATE

3/18/2008

EPAHO055002956

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%  
**CAS#:** Mixture.  
**RTECS:** Not applicable.  
**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;  
**Water Chemical Name:** Not applicable  
**Chemical Formula:** Not applicable

CHEMTREC  
(24HR Emergency Telephone: 1-800-424-9300)  
For non-emergency assistance call: 281-457-3533

**Contact Information:**  
Alpha Marine Solutions  
15914 Ave C  
Channelview, TX 77530  
Sales 281-457-3533  
Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

#### Toxicological Data on Ingredients:

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].  
Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

#### Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion. Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002957

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). (Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0308-151

INVOICE DATE:

March 19, 2008

PAGE:

1

## SOLD TO:

CES  
4904 Griggs Rd  
Houston, TX 77021

## SHIP TO:

CES  
4904 Griggs Rd  
Houston, TX 77021

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374486	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		4/18/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5 % 2 x 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-1.00	TOTEDEP-\$1000.	Returned	1,000.00	-1,000.00
Signed copy of Delivery Ticket: 175676				
<b>POSTED</b>				

Subtotal 2,045.00

Sales Tax 168.71

Freight

Total Invoice Amount 2,213.71

Check No:

Payment Received

**TOTAL 2,213.71**

EPAHO055002962

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0308-151

INVOICE DATE:

March 19, 2008

PAGE:

1

**SOLD TO:**

CES

4904 Griggs Rd

Houston, TX 77021

**SHIP TO:**

CES

4904 Griggs Rd

Houston, TX 77021

MAR 24 2008

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374486		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			4/18/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-1.00	TOTEDEP-\$1000.	Returned	1,000.00	-1,000.00
		Signed copy of Delivery Ticket: 175676		

Subtotal 2,045.00

Sales Tax

Freight

Total Invoice Amount 2,045.00

Payment Received

**TOTAL 2,045.00**

Check No:

EPAHO055002963



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175676

Sales Order Date:  
Mar 19, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Totes		
<del>13.00</del> 84	TOTEDEP-\$1000.	Returnable Tote Deposit - Return Empty Tote.		
		2 - Dep for Above. S. Brown		

EPAHO055002964

# Order Request Form

P.O. Number: 374486

Date: 3-19-08

Vendor: ALPHA MARINE SOLUTION

Contact: [Signature]

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>SODIUM HYPOCHLORITE</u>	<u>20TES</u>	<u>1045<sup>00</sup></u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Loren Thomas

Approved By: Loren Thoma

540-JOB mat FS

Office Use Only

HYDROCHEM JOB

Internal Expense:

Classes

\_\_\_\_\_ CS

\_\_\_\_\_ FS

\_\_\_\_\_ Trans

\_\_\_\_\_ SGA

\_\_\_\_\_ MRI

\_\_\_\_\_ DRM

\_\_\_\_\_ DSP


Job Expense:

What Job? ADDING 100 GAL PER LOAD

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0308-116

INVOICE DATE:

March 14, 2008

PAGE:


1

SOLD TO:

CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:

CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374442		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			4/13/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
2.00	96164-A	ARO Diaphragm Backup-SP	35.05	70.10
2.00	96165-T	ARO 1 1/2 Teflon Diaphragm	178.35	356.70
		Signed copy of Delivery Ticket: 175627		
		3/26/08		

Check No:

Subtotal	426.80
Sales Tax	
Freight	
Total Invoice Amount	426.80
Payment Received	35.21
<b>TOTAL</b>	<del>426.80</del> 462.01

EPAHO055002966

**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



Sales Order Number: 175627

Sales Order Date:  
Mar 13, 2008

Page: 1

CES  
4904 Griggs Rd  
Houston, TX 77021

CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	374442	Janelle M. Aston
<b>Resale Certicate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certifcate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
2.00	96164-A	ARO Diaphragm Backup-SP		
2.00	96165-T	ARO 1 1/2 Teflon Diaphragm		

7/14

EPAHQ055002967

# Order Request Form

P.O. Number: 374442

Date: 03-13-08

Vendor: Alpha Marine

Contact: Tina

Phone: 281-457-3533

Item #	Description	Quantity	Cost \$
96164-A	(SP) Diaphragms	2	35.80 71.60
96165-T	(T) Diaphragms	2	128.35
			356.70
	Pump 368		
	Field service		428.30

Submitted By: Chige

Approved By: - mth Affen

## Office Use Only

Internal Expense:

Job Expense:

☒ CS  
☒ FS  
☐ Trans  
☐ SGA  
☐ MRI

What Job?

Internal

☐ Give Vendor Re-Sale Certificate

Mar. 24 2008 01:18PM P3



4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	374442	Janelle M. Aston
<b>Resale Certificate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
2.00	96164-A	ARO Diaphragm Backup-SP		
2.00	96165-T	ARO 1 1/2 Teflon Diaphragm		



EPAHQ055002969

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0308-166

INVOICE DATE:

March 20, 2008

PAGE:

1

## SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

## SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374487		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			4/19/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit  Signed copy of Delivery Ticket: 175678	1,000.00	2,000.00

Subtotal 3,045.00

Sales Tax 251.21

Freight

Total Invoice Amount 3,296.21

Check No.

Payment Received

**TOTAL 3,296.21**

EPAHO055002970

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0308-166

INVOICE DATE:

March 20, 2008

PAGE:

1

**SOLD TO:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**SHIP TO:**

CES  
4904 Griggs Rd  
Houston, TX 77021

MAR 24 2008

CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		374487	Net 30 Days	
SALES REP ID		SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON		Alpha Truck		4/19/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit  Signed copy of Delivery Ticket: 175678	1,000.00	2,000.00

Check No:

Subtotal	3,045.00
Sales Tax	
Freight	
Total Invoice Amount	3,045.00
Payment Received	
<b>TOTAL</b>	<b>3,045.00</b>

EPAHO055002971



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:  
175678

Sales Order Date:  
Mar 19, 2008

Page:  
1

## Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

## Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374487	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
A handwritten signature in black ink, appearing to read 'SB', is located in the center of the table.				

EPAHO055002972

# Order Request Form

P.O. Number: 374487

Date: 3-20-08

Vendor: ALPHA MARINE SOLUTION.

**Contact:****Phone:**[illegible]Submitted By: Loren Thomas

Approved By:

540 job mat.  
45

**Office Use Only**

**Internal Expense:**

Chase

CS

FS

Trans

SGA

MRI

DRM

125

**Job Expense:**

## What Job?

HYDRO CHEM

Adding 100 GAL Per Load

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:  
175678

Sales Order Date:  
Mar 19, 2008

Page:  
1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374487	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		

EPAHO055002974



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

STRAIGHT  
BILL OF LADING

175678

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 3/20/2008	PURCHASE ORDER NUMBER: 374487	SHIPPER NO. 175678
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HTM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	X	275 GALLON TOTES		55	4580
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2					4580
TOTAL					

REMIT COD TO:

ADDRESS:

CITY:

STATE:

ZIP:

AMOUNT:

COD FEE:

FREIGHT CHARGES:

PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

NOTICE:

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ \_\_\_\_\_ PER \_\_\_\_\_

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER

CARRIER

ALPHA MARINE SOLUTIONS

ALPHA MARINE SOLUTIONS

AUTHORIZED SIGNATURE

AUTHORIZED SIGNATURE

DATE

3/20/2008

EPAHO055002975

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

#### Contact Information:

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

#### Toxicological Data on Ingredients:

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

#### Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). (Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.



## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

#### National Fire Protection Association (U.S.A.):

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0308-153

INVOICE DATE:

March 19, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

CREDIT

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES		Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		4/18/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
-1.00	TOTEDEP-\$1000.	Returned-- Tote Deposit	1,000.00	-1,000.00
		Signed copy of Delivery Ticket: 175671		

POSTED

Subtotal -1,000.00

Sales Tax -82.50

Freight

Total Invoice Amount -1,082.50

Payment Received

TOTAL -1,082.50

Check No.

EPAHO055002981

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0308-153

INVOICE DATE:

March 19, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

MAR 24 2008

CREDIT

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES				Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			4/18/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
-1.00	TOTEDEP-\$1000.	Returned-- Tote Deposit	1,000.00	-1,000.00
		Signed copy of Delivery Ticket: 175671		

Check No:

Subtotal	-1,000.00
Sales Tax	
Freight	
Total Invoice Amount	-1,000.00
Payment Received	
<b>TOTAL</b>	<b>-1,000.00</b>

EPAHO055002982

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175671


Sales Order Date:  
Mar 18, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
-1.00	TOTEDEP-\$1000.	Returned-- Tote Deposit		
				

EPAHO055002983

FROM : QUALITY IS EVERYTHING

PHONE NO. : 281 452 2320

Apr. 16 2008 02:08PM P1

ATTN: ALISHA

Customer Name: CES

Customer ID: CES

Receipt Number:

CC-6554 041608

Date:

4/16/08

Reference:

CC-6554 041608

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0208-086				2,045.00
0208-219				2,339.50
0308-024				3,296.22

Payment Method: VISA

XXXXXXXXXXXX6554

05/10

078794

Subtotal:

7,680.72

Sales Tax:

0.00

7,680.72

Receipt Number:

CC-6554 041608

Date:

4/16/08

Reference:

CC-6554 041608

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0208-086				2,045.00
0208-219				2,339.50
0308-024				3,296.22

Payment Method: VISA

XXXXXXXXXXXX6554

05/10

078794

Subtotal:

7,680.72

Sales Tax:


0.00

7,680.72

Thankyou - Alpha Marine

EPAHO055002984

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0208-086

INVOICE DATE:


February 11, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374216		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			3/12/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Signed copy of Delivery Ticket: 175309 Sodium Hypochlorite 12.5% 2 X 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-1.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	-1,000.00

POSTED

PAID  
CK. NO. c/c  
DATE 4-16-08

Check No:

Subtotal	2,045.00
Sales Tax	
Freight	
Total Invoice Amount	2,045.00
Payment Received	
<b>TOTAL</b>	<b>2,045.00</b>

EPAHO055002985

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175309

Sales Order Date:  
Feb 11, 2008

Page:  
1


### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374216	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
<del>1.00</del> 1	TOTEDEP-\$1000.	Returnable Tote Deposit		
				

EPAHO055002986



RETURN

**ORIGINAL NON-NEGOTIABLE**

**CARRIER:**

PCS	HZ	DESCRIPTION	NMFC	CLASS	WEIGHT
21	X	EMPTY TOTES		55	800
		LAST CONTAINED " SODIUM HYPOCHLORITE"			
		8 CORROSIVE UN1791 PG III			
21		TOTAL			800
REMIT COD TO:			COD AMOUNT:		COD FEE:
ADDRESS:					FREIGHT CHARGES:
CITY:	STATE:	ZIP:			PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK ACCEPTABLE FOR COD?	YES	NO
--	-----	----

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability.

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED.

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(H-108 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination, it is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit

income, interest, attorney fees, or any special, incidental or consequential damages

EPAHQ055002987



## Order Request Form

P.O. Number: 374216

Date: 2-11-08

Vendor: Alpha Marine Solution

Contact: \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Lora Thoma

Approved By: Janita

618-  
17SP

### Office Use Only

**Internal Expense:**

Classes

CS

FS

Trans

SGA

MRI

\_\_\_\_\_

**Job Expense:**

## What Job?

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

STRAIGHT  
BILL OF LADING

RETURN

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE <u>2-11-08</u>	PURCHASE ORDER NUMBER:	SHIPPER NO.	RETURN
CONSIGNEE (TO)		CES ENVIROMENTAL		SHIPPER (FROM)	
STREET		4904 GRIGGS		15914 AVE C	
CITY, STATE, ZIP		HOUSTON, TX		CHANNELVIEW, TX 77530	
PHONE NO.		ROUTE		VEHICLE NO.	
PCS	HZ	DESCRIPTION	NMFC	CLASS	WEIGHT
1	X	EMPTY TOTES		55	800
		LAST CONTAINED " SODIUM HYPOCHLORTE "			
		8 CORROSIVE UN1791 PG III			
2		TOTAL			800
REMIT COD TO:			COD		COD FEE:
ADDRESS:			AMOUNT:		FREIGHT CHARGES:
CITY: STATE: ZIP:					PREPAID

In case of Chemcial Emergency Call 281 457-3533 (24 Hour)

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$ \_\_\_\_\_ PER \_\_\_\_\_

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?  
YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide (HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout the contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit, income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER	NUMBER OF PIECES RECEIVED		
ALPHA MARINE SOLUTIONS	CARRIER	ALPHA MARINE SOLUTIONS	
AUTHORIZED SIGNATURE	AUTHORIZED SIGNATURE	DATE	2/8/2008

EPAHO055002989

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175309

Sales Order Date:  
Feb 11, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021


Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374216	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum		
		Deposit Waived Corrosive UN 1791		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
<del>2.00</del> -1	TOTEDEP-\$1000.	Returnable Tote Deposit		
	tote			

EPAHO055002990

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0208-219

INVOICE DATE:


February 22, 2008

PAGE:

1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374310	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		3/23/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
825.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 3 x 275 Gallon Totes	1.90	1,567.50
3.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	3,000.00
-2.00	TOTEDEP-\$1000.	Return for credit	1,000.00	-2,000.00
-120.00		Gallons Sodium Hypochlorite 12.5% Credit ----	1.90	-228.00

**POSTED**

Check No:

Subtotal	2,339.50
Sales Tax	
Freight	
Total Invoice Amount	2,339.50
Payment Received	
<b>TOTAL</b>	<b>2,339.50</b>

EPAHO055002991

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175443


Sales Order Date:  
Feb 22, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374310	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
825.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 3 x 275 Gallon Totes		
3.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-2.00	TOTEDEP-\$1000.	Return for credit		
				

EPAHO055002992

# Order Request Form

P.O. Number: 374310

Date: 2-22-08

Vendor: Alpha Marine Solutions

**Contact:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Lara Thomas

618-  
DSP

Approved By: Slanta

### Office Use Only

**Internal Expense:**

Class

CS

FS

Trans

SGA

MRI

DRM

DE

**Job Expense:**

## What Job?

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175443

Sales Order Date:  
Feb 22, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374310	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
825.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 3 x 275 Gallon Totes		
3.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-2.00	TOTEDEP-\$1000.	Return for credit		
<i>To Be Credited for 120 Gallons.</i>				

EPAHO055002994



175443

**PHONE: 281 457-3533    FAX 281-452-2320**

**ORIGINAL NON-NEGOTIABLE**

**CARRIER:**

\_\_\_\_\_



# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055002996

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14: TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.


## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0308-024

INVOICE DATE:


March 4, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374373		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			4/3/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Tote	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit  Signed copy of Delivery Ticket: 175540	1,000.00	2,000.00
<div>POSTED 3/12/08</div>				

Check No:

Subtotal 3,045.00  
Sales Tax  
Freight  
Total Invoice Amount 3,045.00  
Payment Received

**TOTAL 3,045.00**

25122

3291.22

EPAHO055003001

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175540

Sales Order Date:  
Mar 4, 2008

Page:  
1


### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374373	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 300 Gallon Tote 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
				

EPAHO055003002

# Order Request Form

P.O. Number: 374373

Date: 3-3-08

Vendor: Alpha Marine Solution

Contact: [Signature]

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>Sodium Hypochlorite</u>	<u>2 TOTES</u>	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Lora Thoma

Approved By: Janita

618  
D&P  
tax

## Office Use Only

Internal Expense:

Class

- \_\_\_\_\_ CS
- \_\_\_\_\_ FS
- \_\_\_\_\_ Trans
- \_\_\_\_\_ SGA
- \_\_\_\_\_ MRI
- \_\_\_\_\_ DRM
- \_\_\_\_\_ DSP

Job Expense:

What Job? \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate
- ☐ Vendor to Charge Sales Tax



## Alpha Marine Solutions


3/29/2008

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
2/13/2008	Bill	0108-247	2,231.00	2,231.00		2,231.00
2/14/2008	Bill	0208-069	1,045.00	1,045.00		1,045.00
2/14/2008	Bill	0208-087	487.20	487.20		487.20
2/28/2008	Bill	0208-216	399.01	399.01		399.01
2/21/2008	Credit	0208-126	-450.00	-450.00		-450.00
3/18/2008	Credit	0208-242	-450.00	-450.00		-450.00
				Check Amount		3,262.21

CES Environmental S CES

3,262.21

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320




INVOICE NUMBER:  
 0108-247  
 INVOICE DATE:  
 January 29, 2008

PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

LOST

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374148	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		2/28/08


QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	-2,000.00
2,500.00	LIME	Lime; 50lb Bags 1 Pallet 50 Bags -50 lb Each.	0.20	500.00
2,450.00	TRUSOF-50LB	True Soft Pellets - 50 lb Bags 1 Pallet / 49 Bags -50LB Each.	0.28	686.00
		Signed copy of Delivery Ticket: 374148		

Check No:

Subtotal Continued  
 Sales Tax Continued  
 Freight  
 Total Invoice Amount Continued  
 Payment Received

**TOTAL** Continued

EPAHO055003005



**0108-247**

January 29, 2008

2

EPAHQ055003006

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17495

Sales Order Date:  
Jan 29, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374148	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
2,500.00	LIME	Lime; 50lb Bags 1 Pallet 50 Bags -50 lb Each.		
2,450.00	TRUSOF-50LB	True Soft Pellets - 50 lb Bags 1 Pallet / 49 Bags -50LB Each.		

EPAHO055003007

# Order Request Form

P.O. Number: 374148

Date: 1-29-08

Vendor: Alpha Marine Solutions

**Contact:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Loren Thomas

Approved By: J. L. L. L.

618-  
DSF

## Office Use Only

**Internal Expense:**

Chase

CS

FS

Trans

SGA

MRI

**Job Expense:**

What Job? for scribbles

☐ Give Vendor Re-Sale Certificate

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17495

Sales Order Date:  
Jan 29, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374148	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
2,500.00	LIME	Lime; 50lb Bags 1 Pallet 50 Bags -50 lb Each.		
2,450.00	TRUSOF-50LB	True Soft Pellets - 50 lb Bags 1 Pallet / 49 Bags -50LB Each.		

6/8

EPAHO055003009

aMs

## Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

17495

PHONE: 281 457-3533 FAX 281-452-2320

ORIGINAL NON-NEGOTIABLE

## CARRIER:

<b>ALPHA MARINE</b>		DATE 1/29/2008	PURCHASE ORDER NUMBER: 374148	SHIPPER NO. 17495
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	X	275 GALLON TOTES		55	4582
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
1		PALLET - 50 BAGS		55	2500
		CALCIUM HYDROXIDE "HYDRATED LIME"			
		DOT: NOT REGULATED			
1		PALLET 49 BAGS		55	2450
		SODIUM CHLORIDE "TRUSOFT PELLETS"			
		DOT: NOT REGULATED			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		<b>TOTAL</b>			<b>9532</b>

REMIT COD TO:	COD AMOUNT:	COD FEE:
ADDRESS:		FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

## In case of Chemical Emergency Call 281 457-3533 (24 Hour)

## NOTICE:

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

FREIGHT PREPAID UNLESS MARKED COLLECT

## IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	NUMBER OF PIECES RECEIVED	
AUTHORIZED SIGNATURE	CARRIER ALPHA MARINE SOLUTIONS	
	AUTHORIZED SIGNATURE	DATE 1/29/2008

EPAHO055003010

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%  
**CAS#:** Mixture.  
**RTECS:** Not applicable.  
**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;  
**Water Chemical Name:** Not applicable  
**Chemical Formula:** Not applicable

CHEMTREC  
(24HR Emergency Telephone: 1-800-424-9300)  
For non-emergency assistance call: 281-457-3533

**Contact Information:**  
Alpha Marine Solutions  
15914 Ave C  
Channelview, TX 77530  
Sales 281-457-3533  
Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

#### Toxicological Data on Ingredients:

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].  
Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

#### Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055003011



attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro cmpd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:**

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	0
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET

Salt, Sodium Chloride, Tru-Flo, Tru-Soft, Com-Pac, Aqua Salt

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### Product

Salt, sodium chloride, Tru-Flo, Tru-Soft, Com-Pac  
Aqua Salt

#### CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)  
For non-emergency assistance call: 713-877-2600

#### Contact Information:

Alpha Marine Solutions  
15914 Ave C  
Channelview, TX 77530  
Sales 281-457-3533  
Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

Hazardous Components (Specify Identity; Common Name(s) OSHA PEL ACGIH TLV OTHER LIMITS RECOMMENDED % (Optional)

Sodium Chloride (NaCl) is not considered a hazardous chemical as USC interprets the OSHA Hazard Communication Standard 29 CFR 1910.1200.

The information on this form has been prepared with reasonable care. USC extends no warranties, makes no representations and assumes no

### SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

<b>Boiling Point :</b>	1413 °C	<b>Specific Gravity (H<sub>2</sub>O = 1) :</b>	2.165
<b>Vapor Pressure (mm Hg.) :</b>	1 MM @ 855°	<b>Melting Point :</b>	800°C
<b>Vapor Density (AIR = 1) :</b>	N/A	<b>Evaporation Rate (Butyl Acetate = 1) :</b>	N/A
<b>Solubility in Water :</b>	Appreciable (26.43% by weight at 20 Deg Celsius)		
<b>Appearance and Odor :</b>	Bluish White, Crystalline, Odorless Solid		

### SECTION IV - FIRE AND EXPLOSION HAZARD DATA

<b>Flash Point (Method Used) :</b>	N/A	
<b>Flammable Limits :</b>	LEL : N/A	UEL : N/A
<b>Extinguishing Media :</b>	Material is non-flammable. Use Media appropriate for surrounding materials.	
<b>Special Fire Fighting Procedures :</b>	None None	

EPAHO055003016

## SECTION V - REACTIVITY DATA

<b>Stability :</b>	Stable	<b>Conditions to Avoid :</b>	None
<b>Incompatibility (Materials to Avoid):</b>		Bromine Trifluoride, Lithium	
<b>Hazardous Decomposition or Byproducts :</b>	When heated to decomposition (above 1413 degree celsius) may emit toxic fumes of Na2O and Cl2.		
<b>Hazardous Polymerization :</b>	May Not Occur	<b>Conditions to Avoid :</b>	None

## SECTION VI - HEALTH HAZARD DATA

<b>Route(s) of Entry :</b>			
<b>Eye ? Yes</b>	<b>Inhalation ? Yes</b>	<b>Skin ? Yes</b>	<b>Ingestion ? Yes</b>
<b>Health Hazards (Acute and Chronic) :</b>			
<b>Carcinogenicity ? No</b>	<b>NTP ? No</b>	<b>IARC Monographs ? No</b>	<b>OSHA Regulated ? No</b>
<b>Signs and Symptoms of Exposure :</b>		Listed Above	
<b>Medical Conditions Generally Aggravated by Exposure :</b>		No Information	
<b>Emergency and First Aid Procedures :</b>	Ingestion : Drink large amounts of water; Inhalation : Remove to fresh air; Skin Contact: Wash with soap and water; Eye Contact: Flush with water for 15 minutes. Get Medical Attention.		

## SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

<b>Steps to be Taken in Case Material is Released or Spilled :</b>	No Special requirements - Check your state for reportable quantity requirements.		
<b>Waste Disposal Method :</b>	Dispose of in accordance to local state and federal regulations.		
<b>Precautions to be taken in Handling and Storing :</b>	Transport in dry equipment. Store in dry location.		
<b>Other Procedures :</b>	None.		

## SECTION VIII - CONTROL MEASURES

<b>Respiratory Protection (Specify Type) :</b>	None Required - Nuisance dust mask for personal comfort.		
<b>Ventilation :</b>	Local Exhaust	<b>Special :</b>	None
<b>Mechanical :</b>	Satisfactory	<b>Other :</b>	None
<b>Protective Gloves :</b>	Work Gloves	<b>Eye Protection :</b>	Goggles
<b>Other Protective Clothing or Equipment :</b>		None required	
<b>Work / Hygienic Practices :</b>			

# MATERIAL SAFETY DATA SHEET

## OSHA HAZARD COMMUNICATION

<b>PRODUCT IDENTIFICATION</b>	<b>CHEMICAL ABSTRACT</b>	<b>DATE REVISED</b>
<b>Calcium Hydroxide "Hydrated Lime"</b>	<b>CAS 1305-62-0</b>	<b>01/01/2007</b> Previous Versions Obsolete

**Product Line: MicroCal – HF, HFT20, HM, HS; PetroCal – HF, HM, HS; Standard Hydrated Lime; Commercial Hydrated Lime; Liquid Calcium Hydroxide (LCH); MP Liquid Calcium Hydroxide (MPLCH); VitaCal – H, LCH; Architectural Lime Putty**

### Section I

SUPPLIER: HARCROS CHEMICALS, INC. 5200 Speaker Road Kansas City, KS 66106-1095 913-321-3131  MSDS No. 115575	Transportation Emergency Phone Number: 1-800-424-9300	<b>HMIS RATING</b>  <b>Health - 2</b> <b>Flammability - 0</b> <b>Physical Hazards - 0</b> <b>Protective Equip - E</b>
	Current Date: 08-JAN-02	

### Section II – Hazardous Ingredients / Identity Information

Specific Chemical Identity; Common Names	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
Calcium Hydroxide; Slaked Lime; Hydrated Lime	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>		
Crystalline Silica (Quartz)	0.1 mg/m <sup>3</sup>	0.05 mg/m <sup>3</sup>	Respirable	Variable <0.10-0.2%

Calcium Hydroxide is not listed on the NTP, IARC, or OSHA lists of carcinogens. Calcium hydroxide produced with quicklime manufactured by coal fired kilns may contain crystalline silica >0.1%. Crystalline silica is listed by IARC and NTP but not by OSHA. In 1997, IARC determined that "crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (Group 1). OSHA requires that products containing >0.1% of a known carcinogen must be labeled. NTP states that "silica, crystalline (respirable)" may reasonably be anticipated to be a carcinogen (1991).

### Section III – Physical / Chemical Characteristics

Boiling Point (Calcium Oxide)	5162 °F	Specific Gravity (H <sub>2</sub> O) = 1)	2.2
Vapor Pressure (mm Hg)	NA	Melting Point – Loses CO <sub>2</sub>	1076 °F
Vapor Density (Air = 1)	NA	Evaporation Rate	NA
Solubility in Water	0.185 % @ 0 °C; 0.077 % @ 100 °C		
Appearance and Color	Odorless; White as a dry powder, wet slurry, or paste		

### Section IV – Fire and Explosion Hazard Data

Flash Point	NA	Flammable Limits – NA
Extinguishing Method	NA	
Special Fire Fighting Procedures	NA	
Unusual Fire and Explosion Hazards	NA	

<u>PRODUCT IDENTIFICATION</u>	<u>CHEMICAL ABSTRACT</u>	<u>DATE REVISED</u>
Calcium Hydroxide "Hydrated Lime"	CAS No. 1305-62-0	1/1 /2007

**Section V – Reactivity Data**

Stability	Stable	Conditions to Avoid – NA
Incompatibility (Materials to Avoid)	Water, Acids, Inter-halogens, Phosphorus (V) Oxide	
Hazardous Decomposition or Byproducts	None	
Hazardous Polymerization	Will Not Occur	Conditions to Avoid – NA

**Section VI – Health Hazard Data**

Route(s) of Entry	Inhalation? YES	Absorption Through Skin? YES	Ingestion (swallowing)? - YES
Health Hazards	Acute	Prolonged contact may irritate or burn skin - especially in the presence of moisture. Inhalation of dust may irritate mucous membranes or respiratory passages. Direct eye contact may cause permanent damage.	
	Chronic	Long term exposure can cause irritation	
<u>Carcinogenicity</u> Calcium Hydroxide Crystalline Silica	<u>NTP?</u> NO YES	<u>IARC Monographs?</u> NO YES	<u>OSHA Regulated?</u> NO YES
Signs and Symptoms of Exposure	Irritation of eyes, respiratory tract, or red "sun burn" like skin.		
Medical Conditions Generally Aggravated by Exposure	Respiratory disease, skin condition.		
Emergency and First Aid Procedures	Provide fresh air. Wash off dust with soap and water. Drink plenty of water if swallowed. Flush eyes with water immediately and contact physician.		

**Section VII – Precautions for Safe Handling**

Steps to Be Taken in Case Material is Released or Spilled	Normal clean-up procedures. Care should be taken to avoid causing dust to become airborne. Vacuum cleaning systems are recommended.
Waste Disposal Method	Dispose of product in accordance with Federal, State and Local regulations. <b>See Section IX Guidance</b>
Precautions to Be Taken in Handling	Store away from water and acids.
Other Precautions	

**Section VIII – Control Measures**

Respiratory Protection - Dust filter masks are recommended for personal comfort and/or protection		
Ventilation	Local Exhaust – To maintain TLV's and PEL's Mechanical – To maintain TLV's and PEL's	Special – None Other – None
Protective Gloves – Cloth/leather gloves when handling dry product –rubber gloves if wet or damp		
Eye Protection – ALWAYS wear shielded glasses and/or fitted goggles around product to reduce eye injury. Wearing of contact lenses may impede first aid.		
Other Protective Clothing – Wear long sleeve shirts and pants to minimize skin contact with product.		
Work / Hygienic Practices – Maintain dust exposure limits below TLV's and PEL's. Whenever necessary wear respiratory protection. Air blowers are effective for dedusting skin and clothing.		




<b>PRODUCT IDENTIFICATION</b>	<b>CHEMICAL ABSTRACT</b>	<b>DATE REVISED</b>
<b>Calcium Hydroxide "Hydrated Lime"</b>	<b>CAS No. 1305-62-0</b>	<b>1/1 /2007</b>

**Section IX – Regulatory Compliance Guidance**

CONEG	Materials used to manufacture bags containing products are CONEG compliant.
CWA	Product contains alkaline material potentially toxic to aquatic life if concentration is elevated for extended periods of time. Minimize contact with storm water runoff.
DOT	Product <u>is not regulated</u> by U.S. Dept of Transportation
EPA	Waste derived from unused products is not subject to RCRA. Waste is acceptable at most landfills as a "special waste" but can often be beneficially reused for other purposes.
SPILL	Whenever possible, contain and sweep up spillage in dry form rather than flushing with water. Fire may occur in containers if damp product is placed in direct contact with combustible materials.
TSCA	Product is listed on Toxic Substance Control Act, Canada DSL and all other International Inventories
Prop65	Subject to California Proposition 65 warning labeling requirements due to presence of trace metals and crystalline silica above instrument detection levels.
NAFTA	Product qualifies under HS Tariff No 2522.20 or 2825.90 as 100% US Origin, Preference Criteria A. Annual certification is provided upon direct request.

The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable. Harcros Chemicals, Inc. provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals, Inc. knows of no medical condition other than those noted on this Material Safety Data Sheet, which are generally recognized as being aggravated by exposure to this product.

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0208-069

INVOICE DATE:

February 8, 2008


PAGE:

1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	Loren	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck	2/8/08	3/9/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite Solutions 12.5% 2 X 275 Gallon Totes	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-2.00	TOTEDEP-\$1000.	Return for Credit	1,000.00	-2,000.00
		Signed copy of Delivery Ticket: 175299		

Check No:

Subtotal	1,045.00
Sales Tax	
Freight	
Total Invoice Amount	1,045.00
Payment Received	
<b>TOTAL</b>	<b>1,045.00</b>

EPAHO055003021

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175299

Sales Order Date:  
Feb 8, 2008

Page:  
1


### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 275 Gallon Tote 2 X 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit  ***** PICKUP EMPTY TOTES *****		
				

EPAHO055003022

aMs

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

STRAIGHT  
BILL OF LADING

RETURN

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 2/8/2008	PURCHASE ORDER NUMBER:	SHIPPER NO.	RETURN
CONSIGNEE (TO)		CES ENVIROMENTAL		SHIPPER (FROM)	
STREET		4904 GRIGGS		15914 AVE C	
CITY, STATE, ZIP		HOUSTON, TX		CHANNELVIEW, TX 77530 PHONE: 281-457-3533	
PHONE NO.		ROUTE		VEHICLE NO.	
PCS	HZ	DESCRIPTION	NMFC	CLASS	WEIGHT
2	X	EMPTY TOTES		55	800
		LAST CONTAINED "SODIUM HYPOCHLORTE"			
		8 CORROSIVE UN1791 PG III			
2		TOTAL			800
REMIT COD TO:			COD		COD FEE:
ADDRESS:			AMOUNT:		FREIGHT CHARGES:
CITY:	STATE:	ZIP:			PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ \_\_\_\_\_ PER \_\_\_\_\_

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 106 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER		NUMBER OF PIECES RECEIVED	
ALPHA MARINE SOLUTIONS		CARRIER ALPHA MARINE SOLUTIONS	
AUTHORIZED SIGNATURE		AUTHORIZED SIGNATURE	
		DATE 2/8/08 2/8/2008	

EPAHO055003023

## Order Request Form

P.O. Number: 519210

Date: 2/0/08

Vendor: Alpha Marine

Contact: Janette

Phone: 281-457 3533

**Item #**

### Description

Quantity

Cost \$

Sodium hypochlorite

Submitted By: Loren Thoma

Approved By: \_\_\_\_\_

DSP

615 ✓

**Office Use Only**

**Internal Expense:**

Chases

**Job Expense:**

## What Job?

CS

FS

Trans

SGA

## MRI

# DRM

DS

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175299

Sales Order Date:  
Feb 8, 2008

Page:

1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374 210	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 275 Gallon Tote 2 X 275 Gallon Totes		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit  ***** PICKUP EMPTY TOTES *****		

EPAHO055003025



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

175299

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 2/8/2008	PURCHASE ORDER NUMBER:	SHIPPER NO.	175299
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS	
STREET	4904 GRIGGS RD		STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530	
PHONE NO. 713-676-1460	ROUTE		PHONE:	281-457-3533	
			VEHICLE NO.		

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
2	X	275 GALLON TOTES		55	4582
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
2		TOTAL			4582

REMIT COD TO:			COD	COD FEE:
ADDRESS:			AMOUNT:	FREIGHT CHARGES:
CITY:	STATE:	ZIP:		PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER  
**ALPHA MARINE SOLUTIONS**

CARRIER ALPHA MARINE SOLUTIONS

AUTHORIZED SIGNATURE

AUTHORIZED SIGNATURE

DATE

2/8/2008

EPAHO055003026

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055003027



attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). (Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material.

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:**

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

STRAIGHT  
BILL OF LADING

RETURN

ORIGINAL NON-NEGOTIABLE

## CARRIER:

<b>ALPHA MARINE</b>	DATE 2/8/2008	PURCHASE ORDER NUMBER:	SHIPPER NO.	RETURN
CONSIGNEE (TO)	CES ENVIROMENTAL	SHIPPER (FROM)	ALPHA MARINE SOLUTIONS	
STREET	4904 GRIGGS	STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON, TX	CITY, STATE, ZIP	CHANNELVIEW, TX 77530	
PHONE NO.	ROUTE	PHONE:	281-457-3533	
		VEHICLE NO.		

PCS	HZ	DESCRIPTION	NMFC	CLASS	WEIGHT
2	X	EMPTY TOTES		55	800
		LAST CONTAINED " SODIUM HYPOCHLORTE"			
		8 CORROSIVE UN1791 PG III			
2		TOTAL			800
REMIT COD TO:			COD	COD FEE:	
ADDRESS:			AMOUNT:	FREIGHT CHARGES:	
CITY: STATE: ZIP:				PREPAID	

## In case of Chemcial Emergency Call 281 457-3533 (24 Hour)

### NOTICE:

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said


property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	NUMBER OF PIECES RECEIVED
AUTHORIZED SIGNATURE	CARRIER ALPHA MARINE SOLUTIONS
	AUTHORIZED SIGNATURE DATE 2/8/2008

EPAHO055003032

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320




INVOICE NUMBER:  
 0208-087  
 INVOICE DATE:  
 February 11, 2008

PAGE:

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

POSTED

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Jorge  
 Houston, TX 77021



1

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374220	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		3/12/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	08-3810-09	WILDEN Diaphragms	49.55	49.55
5.00	08-1010-56W	WILDEN Santiplex Diaphragm	47.90	239.50
8.00	08-1120-56	WILDEN Valve Seat	17.95	143.60
4.00		E-3 Excell Versamatic Valve Seat	8.60	34.40
1.00	95789	ARO Air Valve	20.15	20.15
		Signed copy of Delivery Ticket: 175317		

Check No:

Subtotal 487.20  
 Sales Tax  
 Freight  
 Total Invoice Amount 487.20  
 Payment Received  
**TOTAL 487.20**

EPAHO055003033

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:

175317

Sales Order Date:

Feb 11, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Jorge  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374220	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	08-3810-09	WILDEN Diaphragms		
5.00	08-1010-56W	WILDEN Santiplex Diaphragm		
8.00	08-1120-56	WILDEN Valve Seat		
4.00		E-3 Excell Versamatic Valve Seat		
1.00	95789	ARO Air Valve		

*Jorge*

EPAHO055003034

# Order Request Form

P.O. Number: 374220

Date: 08-11-08

Vendor: Alpha marine

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

Item #	Description	Quantity	Cost \$
<u>95789</u>	<u>Air motor</u>	<u>1</u>	<u>20.15</u>
<u>08-3810-09</u>	<u>Shaft, Pro-tio</u>	<u>1</u>	<u>49.55</u>
<u>08-1120-56</u>	<u>Valve seat</u>	<u>8</u>	<u>17.95</u> 143.60
<u>08-101056</u>	<u>Diaphragm</u>	<u>5</u>	<u>47.90</u> 239
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	<u>Field service</u>	_____	_____
_____	_____	_____	<u>452.80</u>

Submitted By: Jorge

Approved By: \_\_\_\_\_

*[Signature]*

633 -  
28 rep  
FS

+ 26.00 + tax.

## Office Use Only

Internal Expense:

Classes

\_\_\_ CS

\_\_\_ FS

\_\_\_ Trans

\_\_\_ SGA

\_\_\_ MRI

\_\_\_ DRM

\_\_\_ DSP

Job Expense:

What Job? \_\_\_\_\_

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

EPAHO055003035



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175317

Sales Order Date:  
Feb 11, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:


CES  
4904 Griggs Rd  
Jorge  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374220	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	08-3810-09	WILDEN Diaphragms		
5.00	08-1010-56W	WILDEN Santiplex Diaphragm		
8.00	08-1120-56	WILDEN Valve Seat		
4.00		E-3 Excell Versamatic Valve Seat		
1.00	95789	ARO Air Valve		

EPAHO055003036

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:


0208-216

INVOICE DATE:

February 22, 2008

PAGE:

1



**SOLD TO:**  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

**SHIP TO:**  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374305	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		3/23/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
2.00	94330-A	ARO Diaphragm, Santipreme	33.15	66.30
2.00	95930	ARO Teflon Diaphragm	166.40	332.80
		Signed copy of Delivery Ticket: 175438		

178/FS

Check No:

Subtotal	399.10
Sales Tax	
Freight	
Total Invoice Amount	399.10
Payment Received	
<b>TOTAL</b>	<b>399.10</b>

EPAHO055003037

**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



Sales Order Number:  
175438

Sales Order Date:  
Feb 21, 2008

Page:

1

CES  
4904 Griggs Rd  
Houston, TX 77021

CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	374305	Janelle M. Aston
<b>Resale Certificate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
2.00	94330-A	ARO Diaphragm, Santipreme		
2.00		Aro Teflon, #95930		



EPAHQ055003038

# Order Request Form

P.O. Number: 374305

Date: 2/21/08

Vendor: Alpha Marine

Contact: Tina

Phone: 281-457-3533

Item #	Description	Quantity	Cost \$
95930	<del>Diaphragm</del> Diaphragm (T)	2	166.40
94330-A	Diaphragm (SP)	2	33.15
	2" Aro Pump		
	<del>Diaphragm</del>		
	Field Service		
			399.10

Submitted By: Dorje

Approved By: [Signature]

## Office Use Only

Internal Expense:

Classes

- ☒ CS
- ☒ FS
- ☐ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM
- ☐ DSP

Job Expense:

What Job? Expense

- ☐ Give Vendor Re-Sale Certificate
- ☐ Vendor to Charge Sales Tax

**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



Sales Order Number:  
175438

Sales Order Date:  
Feb 21, 2008

Page: 1

**Sold To:**  
CES  
4904 Griggs Rd  
Houston, TX 77021


Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	374305	Janelle M. Aston
<b>Resale Certicate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certifcate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
2.00	94330-A	ARO Diaphragm, Santipreme		
2.00		Aro Teflon, #95930		


EPAHQ055003040

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:  
0208-242

INVOICE DATE:  
February 26, 2008



PAGE:  
1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374325		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			3/27/08


QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40 % 4 X 55 Gallon Drums	2.50	550.00
-1.00	TOTEDEP-\$1000.	Returned Tote Deposit  Signed copy of Delivery Ticket: 175466  ** CORRECTED INVOICE **	1,000.00	-1,000.00
POSTED				

Check No:

Subtotal	-450.00
Sales Tax	
Freight	
Total Invoice Amount	-450.00
Payment Received	
<b>TOTAL</b>	<b>-450.00</b>

EPAHO055003041

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0208-242

INVOICE DATE:


February 26, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374325	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		3/27/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40 % 4 X 55 Gallon Drums	2.50	550.00
1.00	TOTEDEP-\$1000.	Returned Tote Deposit  Signed copy of Delivery Ticket: 175466	1,000.00	1,000.00

*7*  
*This should have been a credit per form 3/18 they w/ld incl.*

**POSTED**  
3/12/08

Check No:

Subtotal	1,550.00
Sales Tax	
Freight	
Total Invoice Amount	1,550.00
Payment Received	
<b>TOTAL</b>	<b>1,550.00</b>

EPAHO055003042

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175466


Sales Order Date:  
Feb 26, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374325	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% 4 X 55 Gallon Drums		
-1.00	TOTEDEP-\$1000.	Returned Tote Deposit		
				

EPAHO055003043



# Order Request Form

P.O. Number: 374325

Date: 2-26-08

Vendor: ALPHA MARINE SOLUTION

Contact: \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Loren Thomas

Approved By: Janita

618  
D.S.P.

## Office Use Only

**Internal Expense:**

Classes

CS

FS

Trans

SGA

MIRI

DRIVE

DR

**Job Expense:**

## What Job?

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
175466

Sales Order Date:  
Feb 26, 2008

Page:  
1


Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374325	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% 4 X 55 Gallon Drums		
-1.00	TOTEDEP-\$1000.	Returned Tote Deposit		

EPAHO055003045



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

175466

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 2/26/2008	PURCHASE ORDER NUMBER: 374325	SHIPPER NO. 175466
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
4	X	55 GALLON DRUMS		55	2400
		FERRIC CHLORIDE SOLUTION 40%			
		CORROSIVE MATERIAL UN2582 PG III			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
4		TOTAL			2400

REMIT COD TO:	COD	COD FEE:
ADDRESS:	AMOUNT:	FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

<b>In case of Chemical Emergency Call 281 457-3533 (24 Hour)</b>		FREIGHT PREPAID UNLESS MARKED COLLECT
<b>NOTICE:</b> Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding: \$ _____ PER _____		IS CUSTOMER'S CHECK ACCEPTABLE FOR COD? YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide (HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit, income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	NUMBER OF PIECES RECEIVED
AUTHORIZED SIGNATURE	CARRIER ALPHA MARINE SOLUTIONS
AUTHORIZED SIGNATURE	DATE 2/26/2008

EPAHO055003046

# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIER: HARCROS CHEMICALS, INC.

5200 Speaker road

Kansas City, KS 66106-1095

SUPPLIERS TELEPHONE NUMBER: 913-321-3131

TRANSPORTATION EMERGENCY TELEPHONE: 1-800-424-9300

MSDS No. 106882

REVISION DATE: 10-01-06

<b>Product Name:</b>	Ferric Chloride
<b>Chemical Family:</b>	Inorganic Salts
<b>Formula:</b>	FeCl <sub>3</sub>
<b>Synonym:</b>	Iron (III) Chloride
<b>Acceptable Product Uses:</b>	Water and wastewater treatment, odor removal, adhesive for dye, textile impression pigment, ink and photoengraving.

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS Number #</u>	<u>Concentration</u>	<u>ACGIH TWA</u>
Ferric Chloride	7705-08-0	28 – 43 %	1 mg/m <sup>3</sup> (as Fe)
Hydrochloric Acid	7647-01-0	<5 %	5 ppm

### 3. HAZARDS IDENTIFICATION

**Emergency Overview:** Eye contact may cause irritation. Harmful if inhaled. Harmful or fatal if swallowed.

**Potential Effects on Health:** Acute and chronic.

**Carcinogenicity:** Does not contain any known carcinogens or potential carcinogens.

### 4. FIRST AID MEASURES

**General:** If you feel unwell, seek medical attention (show the label or this MSDS if possible). Effects of exposure (inhalation, ingestion, or skin contact ) to substance may be delayed. Ensure that medical personnel are

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

aware of the material(s) involved, and take precautions to protect themselves.

**Skin Contact:** Remove all contaminated clothing, jewellery, and shoes. Wash affected area with soap or mild detergent and running water for at least 15 minutes. If irritation is still present, seek medical attention.

**Eye Contact:** Flush immediately with water for at least 15 minutes, occasionally lifting upper and lower lids, until no evidence of chemical remains. Obtain medical attention immediately.

**Inhalation:** Move to fresh air. Give artificial respiration ONLY if breathing has stopped. Do not use mouth-to-mouth method if victim has ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Obtain medical attention immediately.

**Ingestion:** *If conscious*, give two (2) glasses of water. **DO NOT INDUCE VOMITING.** Do not give anything by mouth to an unconscious person. Obtain immediate medical attention.

#### 5. FIRE FIGHTING MEASURES

Flash point	Not applicable. Will not burn
Flammable Limits (Lower)	Not applicable
Flammable Limits (Upper)	Not applicable
Auto Ignition Temperature	Not applicable
Combustion and Thermal Decomposition Products	hydrogen chloride gas, phosgene gas if dried and then heated
Rate of Burning	Does not burn
Explosive Power	Not applicable
Sensitivity to Static Discharge	Not available

**Fire and Explosion Hazards:** During a fire, irritating/toxic hydrogen chloride, and/or phosgene gases may be generated if material is dried and then heated to decomposition.

**Extinguishing Media:** The substance is not combustible. Use extinguishing media appropriate to the surrounding fire.

**NOTE:** Also see "Section 10 – Stability and Reactivity"

#### 6. ACCIDENTAL RELEASE MEASURES

##### Spills, Leaks, or Release:

- **Restrict access** until clean-up operations are complete. Wear appropriate Personal Protective Equipment per Section 8. Ensure trained personnel conduct clean up and wear Personal Protective Equipment per Section 8.
- **Stop leak if possible.** Avoid personal risk.
- **Notify Authorities** if release exceeds reportable quantity per Section 15

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

**Small Spills** – Absorb spill with clay or dry material or neutralize with lime, limestone or soda ash and collect in appropriate container for disposal. Neutralization with soda ash can generate carbon dioxide so additional ventilation may be necessary.

→ **Large Spills** – Prevent entry into sewers and confined areas. Dike, if possible. Keep unnecessary people away, isolate area and deny entry. Pump liquid material into appropriate vessels as possible or absorb spill with clay absorbents or non-reactive dry materials and collect in appropriate container for disposal.

**Neutralize spill residuals** carefully with lime, limestone, or soda ash and collect in suitable container for disposal. Flush area with water. This could generate carbon dioxide so additional ventilation may be necessary. Notify the appropriate environmental authorities.

#### 7. HANDLING AND STORAGE

**Handling:** Handle all chemicals with respect. Review the label, this MSDS and any other applicable information before use. Keep separated from incompatible substances. Use appropriate Personal Protective Equipment per Section 8. Handle only with equipment, materials and supplies specified by their manufacturer as being compatible and appropriate for use with this product.

**Storage Requirements:**

Bulk storage containers and ancillary fill and feed systems should be constructed out of appropriate materials such as polyethylene, polypropylene, rubber-lined steel and FRP designated as appropriate for use with this product. Storage tanks should be vented to scrubber or exterior atmosphere. Storage facilities should have secondary containment as required by law or regulation. **Storage tanks, piping and offloading points should be labeled with appropriate signage to avoid accidents.**

Some concentrations of this product will freeze or crystallize at low temperatures. Insulate and heat-trace storage tanks, pumps, pipes and ancillary equipment as necessary.

Product should be used within one (1) year.

Material may be stored in tightly closed shipping containers, preferably the supplier containers. Containers of this material may be hazardous when empty, since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Preventive Measures:**

**Engineering Controls:** A ventilation system of local/general exhaust is recommended to keep employee exposure below the Airborne Exposure Limits. Ensure that eyewash station and safety showers are proximal to the workstation location.

**Personal Protection Equipment:**

**Eye Protection:** Wear splash resistant chemical goggles and, where splashing is possible, a full face shield. Maintain eye wash fountain and quick-drench facilities in work area.

**Skin Protection:** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to avoid skin contact.

**Recommended Protective Material:** Neoprene

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

**Respiratory Protection:** Under conditions of misting or contact with head gases, respiratory protection may be needed. Consider respirator warning properties before use.

- With limited contact use an appropriate chemical cartridge respirator with acid gas cartridge(s)
- When cleaning, decontaminating or performing maintenance on tanks, containers, piping systems and accessories, and in any other situations where airborne contaminants and/or dust could be generated, use protective equipment to protect against ingestion or inhalation. HEPA or air supplied respirator, full protective coveralls with head cover, gloves and boots or chemical suits, and boots are suggested.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Reddish Brown
Odor:	Slight pungent odor
Form:	Liquid
pH as is:	<2
Vapor Pressure (mm Hg):	Negligible
Boiling Point:	105 °C - 110 °C (220 - 230 °F)
Specific Gravity (20°C):	1.26 - 1.48
Solubility (water):	max 0.78 kg FeCl <sub>3</sub> (anhydrous) / kg water
Vapor Density (Air=1):	N/A
Percent Volatile by Vol.:	N/A
Freezing Point:	Concentration dependent (Consult your Kemiron representative)

#### 10. STABILITY AND REACTIVITY

**Hazardous Decomposition Products:** Thermal decomposition of dried residues - will produce hydrogen chloride gas.

**Chemical Stability:** Stable at normal temperatures and pressure.

**Conditions to Avoid:** Dangerous gases may accumulate in confined spaces.

**Incompatibility with other Substances:** Reacts with most metals (except Titanium and Tantalum) and bases (alkaline materials). Material has moderate oxidizing capability, avoid contact with strong reducing agents.

**Hazardous Polymerization:** Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

Based on Ferric Chloride Solid (anhydrous)

**TOXICOLOGICAL DATA:** LD<sub>50</sub> (oral, rat) = 450 mg/kg

**Mutagenicity:** Other mutation test systems: Escherichia coli - 500 nmol/tube;

Phage inhibition capacity: Escherichia coli 41 ng/well

**Reproductive Effects:** TDLo Rat 1 day(s) intratesticular 12976 µg/kg;

TDLo Rat 1 day(s) intravaginal 29 mg/kg pre pregnancy continuous

# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

**Teratogenicity and Fetotoxicity:** Not available

**Synergistic Materials:** Not available

### 12. ECOLOGICAL INFORMATION

Based on Ferric Chloride Solution

**Ecotoxicological Information:** TLm Daphnia 15 ppm/96 hr fresh water / Conditions of bioassay not specified

**Persistence and Degradation:** No data available

### 13. DISPOSAL CONSIDERATIONS

Review Federal, State, Provincial, and Local government regulations prior to disposal.

This material exhibits the characteristic of corrosivity to metals and other building materials and any disposal must comply with hazardous waste disposal requirements. Any residues and/or rinse waters from cleaning of tanks, containers, piping systems and accessories may be a hazardous characteristic waste and must be properly disposed of in accordance with federal, state, provincial and local laws.

**RCRA:** Test waste material for corrosivity, D002, prior to disposal

### 14. TRANSPORT INFORMATION

	Canada (TDG)	U.S. (DOT)
Shipping Name	Ferric Chloride Solution	Ferric Chloride Solution
Hazard Class/Division	8: Corrosive liquid	8: Corrosive liquid
Identification No.	UN2582	UN2582
Packing Group:	III	III

**IATA/ICAO Class:** 8

### 15. REGULATORY INFORMATION

#### USA CLASSIFICATION:

**OSHA Classification:** Hazardous by definition of Hazard Communication Standard (29 CFR 1920.1200)

**CERCLA:** Hazardous substance/reportable quantity (RQ): final RQ = 1000 lb. (454 kg)  
Based on Anhydrous Ferric Chloride (divide by solution concentration to obtain solution weight)

**SARA Regulations sections 313 and 40 CFR 372:** No

**SARA Hazard Categories, SARA SECTIONS 311/312 (40CFR370.21):**

Acute	Yes
Chronic	No
Fire	No
Reactive	No
Sudden Release	No



# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

OSHA Process Safety (29CFR1910.119)

Yes

**Clean Water Act Requirements:** Designated as a hazardous substance under section 311(b)(2)(A) of the Federal Water Pollution Control Act and further regulated by the Clean Water Act Amendments of 1977 and 1978. These regulations apply to discharges of this substance.

**TSCA:** This substance or all ingredients of this product are listed on the Chemical Substances Inventory of the TSCA. Does not require reporting.

**Other Regulations/Legislation which apply to this product:**

California Proposition 65: No

**Right-To-Know Lists:** Massachusetts, New Jersey, Pennsylvania, California

This product does not contain, nor is it manufactured with, ozone-depleting substances.

### CANADIAN CLASSIFICATION

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations) and this MSDS (Material Safety Data Sheet) contains all information required by the CPR.

**Controlled Products Regulation (WHMIS) Classification:** E: Corrosive

**CEPA / Canadian Domestic Substances List (DSL):** The substance in this product is not on the Canadian Domestic Substances List (CEPA DSL).

EEC CLASSIFICATION

EINECS: 231-729-4

### 16. OTHER INFORMATION

**National Fire Protection Association (NFPA) and Hazardous Materials Identification System (HMIS) Ratings:**

	NFPA	HMIS
HEALTH	2	2
FIRE	0	0
REACTIVITY	1	1

4 = Extreme/Severe

3 = High/Serious


2 = Moderate

1 = Slight

0 = Minimum

The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable. Harcros chemicals, Inc. provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc., knows of no medical conditions other than those noted on this Material Safety Data Sheet, which are generally recognized as being aggravated by exposure to this product.

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0208-126

INVOICE DATE:


February 15, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374244	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		3/16/08


QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40% 4 X 55 Gallon Drums	2.50	550.00
-1.00	TOTEDEP-\$1000.	Returned Tote Deposit  Signed copy of Delivery Ticket: 175351	1,000.00	-1,000.00

POSTED

Check No:

Subtotal	-450.00
Sales Tax	
Freight	
Total Invoice Amount	-450.00
Payment Received	
<b>TOTAL</b>	<b>-450.00</b>

EPAHO055003053



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

STRAIGHT  
BILL OF LADING

175351

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 2/14/2008	PURCHASE ORDER NUMBER: 374244	SHIPPER NO.
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530
PHONE NO. 713-676-1460	ROUTE		PHONE: 281-457-3533	VEHICLE NO.

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
4	X	55 GALLON DRUMS		55	2400
		FERRIC CHLORIDE SOLUTION 40%			
		CORROSIVE MATERIAL UN2582 PG III			
		RQ-NONE			
-1	X	EMPTY TOTE LAST CONTAINED		55	400
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
3		<b>TOTAL</b>			<b>2800</b>

REMIT COD TO:	COD	COD FEE:
ADDRESS:		FREIGHT CHARGES:
CITY: STATE: ZIP:	AMOUNT:	<b>PREPAID</b>

<b>In case of Chemical Emergency Call 281 457-3533 (24 Hour)</b>		FREIGHT PREPAID UNLESS MARKED COLLECT
<b>NOTICE:</b> Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:		IS CUSTOMER'S CHECK ACCEPTABLE FOR COD?
\$ PER		YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide (HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit, income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	NUMBER OF PIECES RECEIVED
AUTHORIZED SIGNATURE	CARRIER ALPHA MARINE SOLUTIONS <i>Loan Hume</i> AUTHORIZED SIGNATURE DATE 2/14/2008

EPAHO055003054

# Order Request Form

P.O. Number:

374244

Date:

2-14-08

Vendor:

alpha marine solutions

Contact:

Phone:

Item #

Description

Quantity

Cost \$

Ferric chloride

4 DRUMS

Submitted By:

Loren Thomas

Approved By:

J. Smith

618-

DSP.

## Office Use Only

Internal Expense:

Classes

CS

FS

Trans

SGA

MRI

DRM


Job Expense:

What Job?

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

EPAHO055003055



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281 457-3533 FAX 281-452-2320

175351

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 2/14/2008	PURCHASE ORDER NUMBER: 374244	SHIPPER NO.
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
4	X	55 GALLON DRUMS		55	2400
		FERRIC CHLORIDE SOLUTION 40%			
		CORROSIVE MATERIAL UN2582 PG III			
		RQ-NONE			
-1	X	EMPTY TOTE LAST CONTAINED		55	400
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
3		<b>TOTAL</b>			<b>2800</b>

REMIT COD TO:	COD	COD FEE:
ADDRESS:	AMOUNT:	FREIGHT CHARGES:
CITY: STATE: ZIP:		<b>PREPAID</b>

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

<b>NOTICE:</b> Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:	<b>IS CUSTOMER'S CHECK ACCEPTABLE FOR COD?</b> YES NO
---	--

\$ PER

Carrier Liability Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S) THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	CARRIER ALPHA MARINE SOLUTIONS
--	-----------------------------------

AUTHORIZED SIGNATURE	AUTHORIZED SIGNATURE	DATE	2/14/2008
----------------------	----------------------	------	-----------

EPAHO055003056

# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIER: HARCROS CHEMICALS, INC.

5200 Speaker road

Kansas City, KS 66106-1095

SUPPLIERS TELEPHONE NUMBER: 913-321-3131

TRANSPORTATION EMERGENCY TELEPHONE: 1-800-424-9300

MSDS No. 106882

REVISION DATE: 10-01-06

<b>Product Name:</b>	Ferric Chloride
<b>Chemical Family:</b>	Inorganic Salts
<b>Formula:</b>	FeCl <sub>3</sub>
<b>Synonym:</b>	Iron (III) Chloride
<b>Acceptable Product Uses:</b>	Water and wastewater treatment, odor removal, adhesive for dye, textile impression pigment, ink and photoengraving.

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS Number #</u>	<u>Concentration</u>	<u>ACGIH TWA</u>
Ferric Chloride	7705-08-0	28 – 43 %	1 mg/m <sup>3</sup> (as Fe)
Hydrochloric Acid	7647-01-0	<5 %	5 ppm

### 3. HAZARDS IDENTIFICATION

**Emergency Overview:** Eye contact may cause irritation. Harmful if inhaled. Harmful or fatal if swallowed.

**Potential Effects on Health:** Acute and chronic.

**Carcinogenicity:** Does not contain any known carcinogens or potential carcinogens.

### 4. FIRST AID MEASURES

**General:** If you feel unwell, seek medical attention (show the label or this MSDS if possible). Effects of exposure (inhalation, ingestion, or skin contact ) to substance may be delayed. Ensure that medical personnel are

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

aware of the material(s) involved, and take precautions to protect themselves.

- Skin Contact:** Remove all contaminated clothing, jewellery, and shoes. Wash affected area with soap or mild detergent and running water for at least 15 minutes. If irritation is still present, seek medical attention.
- Eye Contact:** Flush immediately with water for at least 15 minutes, occasionally lifting upper and lower lids, until no evidence of chemical remains. Obtain medical attention immediately.
- Inhalation:** Move to fresh air. Give artificial respiration ONLY if breathing has stopped. Do not use mouth-to-mouth method if victim has ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Obtain medical attention immediately.
- Ingestion:** *If conscious*, give two (2) glasses of water. **DO NOT INDUCE VOMITING.** Do not give anything by mouth to an unconscious person. Obtain immediate medical attention.

#### 5. FIRE FIGHTING MEASURES

Flash point	Not applicable. Will not burn
Flammable Limits (Lower)	Not applicable
Flammable Limits (Upper)	Not applicable
Auto Ignition Temperature	Not applicable
Combustion and Thermal Decomposition Products	hydrogen chloride gas, phosgene gas if dried and then heated
Rate of Burning	Does not burn
Explosive Power	Not applicable
Sensitivity to Static Discharge	Not available

**Fire and Explosion Hazards:** During a fire, irritating/toxic hydrogen chloride, and/or phosgene gases may be generated if material is dried and then heated to decomposition.

**Extinguishing Media:** The substance is not combustible. Use extinguishing media appropriate to the surrounding fire.

**NOTE:** Also see "Section 10 – Stability and Reactivity"

#### 6. ACCIDENTAL RELEASE MEASURES

##### Spills, Leaks, or Release:

- **Restrict access** until clean-up operations are complete. Wear appropriate Personal Protective Equipment per Section 8. Ensure trained personnel conduct clean up and wear Personal Protective Equipment per Section 8.
- **Stop leak if possible.** Avoid personal risk.
- **Notify Authorities** if release exceeds reportable quantity per Section 15

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

**Small Spills** – Absorb spill with clay or dry material or neutralize with lime, limestone or soda ash and collect in appropriate container for disposal. Neutralization with soda ash can generate carbon dioxide so additional ventilation may be necessary.

→ **Large Spills** – Prevent entry into sewers and confined areas. Dike, if possible. Keep unnecessary people away, isolate area and deny entry. Pump liquid material into appropriate vessels as possible or absorb spill with clay absorbents or non-reactive dry materials and collect in appropriate container for disposal.

**Neutralize spill residuals** carefully with lime, limestone, or soda ash and collect in suitable container for disposal. Flush area with water. This could generate carbon dioxide so additional ventilation may be necessary. Notify the appropriate environmental authorities.

#### 7. HANDLING AND STORAGE

**Handling:** Handle all chemicals with respect. Review the label, this MSDS and any other applicable information before use. Keep separated from incompatible substances. Use appropriate Personal Protective Equipment per Section 8. Handle only with equipment, materials and supplies specified by their manufacturer as being compatible and appropriate for use with this product.

**Storage Requirements:**

Bulk storage containers and ancillary fill and feed systems should be constructed out of appropriate materials such as polyethylene, polypropylene, rubber-lined steel and FRP designated as appropriate for use with this product. Storage tanks should be vented to scrubber or exterior atmosphere. Storage facilities should have secondary containment as required by law or regulation. **Storage tanks, piping and offloading points should be labeled with appropriate signage to avoid accidents.**

Some concentrations of this product will freeze or crystallize at low temperatures. Insulate and heat-trace storage tanks, pumps, pipes and ancillary equipment as necessary.

Product should be used within one (1) year.

Material may be stored in tightly closed shipping containers, preferably the supplier containers. Containers of this material may be hazardous when empty, since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Preventive Measures:**

**Engineering Controls:** A ventilation system of local/general exhaust is recommended to keep employee exposure below the Airborne Exposure Limits. Ensure that eyewash station and safety showers are proximal to the workstation location.

**Personal Protection Equipment:**

**Eye Protection:** Wear splash resistant chemical goggles and, where splashing is possible, a full face shield. Maintain eye wash fountain and quick-drench facilities in work area.

**Skin Protection:** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to avoid skin contact.

**Recommended Protective Material:** Neoprene



## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

**Respiratory Protection:** Under conditions of misting or contact with head gases, respiratory protection may be needed. Consider respirator warning properties before use.

- With limited contact use an appropriate chemical cartridge respirator with acid gas cartridge(s)
- When cleaning, decontaminating or performing maintenance on tanks, containers, piping systems and accessories, and in any other situations where airborne contaminants and/or dust could be generated, use protective equipment to protect against ingestion or inhalation. HEPA or air supplied respirator, full protective coveralls with head cover, gloves and boots or chemical suits, and boots are suggested.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Reddish Brown
Odor:	Slight pungent odor
Form:	Liquid
pH as is:	<2
Vapor Pressure (mm Hg):	Negligible
Boiling Point:	105 °C - 110 °C (220 - 230 °F)
Specific Gravity (20°C):	1.26 – 1.48
Solubility (water):	max 0.78 kg FeCl <sub>3</sub> (anhydrous) / kg water
Vapor Density (Air=1):	N/A
Percent Volatile by Vol.:	N/A
Freezing Point:	Concentration dependent (Consult your Kemiron representative)

#### 10. STABILITY AND REACTIVITY

**Hazardous Decomposition Products:** Thermal decomposition of dried residues - will produce hydrogen chloride gas.

**Chemical Stability:** Stable at normal temperatures and pressure.

**Conditions to Avoid:** Dangerous gases may accumulate in confined spaces.

**Incompatibility with other Substances:** Reacts with most metals (except Titanium and Tantalum) and bases (alkaline materials). Material has moderate oxidizing capability, avoid contact with strong reducing agents.

**Hazardous Polymerization:** Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

Based on Ferric Chloride Solid (anhydrous)

**TOXICOLOGICAL DATA:** LD<sub>50</sub> (oral, rat) = 450 mg/kg

**Mutagenicity:** Other mutation test systems: Escherichia coli – 500 nmol/tube;  
Phage inhibition capacity: Escherichia coli 41 ng/well

**Reproductive Effects:** TDLo Rat 1 day(s) intratesticular 12976 µg/kg;  
TDLo Rat 1 day(s) intravaginal 29 mg/kg pre pregnancy continuous

# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

**Teratogenicity and Fetotoxicity:** Not available

**Synergistic Materials:** Not available

### 12. ECOLOGICAL INFORMATION

Based on Ferric Chloride Solution

**Ecotoxicological Information:** TLM Daphnia 15 ppm/96 hr fresh water / Conditions of bioassay not specified

**Persistence and Degradation:** No data available

### 13. DISPOSAL CONSIDERATIONS

Review Federal, State, Provincial, and Local government regulations prior to disposal. This material exhibits the characteristic of corrosivity to metals and other building materials and any disposal must comply with hazardous waste disposal requirements. Any residues and/or rinse waters from cleaning of tanks, containers, piping systems and accessories may be a hazardous characteristic waste and must be properly disposed of in accordance with federal, state, provincial and local laws.

**RCRA:** Test waste material for corrosivity, D002, prior to disposal

### 14. TRANSPORT INFORMATION

	Canada (TDG)	U.S. (DOT)
<b>Shipping Name</b>	Ferric Chloride Solution	Ferric Chloride Solution
<b>Hazard Class/Division</b>	8: Corrosive liquid	8: Corrosive liquid
<b>Identification No.</b>	UN2582	UN2582
<b>Packing Group:</b>	III	III

**IATA/ICAO Class:** 8

### 15. REGULATORY INFORMATION

#### USA CLASSIFICATION:

**OSHA Classification:** Hazardous by definition of Hazard Communication Standard (29 CFR 1920.1200)

**CERCLA:** Hazardous substance/reportable quantity (RQ): final RQ = 1000 lb. (454 kg)  
Based on Anhydrous Ferric Chloride (divide by solution concentration to obtain solution weight)

**SARA Regulations sections 313 and 40 CFR 372:** No

**SARA Hazard Categories, SARA SECTIONS 311/312 (40CFR370.21):**

Acute	Yes
Chronic	No
Fire	No
Reactive	No
Sudden Release	No

# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

OSHA Process Safety (29CFR1910.119)

Yes

**Clean Water Act Requirements:** Designated as a hazardous substance under section 311(b)(2)(A) of the Federal Water Pollution Control Act and further regulated by the Clean Water Act Amendments of 1977 and 1978. These regulations apply to discharges of this substance.

**TSCA:** This substance or all ingredients of this product are listed on the Chemical Substances Inventory of the TSCA. Does not require reporting.

**Other Regulations/Legislation which apply to this product:**

California Proposition 65: No

**Right-To-Know Lists:** Massachusetts, New Jersey, Pennsylvania, California

This product does not contain, nor is it manufactured with, ozone-depleting substances.

### CANADIAN CLASSIFICATION

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations) and this MSDS (Material Safety Data Sheet) contains all information required by the CPR.

**Controlled Products Regulation (WHMIS) Classification:** E: Corrosive

**CEPA / Canadian Domestic Substances List (DSL):** The substance in this product is not on the Canadian Domestic Substances List (CEPA DSL).

EEC CLASSIFICATION

EINECS: 231-729-4

### 16. OTHER INFORMATION

**National Fire Protection Association (NFPA) and Hazardous Materials Identification System (HMIS) Ratings:**

	NFPA	HMIS
HEALTH	2	2
FIRE	0	0
REACTIVITY	1	1

4 = Extreme/Severe

3 = High/Serious

2 = Moderate

1 = Slight

0 = Minimum

The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable. Harcros chemicals, Inc. provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc., knows of no medical conditions other than those noted on this Material Safety Data Sheet, which are generally recognized as being aggravated by exposure to this product.

Get w/Melba  
when Invoice  
comes in.

Chemical  
Solvey  
(Railcard) - 73b

aMs

# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281 457-3533 FAX 281-452-2320

17282

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE		PURCHASE ORDER NUMBER:	SHIPPER NO.	17282
		1/4/2008		LOREN		
CONSIGNEE (TO)	CES			SHIPPER (FROM)	ALPHA MARINE SOLUTIONS	
STREET	GRIGGS RD			STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON, TX			CITY, STATE, ZIP	CHANNELVIEW, TX 77530	
PHONE NO.	ROUTE			PHONE:	281-457-3533	
				VEHICLE NO.		
<b>MSDS ATTACHED</b>						

PCS	HZ	DESCRIPTION	NMFC	CLASS	WEIGHT
1	X	275 GALLONS FILLED.		55	3,025
		NITRIC ACID SOLUTIONS 8, UN 2031			
		CORROSIVE PG II			
		** TO BE FILLED AND RETURNED **			
		FILLED 275 GALLONS NITRIC			
1		TOTAL			3,025
REMIT COD TO:			COD		COD FEE:
ADDRESS:			AMOUNT:		FREIGHT CHARGES:
CITY: STATE: ZIP:					PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ \_\_\_\_\_ PER \_\_\_\_\_

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?  
YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER		NUMBER OF PIECES RECEIVED	
ALPHA MARINE SOLUTIONS		CARRIER ALPHA MARINE SOLUTIONS	
AUTHORIZED SIGNATURE	DATE	AUTHORIZED SIGNATURE	DATE 1/4/2008

EPAHO055003064

**MATERIAL SAFETY DATA SHEET  
NITRIC ACID, LESS THAN 70% HNO3**

MSDS NO.: EDNC-1

PAGE 1 OF 6

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION.**

**EL DORADO NITROGEN COMPANY**  
8490 West Bay Road  
P. O. Box 2469  
Baytown, TX 77522  
Nitric Acid, less than 70% HNO3  
Acid Reagent

Information Telephone	:	(281) 383-5020
Emergency Telephone	:	(281) 383-5020
Hours of Operation	:	24 hours
Fax	:	(281) 383-7217
Chemtrec	:	(800) 424-9300

**SECTION 2: COMPOSITION AND INFORMATION ON INGREDIENTS.**

**COMPOSITION:**

Nitric Acid (HNO3) with less than 70 percent HNO3  
(Hydrogen Nitrate, Aqua Fortis, 37 to 41 Baume Nitric Acid)

**HAZARDOUS INGREDIENTS:**

Nitric Acid	CAS# 7697-37-2	56% TO 70%
-------------	----------------	------------

**SECTION 3: HAZARDS IDENTIFICATION.**

**EMERGENCY OVERVIEW:**

Colorless to light brown liquid with acrid odor.

**DANGER:** Strong oxidizer. Corrosive.

Dangerously reactive.

May be fatal if ingested.

Causes severe burns to eyes and skin.

Vapor extremely irritating to respiratory tract.

Spills may cause fire or liberate dangerous gas.

**WARNING:** May cause serious delayed lung injury.

**POTENTIAL HEALTH HAZARDS.**

**EYE:**

Can cause severe burns. May cause irreversible eye injury.

**SKIN:**

Can cause severe skin irritation and burns. May cause deep, penetrating ulcers of the skin.

**INGESTION:**

Causes severe burns to mouth, throat and stomach.

May be fatal. May cause perforation of the digestive tract.

**INHALATION:** Severe irritation or burns of respiratory system, pulmonary Edema and lung inflammation. May cause coughing, wheezing, and shortness of breath. Serious effects on lung function may be delayed.

**CHRONIC:** Repeated inhalation may cause chronic bronchitis. Repeated exposure may cause erosion of teeth.

**SECTION 4: FIRST AID MEASURES.**

**EYE:**

Immediately flush with water for at least 15 minutes. Contact a physician immediately.

**SECTION 4: FIRST AID MEASURES (cont.)****SKIN:**

Immediately flush with large amounts of water while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. Wash clothing before reuse.

**INGESTION:**

Give large amounts of water. Do not induce vomiting. Contact a physician immediately.

**INHALATION:**

Remove to fresh air. Give artificial respiration or oxygen if needed. Contact a physician immediately. Observe for delayed effects.

**SECTION 5: FIRE FIGHTING MEASURES.****FLAMMABLE PROPERTIES:**

Nonflammable. Nitric acid alone is not flammable but it may cause ignition by contact with combustible materials.

**EXTINGUISHING MEDIA:**

In case of fire, soak with water. Dry chemical or CO2 fire extinguisher may also be used. Use water spray to cool containers and reduce and knock down vapors. Apply water from as far away as possible. Neutralize small amounts of spilled acid with crushed limestone, soda ash or lime.

**FIRE AND EXPLOSION HAZARDS:**

Powerful oxidizing agent. Can react explosively with reducing agents such as metal powders, H2S, nitrate and organic materials such as wood or cellulose.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

Can release highly toxic oxides of nitrogen. Reaction with organic materials result in evolution of heat and acid fumes.

**FIRE FIGHTING EQUIPMENT:**

Wear self-contained breathing apparatus and full acid protective clothing including chemical goggles or face shield and rubber boots. Thoroughly decontaminate equipment after use.

**SECTION 6: ACCIDENTAL RELEASE MEASURES.**

Evacuate area. Avoid all skin, eye and respiratory exposure. Wear self-contained breathing apparatus and full body acid protection including rubber boots to enter spill area. Flush small leaks or spills with large quantities of water. If possible, contain large spills with diking and neutralize with limestone, soda ash or liquid caustic soda.

**CAUTION:** Neutralization can produce vigorous reactions, boiling and fumes. Remain upwind, evacuate Downwind. Cleaned-up material may be a RCRA Hazardous Waste under 40 CFR 261. Comply with all federal, state and local regulations for disposal of waste.

**SECTION 7: HANDLING AND STORAGE.****HANDLING:**

- Do not get in eyes, on skin, or on clothing.
- Wear full protective equipment including chemical goggles, or face shield, rubber gloves and boots.
- Do not inhale mist or vapor.
- Handle only in areas with sufficient ventilation to prevent irritation or wear a respirator.
- Do not ingest.
- Wash thoroughly after handling.

**SECTION 7: HANDLING AND STORAGE (cont.)**

- Keep container closed when not in use.
- Do not allow contact with water because of violent reaction.
- When diluting, slowly add acid to water with stirring and mixing to avoid spattering, boiling or eruption. Water cannot be safely added to acid.
- Emptied container retains vapor and product residue. Observe all safeguards until container is cleaned or reconditioned.

**STORAGE:**

- Keep container tightly closed.
- Outdoor storage in cool, dry, corrosion proof area is recommended.
- Keep containers out of sun and away from heat.
- Isolate from incompatible materials.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.****RESPIRATORY PROTECTION:**

Provide general and local exhaust ventilation to control exposure levels below airborne exposure limits. Local exhaust ventilation is the preferred primary control. Refer to the OSHA Respirator Standard 29 CFR 1910.134 for proper selection and use of personal respirators.

**SKIN PROTECTION:**

Wear impervious protective clothing to prevent skin contact, including an impervious apron, rubber boots or full impervious suit when splashing is when splashing is possible. Provide a safety shower in the immediate vicinity of potential exposure. Refer to OSHA General Requirements for Personal Protective Equipment 29 CFR 1910.132.

**EYE PROTECTION:**

Wear chemical safety goggles or full-face shield to prevent eye contact. Use only in the proximity of an eye wash station. Refer to OSHA Requirements for Eye and Face Protection 29 CFR 1910.133.

**EXPOSURE GUIDELINES:**

	OSHA-PEL 8hr-TWA	ACGIH-TLV 8hr-TWA	ACGIH-STEL (15 min)
Nitric Acid	2 ppm	2 ppm	4 ppm

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

Appearance:	Colorless to light brown liquid.		
Odor:	Acrid.		
pH:	<1		
Flashpoint:	Not Applicable		
%Solids:	Not Applicable		
%Volatility:	100%		
Solubility:	Completely miscible in water		
Vapor Density (air =1):	1		
Vapor Pressure (mm Hg):	9-10 @ 25 deg C (77 deg F)		
Evaporation Rate (butyl acetate = 1):	Approx. 1		
Weight % HN03:	56.5%	65.7%	67.2%
Specific Gravity:	1.3551	1.4010	1.4078
Degrees Baume:	38		
Freezing Point (deg F approx.):	-4		
Boiling Point (deg F approx.):	243	246	248
Viscosity, cp @ 20 deg C (68 F):	2.0	2.1	2.2



**SECTION 10: STABILITY AND REACTIVITY.****STABILITY:**

Stable if properly contained and handled.

**INCOMPATIBILITY:**

All organic materials and reducing agents.  
Addition of water to acid must be avoided.

**HAZARDOUS POLYMERIZATION:**

Has not been reported.

**SECTION 11: TOXICOLOGICAL INFORMATION.****ACUTE:**

Nitric acid is highly corrosive, flaring and suffocating. Dilute nitric acid can cause inhalation irritation. Nitric acid may also severely burn and stain the skin, destroy skin tissue and burn the eyes. Inhalation of nitric acid vapors can destroy lung tissue. Evidence of lung damage may not occur in until many hours after initial exposure. Lung damage occurs in the form of edema, which may be severe and sometimes fatal. Ingestion of nitric acid causes immediate pain and burning of the mouth, throat and stomach. Symptoms range from nausea, vomiting, circulatory collapse to death. Individuals with pre-existing diseases of the lungs may have increased susceptibility to the toxicity of acid inhalation exposure.

**CHRONIC:**

Continued exposure to nitric acid fumes can erode the teeth and is severely irritating and corrosive to The mucous membrane of the respiratory tract. Nitric acid is not listed as a carcinogen by IARC, NTP, ACGIH, NIOSH, or OSHA.

**TARGET ORGANS:** Eyes, Mucous Membranes, Skin, Respiratory System.

**RTECS#:** QU5775000 QU5900000

**SECTION 12: ECOLOGICAL INFORMATION.**

This product should be considered as potentially hazardous to the environment. Avoid contamination of soil, drains and water during handling. Nitric acid is moderately toxic to aquatic organisms.

**SECTION 13: DISPOSAL CONSIDERATIONS.**

This material should be treated as a corrosive hazardous waste in accordance with all applicable regulations. Cleaned-up material may also be a hazardous waste due to corrosivity. This product has a RCRA waste identification of D002-Corrosive as designated in 40 CFR 261.22. The waste of this product is subject to the Land Disposal Restrictions under 40 CFR 268.

**CAUTION:** Neutralization can produce vigorous reaction, boiling and fumes. Use extreme caution in clean-up procedures.

**SECTION 14: TRANSPORTATION INFORMATION.**

Shipping Name: ..... Nitric Acid (other than red fuming, with not more than 70% nitric acid)  
UN/DOT ID #: ..... UN 2031  
DOT/AMU Hazard Class: 8  
Packing Group: ..... II  
DOT Label/Placard: ..... Corrosive  
Quantity Limits:  
Passenger Aircraft or Railcar: ..... Forbidden  
Cargo Aircraft: ..... 30 Liter  
Vessel Stowage: ..... D  
Packaging Authorizations:  
Exceptions: ..... NONE  
Non-bulk Packaging: ..... 49 CFR 173.158  
Bulk Packaging: ..... 49 CFR 173.242  
DOT Emergency Response Guide Number: 44

**SECTION 15: REGULATORY INFORMATION.****CERCLA SUPERFUND, 40 CFR 117.302:**

Under the Comprehensive Environmental Response, Compensation and Liability Act, a release of this product in excess of 1,000 pounds requires reporting to the National Response Center.

**SARA HAZARD CATEGORY:**

Under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) this product is considered to meet the following categories:

Fire Hazard: ..... Yes  
Sudden Release of Pressure: ..... No  
Reactivity Hazard: ..... Yes  
Acute Health Hazard: ..... Yes  
Chronic Health Hazard: ..... No

**SARA 313 INFORMATION:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 (40 CFR Part 372): Nitric Acid.

**TOXIC SUBSTANCES CONTROL ACT (TSCA):**

This product is listed on the TSCA Inventory.

**STATE:****CALIFORNIA PROPOSITION 65:**

This product contains the following chemicals known to the State of California to cause cancer or reproductive harm: None.

**PENNSYLVANIA RIGHT TO KNOW:**

Hazardous Substances and Special Hazardous Substances on the List, which must be identified, are:  
Nitric Acid.

**NEW JERSEY:**

Requires reporting the top five components by percent:

Nitric Acid: ..... 56% to 70%  
Water: ..... 30% to 44%

**SECTION 15: REGULATORY INFORMATION (cont.)****CANADA:****WHMIS:**

Under the requirements of the Workplace Hazardous Materials Information system, this material is a controlled substance classified as:

Class C - Oxidizing Material

Class D - Division 1, Subdivision B; Toxic Material

Class E - Corrosive

All components are on the Domestic Substances List (DSL).

**CLEAN AIR ACT:**

This product does not contain any hazardous air pollutants.

This product does not contain any Class 1 Ozone depleters.

This product does not contain any Class 2 Ozone depleters.

**CLEAN WATER ACT:**

This product is listed as a Hazardous Substance under the CWA. None of the chemicals in this product are listed as Priority Pollutants or Toxic Pollutants under the CWA.

**OSHA:**

This material is considered highly hazardous by OSHA.

**SECTION 16: OTHER INFORMATION.****HAZARD RATINGS:**


	HMIS	NFPA	
Health	3	3	0: minimal
Flammability	0	0	1: slight
Reactivity	1	0	2: moderate
			3: serious
			4: severe

Special Hazard: Oxidizer

This MSDS has been prepared in compliance with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, El Dorado Nitrogen Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determinations as to its suitability for their purposes prior to use. In no event will El Dorado Nitrogen Company be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representations or warranties, either expressed or implied, or merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to information or the product to which information refers.

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:  
 0108-140  
 INVOICE DATE:  
 January 17, 2008

PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

JAN 24 2008

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	374072	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		2/16/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%	1.90	1,045.00
		2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
		Signed copy of Delivery Ticket: 17372		
<div data-bbox="729 1382 1161 1568" data-label="Text"> <p><b>PAID</b>            CK. NO. <u>c/c</u>            DATE <u>3/18/08</u></p> </div>				

Check No:

Subtotal 3,045.00  
 Sales Tax  
 Freight  
 Total Invoice Amount 3,045.00  
 Payment Received  
**TOTAL 3,045.00**

EPAHO055003071

## Order Request Form

P.O. Number: 34012

Date: 1-16-08

Vendor: ALPHA MARINE SOLUTIONS

Contact: \_\_\_\_\_

**Phone:** \_\_\_\_\_

[illegible]

Submitted By: Loren Thoma

618 DSP

Approved By: \_\_\_\_\_

### Office Use Only

**Internal Expense:**

Chase

CS

FS

Trans

SGA

MIRI

DRME

DEF

**Job Expense:**

**What Job?** \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

Customer Name: CES

Customer ID: CES

Receipt Number:

CC-6554

Date:

2/20/08

Reference:

CC-6554

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
1207-020				2,149.50
1207-176				550.00
0108-011				550.00
0108-020				754.70
0108-081				-2,000.00

Payment Method: VISA

XXXXXXXXXXXX6554

05/10

082989

Subtotal:

2,004.20

Sales Tax:

0.00

2,004.20

Receipt Number:

CC-6554

Date:

2/20/08

Reference:

CC-6554

<u>ITEM / INVOICE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
1207-020				2,149.50
1207-176				550.00
0108-011				550.00
0108-020				754.70
0108-081				-2,000.00

Payment Method: VISA

XXXXXXXXXXXX6554

05/10

082989

Subtotal:

2,004.20


Sales Tax:

0.00

2,004.20

EPAHO055003073

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0108-081

INVOICE DATE:

January 10, 2008

PAGE:


1

SOLD TO:

CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:

CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	Credit	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		2/9/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
-2.00	TOTEDEP-\$1000.	Returnable Tote Deposit Last Contained Bleach- Totes sent to tank wash to be cleaned.	1,000.00	-2,000.00
<div><b>PAID</b> CK. NO. <u>1/c</u> DATE <u>2/20/08</u></div>				

Check No:

Subtotal	-2,000.00
Sales Tax	
Freight	
Total Invoice Amount	-2,000.00
Payment Received	
<b>TOTAL</b>	<b>-2,000.00</b>

EPAHO055003074


Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

0108-011

INVOICE DATE:

January 2, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021




SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374005		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			2/1/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40 % 4 x 55 Gallon Drums	2.50	550.00
		Signed copy of Delivery Ticket: 17254		
		<b>PAID</b> CK. NO. <u>          </u> DATE <u>2/20/08</u>		

Subtotal 550.00

Sales Tax

Freight

Total Invoice Amount 550.00

Payment Received

**TOTAL 550.00**

Check No:

EPAHO055003075



# Order Request Form

P.O. Number: 374005

Date: 1-3-08

Vendor: ALPHA MARINE SOLUTION

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>FERRIC CHLORIDE SOLUTION</u>	<u>4 DRUMS</u>	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Loren Shoma

618- DSP

Approved By: [Signature]

## Office Use Only

Internal Expense:

Job Expense:

\_\_\_\_ CS  
\_\_\_\_ FS  
\_\_\_\_ Trans  
\_\_\_\_ SGA  
\_\_\_\_ MRI  
\_\_\_\_ DRM

What Job? \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

**Alpha Marine Solutions**

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533

**Delivery Ticket**

Sales Order Number:  
17254

Sales Order Date:  
Jan 2, 2008

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	LOREN	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40%		
		4 x 55 Gallon Drums		
		618 DSP Lora Harmon		


Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

1207-176

INVOICE DATE:

December 26, 2007

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021




SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		373962		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			1/25/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40 % 4 x 55 Gallon Drums  Signed copy of Delivery Ticket: 17200	2.50	550.00
<div><b>PAID</b> CK. NO. <u>                    </u> DATE <u>2/20/08</u></div>				

Check No:

Subtotal	550.00
Sales Tax	
Freight	
Total Invoice Amount	550.00
Payment Received	
<b>TOTAL</b>	<b>550.00</b>

EPAHO055003078

**15914 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



Sales Order Number: 17200

Sales Order Date:  
Dec 26, 2007

Page: 1

CES  
4904 Griggs Rd  
Houston, TX 77021

4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	373962	Janelle M. Aston
<b>Resale Certificate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% 4 x 55 Gallon Drums		

EPAHQ055003079

# Order Request Form

P.O. Number: 373962

Date: 12-26-07

Vendor: ALPHA MARINE SOLUTIONS

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>FERRIC CHLORIDE SOLUTION</u>	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Loren Thomas

618 CHEM COST

Approved By: Juanita

DSP

## Office Use Only

Internal Expense:

Job Expense:


\_\_\_\_ CS  
\_\_\_\_ FS  
\_\_\_\_ Trans  
\_\_\_\_ SGA  
\_\_\_\_ MRI  
\_\_\_\_ DRM

What Job? \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

EPAHO055003080

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

1207-020

INVOICE DATE:

December 5, 2007


PAGE:

1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	373853	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		1/4/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
605.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%Corrosive UN 1791 1 X 275 Gallon Tote 1 X 300 Gallon Tote	1.90	1,149.50
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-1.00	TOTEDEP-\$1000.	Returnable Tote Deposit (Return for Credit 12-05-07)	1,000.00	-1,000.00
<div data-bbox="100 1499 539 1610" data-label="Text"> <p><b>PAID</b></p> </div> <div data-bbox="105 1616 539 1685" data-label="Text"> <p>CK. NO. <u>910</u>        DATE <u>2/20/08</u></p> </div>		Signed copy of Delivery Ticket: 17061		

Check No:

Subtotal	2,149.50
Sales Tax	
Freight	
Total Invoice Amount	2,149.50
Payment Received	
<b>TOTAL</b>	<b>2,149.50</b>

EPAHO055003081

# Order Request Form

P.O. Number: 373853

Date: 12-5-07

Vendor: Alpha Marine Solutions

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>Sodium Hypochlorite</u>	<u>2 TOTES</u>	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Loren Thomas

Approved By: [Signature]

618- Chem cost  
oil facilities

## Office Use Only

Internal Expense:

Job Expense:

\_\_\_\_ CS  
\_\_\_\_ FS  
\_\_\_\_ Trans  
\_\_\_\_ SGA  
\_\_\_\_ MRI  
\_\_\_\_ DRM

What Job? \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

EPAHO055003082

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

17061

Sales Order Date:

Dec 4, 2007

Page:

1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	323853	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
605.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%Corrosive UN 1791 1 X 275 Gallon Tote 1 X 300 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		

EPAHO055003083





17061

**PHONE: 281 457-3533      FAX 281-452-2320**

ORIGINAL NON-NEGOTIABLE

**CARRIER:**

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

FREIGHT PREPAID UNLESS MARKED COLLECT

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$	PER
----	-----

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability.

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

Shipment Received. Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading.

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination if on its route, otherwise to deliver to another carrier.

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER  
ALPHA MARINE SOLUTIONS

CARRIER	ALPHA MARINE SOLUTIONS
---------	------------------------

**AUTHORIZED SIGNATURE**

**AUTHORIZED SIGNATURE**

DATE \_\_\_\_\_

12/4/2007

EPAHQ055003084

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

EPAHO055003085

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro cmpd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride. (Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

**CARCINOGENIC EFFECTS:** Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

**MUTAGENIC EFFECTS:** Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma).(Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14: TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17061

Sales Order Date:  
Dec 4, 2007

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373853	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
605.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5%Corrosive UN 1791 1 X 275 Gallon Tote 1 X 300 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		

*Over*

*7/4(1) Empty Tote  
12/5/07*

EPAHO055003090

FROM : QUALITY IS EVERYTHING

PHONE NO. : 281 452 2320

Feb. 20 2008 10:01AM P1

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



H-H-N

HISA 5 pages.

INVOICE NUMBER:

0108-020

INVOICE DATE:

January 3, 2008

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021

SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021

CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	373933	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		2/2/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
3.00	00-2110-99-150	WILDEN 24V DC Coil	22.00	66.00
3.00	00-2130-99	WILDEN Terminal Connector	16.00	48.00
2.00	94024	ARO Fluid Cap, Aluminum	320.35	640.70
		Signed copy of Delivery Ticket 17163		

Subtotal 754.70

Sales Tax

Freight

Total Invoice Amount 754.70

Payment Received

**TOTAL 754.70**

Check No:

EPAHO055003091



**Alpha Marine Solutions**15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533**Delivery Ticket**

Sales Order Number:

17163

Sales Order Date:

ec 18, 2007

Page:

1

## Sold To:

CES

4904 Griggs Rd  
Houston, TX 77021

## Ship To:

CES

4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373933	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
3.00	00-2110-99-150	WILDEN 24V DC Coil		
3.00	00-2130-99	WILDEN Terminal Connector		
<del>2.00</del>	<del>94024</del>	<del>ARO Fluid Cap, Aluminum</del>		
Order Complete				


**Alpha Marine Solutions**15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533**Delivery Ticket**Sales Order Number:  
17163Sales Order Date:  
Dec 18, 2007Page:  
1Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373933	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
3.00	00-2110-99-150	WILDEN 24V DC Coil		
3.00	00-2130-99	WILDEN Terminal Connector		
<del>2.00</del>	<del>94024</del>	<del>ARO Fluid Cap, Aluminium</del>		
Order Complete				

678 DSP.

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0108-020

INVOICE DATE:

January 3, 2008

PAGE:

1


## SOLD TO:

CES  
 4904 Griggs Rd  
 Houston, TX 77021



## SHIP TO:

CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	373933	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		2/2/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
3.00	00-2110-99-150	WILDEN 24V DC Coil	22.00	66.00
3.00	00-2130-99	WILDEN Terminal Connector	16.00	48.00
2.00	94024	ARO Fluid Cap, Aluminum	320.35	640.70
		Signed copy of Delivery Ticket 17163		

Subtotal 754.70

Sales Tax

Freight

Total Invoice Amount 754.70

Payment Received

**TOTAL 754.70**

Check No:

EPAHO055003094

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17163

Sales Order Date:  
Dec 18, 2007

Page:  
1


### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373933	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>3.00</del>	<del>00-2110-99-150</del>	<del>WILDEN 24V DC Coil</del>		
<del>3.00</del>	<del>00-2130-99</del>	<del>WILDEN Terminal Connector</del>		
2.00	94024	ARO Fluid Cap, Aluminum		
				

EPAHO055003095

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17163


Sales Order Date:  
Dec 18, 2007

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373933	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>2.00</del>	<del>00-2110-99-150</del>	<del>WILDEN 24V DC Coil</del>		
<del>2.00</del>	<del>00-2130-99</del>	<del>WILDEN Terminal Connector</del>		
2.00	94024	ARO Fluid Cap, Aluminum		
				

EPAHO055003096

# Order Request Form

**P.O. Number:**

Date:

**Vendor:**

**Contact:****Phone:**

**Item #**

### Description

Quantity

Cost \$

Parts for  
recirc. unit  
in warehouse dsp

**Submitted By:**

Approved By:

## Office Use Only

**Internal Expense:**

**Job Expense:**

## What Job?

CS

FS

Trans

SGA

# MRI

DRM

DE

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17163

Sales Order Date:  
Dec 18, 2007

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373933	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
<del>3.00</del>	<del>00 2110 99 150</del>	<del>WILDEN 24V DC Coil</del>		
<del>3.00</del>	<del>00 2130 99</del>	<del>WILDEN Terminal Connector</del>		
2.00	94024	ARO Fluid Cap, Aluminum		

EPAHO055003098

## Alpha Marine Solutions

2/29/2008


Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
1/14/2008	Bill	0108-034	1,100.00	1,100.00		1,100.00
1/14/2008	Bill	0108-064	3,045.00	3,045.00		3,045.00
1/14/2008	Bill	0108-063	1,883.75	1,883.75		1,883.75
				Check Amount		6,028.75

CES Environmental S CES

6,028.75



Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0108-034

INVOICE DATE:

January 7, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



SHIP TO:  
CES  
4904 Griggs Rd  
Loren  
Houston, TX 77021

JAN 11 2008

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374022		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			2/6/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
440.00	FERCHL	Ferric Chloride Solution 40% 8 x 55 Gallon Drums  Signed copy of Delivery Ticket: 17284	2.50	1,100.00

Check No:

Subtotal	1,100.00
Sales Tax	
Freight	
Total Invoice Amount	1,100.00
Payment Received	
<b>TOTAL</b>	<b>1,100.00</b>

EPAHO055003100

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

17284

Sales Order Date:

Jan 7, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Loren  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374022	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
440.00	FERCHL	Ferric Chloride Solution 40% 8 x 55 Gallon Drums		
<i>S. Brown</i>				

EPAHO055003101

# Order Request Form

**P.O. Number:**

**Date:**

**Vendor:**

**Contact:****Phone:**

**Item #**

### Description

**Quantity**

Cost \$

## FERRIC CHLORIDE SOLUTION

8 DRUMS

Nitric Acid 250 GAL

1 TOTAL

Submitted By:

**Approved By:**

### Office Use Only

**Internal Expense:**

**Job Expense:**

## What Job?

CS

FS

Trans

SGA

**MRI**


DRM

DA

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320



INVOICE NUMBER:

0108-064

INVOICE DATE:

January 9, 2008

JAN 11 2008

PAGE:

1

**SOLD TO:**

CES  
 4904 Griggs Rd  
 Houston, TX 77021

**SHIP TO:**

CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	LOREN	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		2/8/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 2 x 275 Gallon Tote	1.90	1,045.00
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit  Signed copy of Delivery Ticket: 17304  1/18 DSP	1,000.00	2,000.00

Check No:

Subtotal	3,045.00
Sales Tax	
Freight	
Total Invoice Amount	3,045.00
Payment Received	
<b>TOTAL</b>	<b>3,045.00</b>

EPAHO055003103

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

17304

Sales Order Date:

Jan 8, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	LOREN	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
<i>S. Brown</i>				

EPAHO055003104

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

17304

Sales Order Date:

Jan 8, 2008

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	LOREN	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
550.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Drum Deposit Waived Corrosive UN 1791 2 x 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		

EPAHO055003105



17304

**PHONE: 281 457-3533      FAX 281-452-2320**

**ORIGINAL NON-NEGOTIABLE**

**CARRIER:**

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

§

PER

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide.

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

(this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER

CARRIER	ALPHA MARINE SOLUTIONS
---------	------------------------

## ALPHA MARINE SOLUTIONS

**AUTHORIZED SIGNATURE**

DATE \_\_\_\_\_

1/8/2008

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%  
**CAS#:** Mixture.  
**RTECS:** Not applicable.  
**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;  
**Water Chemical Name:** Not applicable  
**Chemical Formula:** Not applicable

CHEMTREC  
(24HR Emergency Telephone: 1-800-424-9300)  
For non-emergency assistance call: 281-457-3533

**Contact Information:**  
Alpha Marine Solutions  
15914 Ave C  
Channelview, TX 77530  
Sales 281-457-3533  
Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

#### Composition:

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

#### Toxicological Data on Ingredients:

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].  
Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

#### Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

#### Potential Chronic Health Effects:

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent



attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro cmpd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). (Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

#### National Fire Protection Association (U.S.A.):

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.


## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

0108-063

INVOICE DATE:

January 9, 2008

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

JAN 11 2008

CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		374022		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			2/8/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
275.00	NITACI-TOTE	Nitric Acid 350 Gallon Tote Fill Tote -275 Gallons  Signed copy of Delivery Ticket: 17282	6.85	1,883.75

Check No:

Subtotal 1,883.75  
Sales Tax  
Freight  
Total Invoice Amount 1,883.75  
Payment Received

**TOTAL 1,883.75**

EPAHO055003112



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

STRAIGHT  
BILL OF LADING

17282

ORIGINAL NON-NEGOTIABLE

## CARRIER:

<b>ALPHA MARINE</b>		DATE 1/4/2008	PURCHASE ORDER NUMBER: LOREN	SHIPPER NO. 17282
CONSIGNEE (TO)	CES	SHIPPER (FROM)		ALPHA MARINE SOLUTIONS
STREET	GRIGGS RD	STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON, TX	CITY, STATE, ZIP	CHANNELVIEW, TX 77530	
PHONE NO.	ROUTE	PHONE:		281-457-3533
VEHICLE NO.				
MSDS ATTACHED				

PCS	HZ	DESCRIPTION	NMFC	CLASS	WEIGHT
1	X	275 GALLONS FILLED.		55	3,025
		NITRIC ACID SOLUTIONS 8, UN 2031			
		CORROSIVE PG II			
		** TO BE FILLED AND RETURNED **			
		FILLED 275 GALLONS NITRIC			
1		TOTAL			3,025
REMIT COD TO:			COD	COD FEE:	
ADDRESS:			AMOUNT:	FREIGHT CHARGES:	
CITY:	STATE:	ZIP:		PREPAID	

## In case of Chemical Emergency Call 281 457-3533 (24 Hour)

**NOTICE:** Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ \_\_\_\_\_ PER \_\_\_\_\_

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK  
ACCEPTABLE FOR COD?  
YES NO

Carrier Liability: Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

Shipment Received: Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

## NUMBER OF PIECES RECEIVED

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>		CARRIER <b>ALPHA MARINE SOLUTIONS</b>	
AUTHORIZED SIGNATURE	DATE	AUTHORIZED SIGNATURE	DATE 1/4/2008

EPAHO055003113

# Alpha Marine Solutions

**STRAIGHT  
BILL OF LADING**

**15914 AVE C CHANNELVIEW, TEXAS 77530**  
**PHONE: 281 457-3533 FAX 281-452-2320**

**ORIGINAL NON-NEGOTIABLE**

**CARRIER:**

ALPHA MARINE		DATE		PURCHASE ORDER NUMBER:	SHIPPER NO.	17282
FORM		1/4/2008		LOREN		
CONSIGNEE (TO)	ALPHA MARINE SOLUTIONS 15914 AVE C			SHIPPER (FROM)	CES GRIGGS RD	
STREET				STREET	HOUSTON, TX	
CITY, STATE, ZIP	CHANNELVIEW, TX 77530			CITY, STATE, ZIP	PHONE: 281-457-3533	
PHONE NO.	ROUTE			VEHICLE NO.		
MSDS ATTACHED						

PCS	HZ	DESCRIPTION	NMFC	CLASS	WEIGHT
1	X	5 GALLON TOTE		55	<del>450</del>
2 Beal		NITRIC ACID SOLUTIONS 8, UN 2031 OXIDIZER, CORROSIVE PG II			3025
** TO BE FILLED AND RETURNED **					
1		TOTAL			3025 <del>450</del>
REMIT COD TO:			<b>COD</b>		COD FEE:
ADDRESS:			AMOUNT:		FREIGHT CHARGES:
CITY:	STATE:	ZIP:			PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$ PER

FREIGHT PREPAID UNLESS MARKED COLLECT

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability.

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

COMMODITY DESCRIPTION(S): THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

**Shipment Received.** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss

income, interest, attorney fees, or any special, incidental or consequential damages

income, interest, attorney fees, or any special, incidental or consequential damages.		NUMBER OF PIECES RECEIVED	
SHIPPER ALPHA MARINE SOLUTIONS		CARRIER      ALPHA MARINE SOLUTIONS	
AUTHORIZED SIGNATURE <i>Andy Hamilton</i>	DATE	AUTHORIZED SIGNATURE	DATE      1/4/2008

EPAHQ055003114

# Order Request Form

**P.O. Number:**

Date:

**Vendor:**

**Contact:**

**Phone:**[illegible]

**Submitted By:**

**Approved By:**

### Office Use Only

**Internal Expense:**

Classes

CS

                     FS

Trans

SGA

MIRI

DRM

DE

**Job Expense:**

## What Job?

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17284

Sales Order Date:  
Jan 7, 2008

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021


### Ship To:

CES  
4904 Griggs Rd  
Loren  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	374022	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
440.00	FERCHL	Ferric Chloride Solution 40% 8 x 55 Gallon Drums		

EPAHO055003116



# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530  
PHONE: 281 457-3533 FAX 281-452-2320

17284

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 1/7/2008	PURCHASE ORDER NUMBER: 374022	SHIPPER NO. 17284
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS
STREET	4904 GRIGGS RD		STREET	15914 AVE C
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.	

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
8	X	55 GALLON DRUMS		55	5200
		FERRIC CHLORIDE SOLUTION 40%			
		CORROSIVE MATERIAL UN2582 PG III			
		RQ-NONE			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
8		TOTAL			5200

REMIT COD TO:	COD	COD FEE:
ADDRESS:	AMOUNT:	FREIGHT CHARGES:
CITY: STATE: ZIP:		PREPAID

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

FREIGHT PREPAID UNLESS MARKED COLLECT

**NOTICE:**

Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and

in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing

the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding:

\$

PER

IS CUSTOMER'S CHECK

ACCEPTABLE FOR COD?

YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability

per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or

personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

NUMBER OF PIECES RECEIVED

SHIPPER

CARRIER

ALPHA MARINE SOLUTIONS

ALPHA MARINE SOLUTIONS

AUTHORIZED SIGNATURE

AUTHORIZED SIGNATURE

DATE

1/7/2008

EPAHO055003117

# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIER: HARGROS CHEMICALS, INC.

5200 Speaker road

Kansas City, KS 66106-1095

SUPPLIERS TELEPHONE NUMBER: 913-321-3131

TRANSPORTATION EMERGENCY TELEPHONE: 1-800-424-9300

MSDS No. 106882

REVISION DATE: 10-01-06

<b>Product Name:</b>	Ferric Chloride
<b>Chemical Family:</b>	Inorganic Salts
<b>Formula:</b>	FeCl <sub>3</sub>
<b>Synonym:</b>	Iron (III) Chloride
<b>Acceptable Product Uses:</b>	Water and wastewater treatment, odor removal, adhesive for dye, textile impression pigment, ink and photoengraving.

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS Number #</u>	<u>Concentration</u>	<u>ACGIH TWA</u>
Ferric Chloride	7705-08-0	28 – 43 %	1 mg/m <sup>3</sup> (as Fe)
Hydrochloric Acid	7647-01-0	<5 %	5 ppm

### 3. HAZARDS IDENTIFICATION

**Emergency Overview:** Eye contact may cause irritation. Harmful if inhaled. Harmful or fatal if swallowed.

**Potential Effects on Health:** Acute and chronic.

**Carcinogenicity:** Does not contain any known carcinogens or potential carcinogens.

### 4. FIRST AID MEASURES

**General:** If you feel unwell, seek medical attention (show the label or this MSDS if possible). Effects of exposure (inhalation, ingestion, or skin contact) to substance may be delayed. Ensure that medical personnel are

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

aware of the material(s) involved, and take precautions to protect themselves.

- Skin Contact:** Remove all contaminated clothing, jewellery, and shoes. Wash affected area with soap or mild detergent and running water for at least 15 minutes. If irritation is still present, seek medical attention.
- Eye Contact:** Flush immediately with water for at least 15 minutes, occasionally lifting upper and lower lids, until no evidence of chemical remains. Obtain medical attention immediately.
- Inhalation:** Move to fresh air. Give artificial respiration ONLY if breathing has stopped. Do not use mouth-to-mouth method if victim has ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Obtain medical attention immediately.
- Ingestion:** *If conscious*, give two (2) glasses of water. **DO NOT INDUCE VOMITING.** Do not give anything by mouth to an unconscious person. Obtain immediate medical attention.

#### 5. FIRE FIGHTING MEASURES

Flash point	Not applicable. Will not burn
Flammable Limits (Lower)	Not applicable
Flammable Limits (Upper)	Not applicable
Auto Ignition Temperature	Not applicable
Combustion and Thermal Decomposition Products	hydrogen chloride gas, phosgene gas if dried and then heated
Rate of Burning	Does not burn
Explosive Power	Not applicable
Sensitivity to Static Discharge	Not available

**Fire and Explosion Hazards:** During a fire, irritating/toxic hydrogen chloride, and/or phosgene gases may be generated if material is dried and then heated to decomposition.

**Extinguishing Media:** The substance is not combustible. Use extinguishing media appropriate to the surrounding fire.

**NOTE:** Also see "Section 10 – Stability and Reactivity"

#### 6. ACCIDENTAL RELEASE MEASURES

##### Spills, Leaks, or Release:

- **Restrict access** until clean-up operations are complete. Wear appropriate Personal Protective Equipment per Section 8. Ensure trained personnel conduct clean up and wear Personal Protective Equipment per Section 8.
- **Stop leak if possible.** Avoid personal risk.
- **Notify Authorities** if release exceeds reportable quantity per Section 15

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

- Small Spills** – Absorb spill with clay or dry material or neutralize with lime, limestone or soda ash and collect in appropriate container for disposal. Neutralization with soda ash can generate carbon dioxide so additional ventilation may be necessary.
- **Large Spills** – Prevent entry into sewers and confined areas. Dike, if possible. Keep unnecessary people away, isolate area and deny entry. Pump liquid material into appropriate vessels as possible or absorb spill with clay absorbents or non-reactive dry materials and collect in appropriate container for disposal.
- Neutralize spill residuals** carefully with lime, limestone, or soda ash and collect in suitable container for disposal. Flush area with water. This could generate carbon dioxide so additional ventilation may be necessary. Notify the appropriate environmental authorities.

#### 7. HANDLING AND STORAGE

**Handling:** Handle all chemicals with respect. Review the label, this MSDS and any other applicable information before use. Keep separated from incompatible substances. Use appropriate Personal Protective Equipment per Section 8. Handle only with equipment, materials and supplies specified by their manufacturer as being compatible and appropriate for use with this product.

**Storage Requirements:**

Bulk storage containers and ancillary fill and feed systems should be constructed out of appropriate materials such as polyethylene, polypropylene, rubber-lined steel and FRP designated as appropriate for use with this product. Storage tanks should be vented to scrubber or exterior atmosphere. Storage facilities should have secondary containment as required by law or regulation. **Storage tanks, piping and offloading points should be labeled with appropriate signage to avoid accidents.**

Some concentrations of this product will freeze or crystallize at low temperatures. Insulate and heat-trace storage tanks, pumps, pipes and ancillary equipment as necessary.

Product should be used within one (1) year.

Material may be stored in tightly closed shipping containers, preferably the supplier containers. Containers of this material may be hazardous when empty, since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Preventive Measures:**

**Engineering Controls:** A ventilation system of local/general exhaust is recommended to keep employee exposure below the Airborne Exposure Limits. Ensure that eyewash station and safety showers are proximal to the workstation location.

**Personal Protection Equipment:**

**Eye Protection:** Wear splash resistant chemical goggles and, where splashing is possible, a full face shield. Maintain eye wash fountain and quick-drench facilities in work area.

**Skin Protection:** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to avoid skin contact.

**Recommended Protective Material:** Neoprene

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

**Respiratory Protection:** Under conditions of misting or contact with head gases, respiratory protection may be needed. Consider respirator warning properties before use.

- With limited contact use an appropriate chemical cartridge respirator with acid gas cartridge(s)
- When cleaning, decontaminating or performing maintenance on tanks, containers, piping systems and accessories, and in any other situations where airborne contaminants and/or dust could be generated, use protective equipment to protect against ingestion or inhalation. HEPA or air supplied respirator, full protective coveralls with head cover, gloves and boots or chemical suits, and boots are suggested.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Reddish Brown
<b>Odor:</b>	Slight pungent odor
<b>Form:</b>	Liquid
<b>pH as is:</b>	<2
<b>Vapor Pressure (mm Hg):</b>	Negligible
<b>Boiling Point:</b>	105 °C - 110 °C (220 - 230 °F)
<b>Specific Gravity (20°C):</b>	1.26 - 1.48
<b>Solubility (water):</b>	max 0.78 kg FeCl <sub>3</sub> (anhydrous) / kg water
<b>Vapor Density (Air=1):</b>	N/A
<b>Percent Volatile by Vol.:</b>	N/A
<b>Freezing Point:</b>	Concentration dependent (Consult your Kemiron representative)

#### 10. STABILITY AND REACTIVITY

**Hazardous Decomposition Products:** Thermal decomposition of dried residues - will produce hydrogen chloride gas.

**Chemical Stability:** Stable at normal temperatures and pressure.

**Conditions to Avoid:** Dangerous gases may accumulate in confined spaces.

**Incompatibility with other Substances:** Reacts with most metals (except Titanium and Tantalum) and bases (alkaline materials). Material has moderate oxidizing capability, avoid contact with strong reducing agents.

**Hazardous Polymerization:** Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

Based on Ferric Chloride Solid (anhydrous)

**TOXICOLOGICAL DATA:** LD<sub>50</sub> (oral, rat) = 450 mg/kg

**Mutagenicity:** Other mutation test systems: Escherichia coli - 500 nmol/tube;

Phage inhibition capacity: Escherichia coli 41 ng/well

**Reproductive Effects:** TDLo Rat 1 day(s) intratesticular 12976 µg/kg;

TDLo Rat 1 day(s) intravaginal 29 mg/kg pre pregnancy continuous

# MATERIAL SAFETY DATA SHEET

## Ferric Chloride

**Teratogenicity and Fetotoxicity:** Not available

**Synergistic Materials:** Not available

### 12. ECOLOGICAL INFORMATION

Based on Ferric Chloride Solution

**Ecotoxicological Information:** TLm Daphnia 15 ppm/96 hr fresh water / Conditions of bioassay not specified

**Persistence and Degradation:** No data available

### 13. DISPOSAL CONSIDERATIONS

Review Federal, State, Provincial, and Local government regulations prior to disposal.

This material exhibits the characteristic of corrosivity to metals and other building materials and any disposal must comply with hazardous waste disposal requirements. Any residues and/or rinse waters from cleaning of tanks, containers, piping systems and accessories may be a hazardous characteristic waste and must be properly disposed of in accordance with federal, state, provincial and local laws.

**RCRA:** Test waste material for corrosivity, D002, prior to disposal

### 14. TRANSPORT INFORMATION

	Canada (TDG)	U.S. (DOT)
<b>Shipping Name</b>	Ferric Chloride Solution	Ferric Chloride Solution
<b>Hazard Class/Division</b>	8: Corrosive liquid	8: Corrosive liquid
<b>Identification No.</b>	UN2582	UN2582
<b>Packing Group:</b>	III	III

**IATA/ICAO Class:** 8

### 15. REGULATORY INFORMATION

#### USA CLASSIFICATION:

**OSHA Classification:** Hazardous by definition of Hazard Communication Standard (29 CFR 1920.1200)

**CERCLA:** Hazardous substance/reportable quantity (RQ): final RQ = 1000 lb. (454 kg)  
Based on Anhydrous Ferric Chloride (divide by solution concentration to obtain solution weight)

**SARA Regulations sections 313 and 40 CFR 372:** No

**SARA Hazard Categories, SARA SECTIONS 311/312 (40CFR370.21):**

Acute	Yes
Chronic	No
Fire	No
Reactive	No
Sudden Release	No

## MATERIAL SAFETY DATA SHEET

### Ferric Chloride

OSHA Process Safety (29CFR1910.119)

Yes

**Clean Water Act Requirements:** Designated as a hazardous substance under section 311(b)(2)(A) of the Federal Water Pollution Control Act and further regulated by the Clean Water Act Amendments of 1977 and 1978. These regulations apply to discharges of this substance.

**TSCA:** This substance or all ingredients of this product are listed on the Chemical Substances Inventory of the TSCA. Does not require reporting.

**Other Regulations/Legislation which apply to this product:**

California Proposition 65: No

**Right-To-Know Lists:** Massachusetts, New Jersey, Pennsylvania, California

This product does not contain, nor is it manufactured with, ozone-depleting substances.

#### CANADIAN CLASSIFICATION

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations) and this MSDS (Material Safety Data Sheet) contains all information required by the CPR.

**Controlled Products Regulation (WHMIS) Classification:** E: Corrosive

**CEPA / Canadian Domestic Substances List (DSL):** The substance in this product is not on the Canadian Domestic Substances List (CEPA DSL).

EEC CLASSIFICATION

EINECS: 231-729-4

#### 16. OTHER INFORMATION

**National Fire Protection Association (NFPA) and Hazardous Materials Identification System (HMIS) Ratings:**

	NFPA	HMIS
HEALTH	2	2
FIRE	0	0
REACTIVITY	1	1

4 = Extreme/Severe

3 = High/Serious

2 = Moderate

1 = Slight

0 = Minimum

The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable. Harcros chemicals, Inc. provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Harcros Chemicals Inc., knows of no medical conditions other than those noted on this Material Safety Data Sheet, which are generally recognized as being aggravated by exposure to this product.



Alpha Marine Solutions			2/25/2008			
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
12/31/2007	Bill	1207-162	1,059.00	1,059.00		1,059.00
				Check Amount		1,059.00

CES Environmental S CES

1,059.00

552394 (6/07)

170 March 5/08  
Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320

aMs

INVOICE NUMBER:

1207-162

INVOICE DATE:

December 26, 2007

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021




SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		373963		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			1/25/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
1.00	PD15A-ACP-AAA	ARO 1 1/2 Cast Iron Diaphragm Pump with Santipreme Packing.  Signed copy of Delivery Ticket: 17207	1,059.00	1,059.00

Subtotal 1,059.00

Sales Tax

Freight

Total Invoice Amount 1,059.00

Payment Received

**TOTAL 1,059.00**

Check No:

EPAHO055003125

**Alpha Marine Solutions**

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533

**Delivery Ticket**

Sales Order Number:  
17207

Sales Order Date:  
Dec 26, 2007

Page:  
1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021  
15914 AVE C  
CHANNELVIEW, TX 77530

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373963	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	PD15A-ACP-AAA	ARO 1 1/2 Cast Iron Diaphragm Pump with Santipreme Packing.		
<i>George E. M. Jr.</i>				

# Order Request Form

**P.O. Number:**

Date:

**Vendor:**

**Contact:**

**Phone:**[illegible]

**Submitted By:**

**Approved By:**

**Office Use Only**

**Internal Expense:**

CS

CS

FS

Trans

SGA

# MRI

DRM

✓ Det

D. St.

**Job Expense:**

## What Job?

- ☐
- Give Vendor Re-Sale Certificate

- ☐
- Vendor to Charge Sales Tax

**Alpha Marine Solutions**

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533

**Delivery Ticket**

Sales Order Number:

17207

Sales Order Date:

Dec 26, 2007

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021  
15914 AVE C  
CHANNELVIEW, TX 77530

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

<b>Customer ID</b>	<b>PO Number</b>	<b>Sales Rep Name</b>
CES	373963	Janelle M. Aston
<b>Resale Certificate Number</b>	<b>Shipping Method</b>	<b>Payment Terms</b>
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
1.00	PD15A-ACP-AAA	ARO 1 1/2 Cast Iron Diaphragm Pump with Santipreme Packing.		

**CES ENVIRONMENTAL SERVICES, INC.**

35305

Alpha Marine Solutions

1/28/2008

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
12/11/2007	Bill	1107-212	550.00	550.00		550.00
12/11/2007	Bill	1107-205	198.00	198.00		198.00
12/11/2007	Bill	1207-011	396.00	396.00		396.00
12/18/2007	Bill	1207-058	2,699.50	2,699.50		2,699.50
				Check Amount		3,843.50

CES Environmental S CES

3,843.50

552394 (6/07)

EPAHO055003129

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320

aMs

INVOICE NUMBER:

1107-212

INVOICE DATE:

November 30, 2007

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021




SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021



CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		373825	Net 30 Days	
SALES REP ID		SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON		Alpha Truck		12/30/07

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	<u>Ferric Chloride Solution</u> 40% 4 x 55 Gallon Drums  Signed copy of Delivery Ticket; 17033  618 DSP	2.50	550.00

Subtotal 550.00

Sales Tax

Freight

Total Invoice Amount 550.00

Payment Received

**TOTAL 550.00**

Check No:

EPAHO055003130

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17033

Sales Order Date:  
Nov 30, 2007

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373825	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% <del>\$40.00</del> <del>Drum Deposit</del> Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums  <i>Lora Thomas</i>		

EPAHO055003131



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17033

Sales Order Date:  
Nov 30, 2007

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373825	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% <del>\$40.00</del> <del>Drum Deposit</del> Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		

EPAHO055003132

# Order Request Form

P.O. Number: 373825

Date: 11-30-07

Vendor: Alpha Marine Solutions

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>Ferric Chloride</u>	<u>4 Drum</u>	<u>650<sup>00</sup></u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Lore Shon

Approved By: Juanita

618-  
DSP

## Office Use Only

Internal Expense:

Job Expense:

\_\_\_\_ CS  
\_\_\_\_ FS  
\_\_\_\_ Trans  
\_\_\_\_ SGA  
\_\_\_\_ MRI  
\_\_\_\_ DRM

What Job? \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

EPAHO055003133


Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

1107-205

INVOICE DATE:

November 30, 2007

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021




SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		373822		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			12/30/07

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
110.00	SOD HYP-55	Sodium Hypochlorite 12.5% 2 x 55 Gallon Drums	1.80	198.00
		Signed copy of Delivery Ticket: 17025		

Check No:

Subtotal	198.00
Sales Tax	
Freight	
Total Invoice Amount	198.00
Payment Received	
<b>TOTAL</b>	<b>198.00</b>

EPAHO055003134

**15314 AVE C CHANNELVIEW, TX 77530**  
**FAX: 281 452-2320 PHONE 281 457-3533**



## Sales Order Number:

17025

Sales Order Date:

Nov 29, 2007

Page:

1

Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373822	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
110.00	SOD HYP-55	Sodium Hypochlorite 12.5% Sodium Hypochlorite Solution 12.5% Corrosive UN 1791, PG III 2 x 55 Gallon Drums		

EPAHQ055003135


Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320



INVOICE NUMBER:

1207-011

INVOICE DATE:

December 3, 2007

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd


Houston, TX 77021

SHIP TO:

CES

Customer Pickup

Channelview, TX 77530



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		373839		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			1/2/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	SOD HYP-55	Sodium Hypochlorite 12.5% 4 x 55 Gallon Drums  Signed copy of Delivery Ticket: 17050  6/8 DGP	1.80	396.00

Subtotal 396.00

Sales Tax

Freight

Total Invoice Amount 396.00

Payment Received

**TOTAL 396.00**

Check No:

EPAHO055003136

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17045

Sales Order Date:  
Dec 3, 2007

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
Customer Pickup  
Channelview, TX 77530

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	SOD HYP-55	Sodium Hypochlorite 12.5% Sodium Hypochlorite Solution 12.5% Corrosive UN 1791, PG III  4 x 55 Gallon Drums  <i>S. Brown</i>		

EPAHO055003137

# Order Request Form

P.O. Number: 373839

Date: 12-3-07

Vendor: ALPHA MARINE SOLUTIONS

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>Sodium Hypochlorite</u>	<u>4</u>	<u>360<sup>00</sup></u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Loren Thorne

618- DSP

Approved By: Janita

## Office Use Only

Internal Expense:

Job Expense:

\_\_\_\_ CS  
\_\_\_\_ FS  
\_\_\_\_ Trans  
\_\_\_\_ SGA  
\_\_\_\_ MRI  
\_\_\_\_ DRM

What Job? \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

EPAHO055003138

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17045

Sales Order Date:  
Dec 3, 2007

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
Customer Pickup  
Channelview, TX 77530

Customer ID	PO Number	Sales Rep Name
CES		Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	SOD HYP-55	Sodium Hypochlorite 12.5% Sodium Hypochlorite Solution 12.5% Corrosive UN 1791, PG III  4 x 55 Gallon Drums  <i>S. B.</i>		

EPAHO055003139





# Alpha Marine Solutions

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281 457-3533 FAX 281-452-2320

17045

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 12/3/2007	PURCHASE ORDER NUMBER:	SHIPPER NO.	17045
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS	
STREET	4904 GRIGGS RD		STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530 PHONE: 281-457-3533	
PHONE NO. 713-676-1460	ROUTE		VEHICLE NO.		

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
4	X	55 GALLON DRUMS		55	1832
		SODIUM HYPOCHLORITE 12.5 %			
		CORROSIVE UN 1791, PG III			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
4		TOTAL			1832

REMIT COD TO:		COD	COD FEE:
ADDRESS:		AMOUNT:	FREIGHT CHARGES:
CITY:	STATE:	ZIP:	PREPAID

<b>In case of Chemical Emergency Call 281 457-3533 (24 Hour)</b>		FREIGHT PREPAID UNLESS MARKED COLLECT
<b>NOTICE:</b> Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding: \$ _____ PER _____		IS CUSTOMER'S CHECK ACCEPTABLE FOR COD? YES NO

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide (HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit, income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>		NUMBER OF PIECES RECEIVED	
AUTHORIZED SIGNATURE <i>C. Ramos</i>		CARRIER ALPHA MARINE SOLUTIONS	
AUTHORIZED SIGNATURE		DATE	12/3/2007

EPAHO055003140

# Alpha Marine Solutions

15914 AVE C

Channelview, TX 77530


United States

Phone: 281-457-3533

Fax : 281-452-2320

Email: alphamarine@sbcglobal.net

Health	3
Fire	0
Reactivity	0
Personal Protection	



## MATERIAL SAFETY DATA SHEET SODIUM HYPOCHLORITE 12.5%

### SECTION: 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sodium Hypochlorite, 12.5%

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Sodium hypochlorite;

**Water Chemical Name:** Not applicable

**Chemical Formula:** Not applicable

CHEMTREC

(24HR Emergency Telephone: 1-800-424-9300)

For non-emergency assistance call: 281-457-3533

**Contact Information:**

Alpha Marine Solutions

15914 Ave C

Channelview, TX 77530

Sales 281-457-3533

Fax: 281-452-2320

### SECTION: 2 COMPOSITION AND INFORMATION ON INGREDIENTS

**Composition:**

NAME:	CAS#	% by Weight
Sodium Hypochlorite	7681-52-9	12-15
Sodium Hydroxide	1310-73-2	1
Water	7732-18-5	84-87

**Toxicological Data on Ingredients:**

Sodium hypochlorite: ORAL (LD50): Acute: 5800 mg/kg [Mouse]. 8910 mg/kg [Rat].

Sodium hydroxide LD50: Not available. LC50: Not available.

### SECTION: 3 HAZARDOUS IDENTIFICATION:

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (sensitizer).

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite]. Mutagenic for mammalian somatic cells. [Sodium hydroxide].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to lungs, mucous membranes, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent

attacks of bronchial infection.

## SECTION: 4 FIRST AID MEASURES

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

## SECTION: 5 FIRE AND EXPLOSION DATA

**Flammability of the Product:** Non-flammable.

**Auto-Ignition Temperature:** Not applicable.

**Flash Points:** Not applicable.

**Flammable Limits:** Not applicable.

**Products of Combustion:** Not available.

**Fire Hazards in Presence of Various Substances:** combustible materials, organic materials, metals

**Explosion Hazards in Presence of Various Substances:**

Slightly explosive in presence of heat. Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:** Not applicable.

### Special Remarks on Fire Hazards:

Releases chlorine when heated above 35 deg. C. The substance itself is non-combustible and does not burn. However, when heated to decomposition it emits corrosive and/or toxic fumes. May ignite combustibles.

The heat of reaction with combustibles or organic materials may cause ignition. It may be a fire risk in contact with organic materials. Contact with metals may evolve flammable hydrogen gas.

### Special Remarks on Explosion Hazards:

Anhydrous Sodium Hypochlorite is very explosive.

Primary amines and calcium hypochlorite or sodium hypochlorite react to form normal chloroamines, which are explosive.

Interaction of ethylene mine with sodium (or other) hypochlorite gives the explosive N-chloro compd.

Removal of formic acid from industrial waste streams with sodium hypochlorite soln becomes explosive at 55 deg C.

Several explosions involving methanol and sodium hypochlorite were attributed to formation of methyl hypochlorite, especially in presence of acid or other esterification catalyst.

Use of sodium hypochlorite soln to destroy acidified benzyl cyanide residues caused a violent explosion, thought to have been due to formation of nitrogen trichloride.(Sodium hypochlorite)

## SECTION: 6 ACCIDENTAL RELEASE MEASURES

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

**Large Spill:** Corrosive liquid. Oxidizing material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid.

## SECTION: 7 HANDLING AND STORAGE

### Precautions:

Keep locked up. Keep container dry. Keep away from heat. Keep away from sources of ignition. Keep away from combustible material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals, acids.

### Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers. Do not store above 20°C (68°F). Air Sensitive to light. Store in light-resistant containers.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### Exposure Limits:

Sodium hypochlorite

TWA: 1 CEIL: 1 (ppm as Cl<sub>2</sub>)

STEL: 1 (ppm as Cl<sub>2</sub>) from ACGIH (TLV) [United States]

Sodium hydroxide

STEL: 2 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States]

TWA: 2 CEIL: 2 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

CEIL: 2 (mg/m<sup>3</sup>) from NIOSH

Consult local authorities for acceptable exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Physical state and appearance:** Liquid. (Clear Liquid.)

**Odor:** Characteristic. Chlorine-like (Strong.)

**Taste:** Not available.

**Molecular Weight:** Not applicable.

**Color:** Green to Yellowish. (Light.)

**pH (1% soln/water):** pH of 10% solution (100 g/l): 12 [Basic.]

**Boiling Point:** The lowest known value is 100°C (212°F) (Water).

**Melting Point:** Freezing pt: -3°C (26.6°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.19 - 1.215 (Water = 1)

**Vapor Pressure:** 1.6 kPa (@ 20°C)

**Vapor Density:** The highest known value is 0.62 (Air = 1) (Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water.

**Solubility:** Easily soluble in cold water, hot water.

## SECTION: 10 STABILITY AND REACTIVITY DATA

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Incompatible materials, light, air, heat

**Incompatibility with various substances:** Slightly reactive to reactive with reducing agents, combustible materials, organic materials, metals, acids.

**Corrosivity:** Extremely corrosive in presence of aluminum. Moderately corrosive in presence of stainless steel(304), of

stainless steel(316). Non-corrosive in presence of glass.

**Special Remarks on Reactivity:**

Decomposed by carbon dioxide from air. Slowly decomposes on contact with air. Unstable in air unless mixed with sodium hydroxide.

Incompatible with ammonium acetate, ammonium carbonate, ammonium nitrate, ammonium oxalate, and ammonium phosphate. Decomposition of sodium hypochlorite takes place within a few seconds with these salts. Also incompatible with primary amines, phenyl acetonitrile, ethyleneimine, methanol, acidified benzyl cyanide, formic acid, urea, nitro compounds, methylcellulose, cellulose, aziridine, ether, ammonia. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas. Chloramine gas may be evolved when ammonia and bleach are mixed. Decomposed by hot water. Sensitive to light. Exposure to light accelerates decomposition.

**Special Remarks on Corrosivity:**

Sodium Hypochlorite is extremely corrosive to brass, and moderately corrosive to bronze.

There is no corrosivity information for copper.

**Polymerization:** Will not occur.

## SECTION: 11 TOXICOLOGICAL INFORMATION

**Routes of Entry:** Absorbed through skin. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 5800 mg/kg [Mouse]. (Sodium hypochlorite).

**Chronic Effects on Humans:**

CARCINOGENIC EFFECTS: Classified 3 (Not classifiable for human.) by IARC [Sodium hypochlorite].

MUTAGENIC EFFECTS: Mutagenic for bacteria and/or yeast. [Sodium hypochlorite].

Contains material which may cause damage to the following organs: lungs, mucous membranes, skin, eyes.

**Other Toxic Effects on Humans:**

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic) (Sodium hypochlorite)

**Special Remarks on other Toxic Effects on Humans:**

Potential Health Effects:

May cause severe irritation and burns to skin and eyes.

Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon re-exposure.

Prolonged or repeated eye contact may cause conjunctivitis.

Ingestion causes burns to the digestive tract. Symptoms may include: 1. pain and inflammation of the mouth, pharynx, esophagus, and stomach, 2. erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrhage, 3. circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations, 4. confusion, delirium, coma, 5. edema of the pharynx, glottis, larynx with stridor and obstruction, 6. perforation of the esophagus, or stomach, with mediastinitis or peritonitis.

Inhalation causes severe respiratory tract irritation and pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). (Sodium hypochlorite)

## SECTION: 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** It is toxic to fish and aquatic organisms.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product without previously notifying the sewage treatment plant authority.

For guidance, contact your State Water Board or Regional Office of the EPA.

Reduce with agents such as bisulfites or ferrous salt solutions. Some heat will be produced. Keep on alkaline side and dilute with copious amounts of water. The main end-product is salt water. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## SECTION 14:TRANSPORT INFORMATION

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Hypochlorite solution UNNA: 1791 PG: III

**Special Provisions for Transport:** Not available.

## SECTION 15: OTHER REGULATORY INFORMATION

### Federal and State Regulations:

Pennsylvania RTK: Sodium hypochlorite

Florida: Sodium hypochlorite

Minnesota: Sodium hypochlorite

Massachusetts RTK: Sodium hypochlorite

New Jersey: Sodium hypochlorite

TSCA 8(b) inventory: Sodium hypochlorite; Water

CERCLA: Hazardous substances.: Sodium hypochlorite: 100 lbs. (45.36 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

### Other Classifications:

#### WHMIS (Canada):

CLASS C: Oxidizing material.

CLASS E: Corrosive liquid.

#### DSCL (EEC):

R8- Contact with combustible material may cause fire.

R31- Contact with acids liberates toxic gas.

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### HMIS (U.S.A.):

**Health Hazard:** 3

**Fire Hazard:** 0

**Reactivity:** 0

#### Personal Protection:

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 0

**Reactivity:** 0

#### Specific hazard:

#### Protective Equipment:

Gloves.

Lab coat.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

## SECTION 16 OTHER INFORMATION

**References:** Not available.

**Other Special Considerations:** Not available.

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Alpha Marine Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Alpha Marine Solutions has been advised of the possibility of such damages.*

Alpha Marine Solutions LLC

Remit to: PO Box 1088

Channelview, TX 77530-1088

Voice: 281-457-3533

Fax: 281-452-2320

aMs

INVOICE NUMBER:

1207-058

INVOICE DATE:

December 10, 2007

PAGE:

1

SOLD TO:

CES

4904 Griggs Rd

Houston, TX 77021




SHIP TO:

CES

4904 Griggs Rd

Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	373874	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		1/9/08

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
605.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% 1 X 300 Gallon Tote 1 X 275 Gallon Tote	1.90	1,149.50
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit	1,000.00	2,000.00
-1.00	TOTEDEP-\$1000.	Returnable Tote Deposit (12-10-07)	1,000.00	-1,000.00
220.00	FERCHL	Ferric Chloride Solution 40% 4 x 55 Gallon Drums	2.50	550.00

Subtotal 2,699.50

Sales Tax

Freight

Total Invoice Amount 2,699.50

Payment Received

**TOTAL 2,699.50**

Check No:

EPAHO055003146

# Order Request Form

P.O. Number: 373874

Date: 12-10-07

Vendor: ALPHA MARINE SOLUTIONS

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>FERRIC CHLORIDE SOLUTION</u>	<u>4 DRUMS</u>	<u>360<sup>00</sup></u>
_____	<u>SODIUM HYPOCHLORITE</u>	<u>2 TONS</u>	<u>800<sup>00</sup></u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Lora Thoma

Approved By: Quanta

618- Chem  
Cost.

DSP

## Office Use Only

Internal Expense:

Job Expense:

\_\_\_\_ CS  
\_\_\_\_ FS  
\_\_\_\_ Trans  
\_\_\_\_ SGA  
\_\_\_\_ MRI  
\_\_\_\_ DRM

What Job? \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

EPAHO055003147



# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17096

Sales Order Date:  
Dec 10, 2007

Page:  
1

### Sold To:

CES  
4904 Griggs Rd  
Houston, TX 77021

### Ship To:

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373874	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
605.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 1 X 300 Gallon Tote 1 X 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-1.00	TOTEDEP-\$1000.	Returnable Tote Deposit (12-10-07)		
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		

*Lae Hona*

EPAHO055003148

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
17096

Sales Order Date:  
Dec 10, 2007

Page:  
1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373874	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
605.00	SOD HYP-TOTE	Sodium Hypochlorite 12.5% Corrosive UN 1791 1 X 300 Gallon Tote 1 X 275 Gallon Tote		
2.00	TOTEDEP-\$1000.	Returnable Tote Deposit		
-1.00	TOTEDEP-\$1000.	Returnable Tote Deposit (12-10-07)		
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		

EPAHO055003149

aMs

# Alpha Marine Solution

STRAIGHT  
BILL OF LADING

15914 AVE C CHANNELVIEW, TEXAS 77530

PHONE: 281 457-3533 FAX 281-452-2320

16791

ORIGINAL NON-NEGOTIABLE

CARRIER:

<b>ALPHA MARINE</b>		DATE 12/10/2007	PURCHASE ORDER NUMBER:	SHIPPER NO.	16791
CONSIGNEE (TO)	CES ENVIRONMENTAL		SHIPPER (FROM)	ALPHA MARINE SOLUTIONS	
STREET	4904 GRIGGS RD		STREET	15914 AVE C	
CITY, STATE, ZIP	HOUSTON, TX 7021		CITY, STATE, ZIP	CHANNELVIEW, TX 77530	
PHONE NO. 713-676-1460	ROUTE		PHONE:	281-457-3533	
		VEHICLE NO.			

NUMBER SHIPPING UNITS	HM	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	NMFC NO.	CLASS	WEIGHT (LBS) SUBJECT TO CORRECTION
4	X	55 GALLON DRUMS		55	2400
		FERRIC CHLORIDE SOLUTION 40%			
		CORROSIVE MATERIAL UN2582 PG III			
		RQ-NONE			
2	X	TOTES 1 X 275 GALLON/1 X 300 GALLON		55	5040
		SODIUM HYPOCHLORITE SOLUTIONS 8			
		CORROSIVE UN1791 PG II			
		MATERIAL SAFETY DATA SHEETS ATTACHED			
6		<b>TOTAL</b>			<b>7440</b>

REMIT COD TO:		COD AMOUNT:	COD FEE:
ADDRESS:			FREIGHT CHARGES:
CITY:	STATE:	ZIP:	<b>PREPAID</b>

**In case of Chemical Emergency Call 281 457-3533 (24 Hour)**

<b>NOTICE:</b> Unless a declared value is stated below and the higher rate is paid, as stated in carrier's tariff, carrier's liability for the property shall be limited as stated herein and in the carrier's tariff. Carrier's tariffs may be obtained by requesting them from the carrier. Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding: \$ _____ PER _____	FREIGHT PREPAID UNLESS MARKED COLLECT IS CUSTOMER'S CHECK ACCEPTABLE FOR COD? YES NO
---	---

**Carrier Liability:** Shipments valued at more than \$25.00 per pound are of extraordinary value. Carrier's maximum liability is \$25.00 per pound per package, subject to \$250,000.00 maximum total liability per shipment, unless the Shipper declares excess value on the Bill of Lading, requests excess liability coverage and pays an additional charge. The agreed value on household goods, used machinery, or personal effects does not exceed ten cents per pound per article, unless otherwise specified.

**COMMODITY DESCRIPTION(S):** THIS BILL OF LADING WILL CERTIFY THAT THE MATERIALS NAMED ON THE BILL OF LADING ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED

AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

**Shipment Received:** Subject to the National Motor Freight Classifications, the Hazardous Materials Transportation Regulations (Title 49-CFR, Subtitle B, Chapter 1, Sub Chapter A-C), the Household Goods Mileage Guide

(HHGB 105 Series), the Carrier's tariffs, pricing schedules, terms, conditions, and rules maintained at Carrier's general offices in effect on the date of the issue of this Bill of Lading, the property described on the Bill of Lading

in apparent good order, except as noted (contents and conditions of contents of packages unknown), marked, consigned, and destined, as indicated above which said carrier (the word carrier being understood throughout

this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier

on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, over all or any portion of said route to destination and as to each party at any time interested in all or any of said

property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Carrier shall in no event be liable for loss of profit,

income, interest, attorney fees, or any special, incidental or consequential damages.

SHIPPER <b>ALPHA MARINE SOLUTIONS</b>	NUMBER OF PIECES RECEIVED	
AUTHORIZED SIGNATURE	CARRIER <b>ALPHA MARINE SOLUTIONS</b>	
	AUTHORIZED SIGNATURE	DATE 10/29/2007

EPAHO055003150

## Alpha Marine Solutions


Date	Type	Reference	Original Amt.	Balance Due	1/16/2008 Discount	Payment
11/21/2007	Bill	1107-092	528.00	528.00		528.00
11/21/2007	Bill	1107-036	528.00	528.00		528.00
11/28/2007	Bill	1107-153	528.00	528.00		528.00
					Check Amount	1,584.00

CES Environmental S CES

1,584.00

552394 (6-07)

Alpha Marine Solutions LLC  
 Remit to: PO Box 1088  
 Channelview, TX 77530-1088  
 Voice: 281-457-3533  
 Fax: 281-452-2320




INVOICE NUMBER:  
 1107-153  
 INVOICE DATE:  
 November 23, 2007

PAGE:  
 1

SOLD TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021

SHIP TO:  
 CES  
 4904 Griggs Rd  
 Houston, TX 77021



CUSTOMER ID	CUSTOMER PO	PAYMENT TERMS	
CES	373788	Net 30 Days	
SALES REP ID	SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON	Alpha Truck		12/23/07

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40% 4 x 55 Gallon Drums	2.40	528.00
		Signed copy of Delivery Ticket: 16968		
		<b>POSTED</b>		

	Subtotal	528.00
	Sales Tax	
	Freight	
	Total Invoice Amount	528.00
Check No:	Payment Received	
	<b>TOTAL</b>	<b>528.00</b>

EPAHO055003152

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:

16968

Sales Order Date:

Nov 20, 2007

Page:

1

**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373788	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums  S. Brown		

EPAHO055003153

# Order Request Form

P.O. Number: 373788

Date: 11-21-07

Vendor: ALPHA MARINE

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>FERRIC CHLORIDE</u>	<u>4 DRUMS</u>	<u>481<sup>00</sup></u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Loren Thomas

618- DSP

Approved By: Janita

## Office Use Only

Internal Expense:

Job Expense:

\_\_\_\_ CS  
\_\_\_\_ FS  
\_\_\_\_ Trans  
\_\_\_\_ SGA  
\_\_\_\_ MRI  
\_\_\_\_ DRM

What Job? \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



# Delivery Ticket

Sales Order Number:

16968

Sales Order Date:

Nov 20, 2007

Page:

1


**Sold To:**

CES  
4904 Griggs Rd  
Houston, TX 77021

**Ship To:**

CES  
4904 Griggs Rd  
Houston, TX 77021


Customer ID	PO Number	Sales Rep Name
CES	373788	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums  		

EPAHO055003155



Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

1107-092

INVOICE DATE:


November 14, 2007

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO		PAYMENT TERMS	
CES		373746		Net 30 Days	
SALES REP ID		SHIPPING METHOD		SHIP DATE	DUE DATE
ASTON		Alpha Truck			12/14/07

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40 % 4 x 55 Gallon Drums  Signed copy of Delivery Ticket: 16915	2.40	528.00
POSTED				

Check No:

Subtotal	528.00
Sales Tax	
Freight	
Total Invoice Amount	528.00
Payment Received	
<b>TOTAL</b>	<b>528.00</b>

EPAHO055003156

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
16915

Sales Order Date:  
Nov 14, 2007


Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373746	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		

A large, handwritten signature in black ink is written across the bottom of the table, spanning the Description, Shipped Prior, and This Shipment columns.

EPAHO055003157

# Order Request Form

P.O. Number: 373746

Date: 11-14-07

Vendor: ALPHA MARINE SOLUTIONS

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

<u>Item #</u>	<u>Description</u>	<u>Quantity</u>	<u>Cost \$</u>
_____	<u>FERRIC CHLORIDE SOLUTION</u>	<u>4 DRUM</u>	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Submitted By: Loren Thomas

618  
DSP-

Approved By: Juanita

## Office Use Only

Internal Expense:

Job Expense:

- \_\_\_ CS
- \_\_\_ FS
- \_\_\_ Trans
- \_\_\_ SGA
- \_\_\_ MRI
- \_\_\_ DRM
- \_\_\_ DSP

What Job? \_\_\_\_\_

- ☐ Give Vendor Re-Sale Certificate
- ☐ Vendor to Charge Sales Tax

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
16915

Sales Order Date:  
Nov 14, 2007

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021


Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373746	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		
A large, handwritten signature in black ink, written across the bottom of the table rows.				

EPAHO055003159

Alpha Marine Solutions LLC  
Remit to: PO Box 1088  
Channelview, TX 77530-1088  
Voice: 281-457-3533  
Fax: 281-452-2320



INVOICE NUMBER:

1107-036

INVOICE DATE:


November 6, 2007

PAGE:

1

SOLD TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021

SHIP TO:  
CES  
4904 Griggs Rd  
Houston, TX 77021



CUSTOMER ID		CUSTOMER PO	PAYMENT TERMS	
CES		373701	Net 30 Days	
SALES REP ID		SHIPPING METHOD	SHIP DATE	DUE DATE
ASTON		Alpha Truck		12/6/07

QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION
220.00	FERCHL	Ferric Chloride Solution 40 % 4 x 55 Gallon Drums  Signed copy of Delivery Ticket: 16859	2.40	528.00
POSTED				

Check No:

Subtotal	528.00
Sales Tax	
Freight	
Total Invoice Amount	528.00
Payment Received	
<b>TOTAL</b>	<b>528.00</b>

EPAHO055003160

# Alpha Marine Solutions

15914 AVE C CHANNELVIEW, TX 77530  
FAX: 281 452-2320 PHONE 281 457-3533



## Delivery Ticket

Sales Order Number:  
16859

Sales Order Date:  
Nov 6, 2007

Page:  
1

Sold To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Ship To:  
CES  
4904 Griggs Rd  
Houston, TX 77021

Customer ID	PO Number	Sales Rep Name
CES	373701	Janelle M. Aston
Resale Certificate Number	Shipping Method	Payment Terms
Certificate on File	Alpha Truck	Net 30 Days

Quantity	Item	Description	Shipped Prior	This Shipment
220.00	FERCHL	Ferric Chloride Solution 40% Corrosive Material, Class 8, UN 2582, PG III RQ-1000 lbs. 4 x 55 Gallon Drums		
A handwritten signature in cursive script, reading "S. Brown", is centered across the bottom half of the table.				

EPAHO055003161

American Drilling and  
Sawing

American Drilling & Sawing			9/25/2008			
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
9/25/2008	Bill	60963	275.00	275.00		275.00
				Check Amount		275.00

CES Environmental S Saw Cut parking lot for pump wiring - per Steve

275.00

565369 (5/08)





# Purchase Order Request Form

P.O. Number:

376150

Date:

9-25-08

Vendor:

American Sawing

Contact:

Phone:

Item #

Description

Quantity

Cost

Saw cut parking lot  
for pump wiring

1

total 275<sup>00</sup>

Submitted By:

~~Steve~~ Rick Tullos

Approved By:

## For Office Use Only

Internal Expense:

☐ CS  
☐ FS  
☐ Trans  
☐ SGA  
☐ MRI  
☐ DRM  
☐ DSP

Job Expense:

What Job?

Tank Wash

☐ Give Vendor Re-Sale Certificate

☐ Vendor to Charge Sales Tax

## American International Recovery

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
6/16/2008	Bill		2,500.00	2,500.00		2,500.00
				Check Amount		2,500.00

7/3/2008

PAYMENT  
RECORD

CES Environmental S 684-201119-DED-1

2,500.00




## American International Recovery

5 Wood Hollow Road, 3rd Floor · Parsippany, NJ · 07054 · (973) 541-2700 · (800) 366-2683 · (973) 541-0461 (Fax)

May 20, 2008

CES ENVIRONMENTAL SERVICES, INC.  
49904 GRIGGS RD  
HOUSTON, TX 77021  
Attention: Risk Management



RE:        Our Insured                        : CES ENVIRONMENTAL SERVICES, INC.  
             Our File No.                     : 684 - 201119 - DED - 1  
             Date of Loss                     : Aug 28, 2007  
             Deductible                       : \$2500.00  
             Amount Paid on Claim : \$154087.46  
             Amount Due                      : \$2500.00  
             Claimant                         : CHEMTRADE

Dear Sir/Madam:

We are the recovery agents for A I SPECIALTY LINES INS. CO. who have made payment for damages arising out of the referenced loss. Pursuant to the terms of your policy, you have a deductible in the amount indicated.


We are requesting that you please send your check for the amount due to settle this deductible issue.

Please note our file number on your remittance and send your check made payable to:

American International Recovery  
P.O. Box 105795  
Atlanta, GA 30348-9864

If you have any questions, please feel free to contact me using the telephone number listed on the letterhead.

Sincerely,

  
Stephen Palladino  
Recovery Representative  
973-541-2722



### Additional Comments:

If your records indicate you have already remitted the deductible amount owed, please provide us with a copy of your cancelled draft or other proof of payment so we can update our records accordingly.

EPAHO055003167

## Payment History

Menu | Help | User Guide

Branch: 684

Case: 201119

Symbol:

Case Warning

0300008748M	002118365	CES ENVIRONMENTAL SERVICES, I	684	201119	001	CHEMTRADE	C	4812
			17	15	57		TX	

## Search Criteria

Reserve Type:

INDEMNITY

Trans Date:

Pay to:

Vendor Tax ID#

Filter

ALL

	Pay To	Trans Date	Res	RFP#	Amount	Inv/File#	Loss Trans	Minor Code	Reason for
1	CES ENVIRONMENTAL SERVICES	04/30/2008	I	254111	104000.00		FP	IN/01	
2	CHEMTRADE REFINERY SERVICES	04/30/2008	I	254018	42412.00		PP	IN/01	

Total Paid: 146,412.00

Total Incurred: 154,087.46

## Disclaimer

Copyright © 2001-2008, American International Group, Inc. All rights reserved.  
Last Updated 05/09/2008

Check Review RFP #

Payment History		Menu   Help   User Guide							
Branch:	684	Case:	201119	Symbol:		Case Warning			
0300008748M	002118365	CES ENVIRONMENTAL SERVICES, I	684	201119	001	CHEMTRADE	C	4812	
			17	15	57		TX		

Search Criteria									
Reserve Type:	Trans Date:	Pay to:							
LEGAL/ALLOCATED									
Vendor Tax ID#	Filter								
	ALL								

	Pay To	Trans Date	Res	RFP#	Amount	Inv/File#	Loss Trans	Minor Code	Reason fc
1	RIMKUS CONSULTING GRP INC	04/11/2008	L	250427	2494.08	6194086	SP	ER/61	
2	RIMKUS CONSULTING GRP INC	04/09/2008	L	249942	3114.89	6184028 6186084	FP	ER/61	
3	RIMKUS CONSULTING GRP INC	11/20/2007	L	225056	2066.49	6184028	PP	ER/61	

Total Paid:	7,675.46	Total Incurred:	154,087.46
-------------	----------	-----------------	------------

Disclaimer  
Copyright © 2001-2008, American International Group, Inc. All rights reserved.  
Last Updated 05/09/2008

Check Review	RFP #		Cancel	
--------------	-------	--	--------	--

American  
Packing

SHIP FROM:

## AMERICAN PACKING AND GASKET COMPANY



APG - HOUSTON

6039 ARMOUR DRIVE

HOUSTON, TX 77020

PH: 800-888-5223 FAX: 800-444-3252

visit our website: callapg.com  
email: info@callapg.com

ORDER NUMBER

SHIP NO.

PAGE

RELEASE 001

09/29/08 12:34PM 04014133 009617



CES ENVIROMENTAL

XX

S  
O  
L  
D  
T  
OS  
H  
I  
P  
T  
O

Steve

WHSE.	CUSTOMER ID.	ORDERED BY	SALESPERSON	ENTERED BY	TERMS		DATE ENTERED	
00	CREDITCARD	ARTHUR	/AL	ship	CREDIT CARD		09/29/08	
PURCHASE ORDER NUMBER		REFERENCE	P.O. DATE	REQ. SHIP DATE	SHIP DATE	SHIP VIA	FRT. TERMS	SHIPPED BY

VERBAL 09/29/08 09/29/08 WILL CALL

ENTRY	ITEM NUMBER	UNIT WEIGHT	ITEM SHIP DATE	BIN	U/M	QUANTITIES
	DESCRIPTION					ORDERED SHIPPED
001	725FS	ST	09/29/08	FT	25.	25
	60 DURO NEOPRENE STRIPPING					
	1" THK X 1" WIDE					

092908

Weight

APG - Houston  
6039 Armour Dr  
Houston, TX 77020  
1-800-888-5223  
Fax: 1-800-444-3252AEP - Houston  
5301 Polk St. Bldg. 20  
Houston, TX 77023  
1-800-794-1701  
Fax: 713-514-0407APG - Knoxville  
5324 S. National Dr.  
Knoxville, TN 37914  
1-800-382-8483  
Fax: 1-800-471-6586ENA Seals  
1004 Commerce Dr.  
Grafton, OH 44044  
1-800-883-7457  
Fax: 440-926-1112

DELIVERY RECEIPT

AMERICAN PACKING AND GASKET COMPANY



EPAHO055003171



AMERICAN PACKING AND GSKT  
6039 ARMOUR DRIVE  
HOUSTON, TX 77020  
7136755271

TERMINAL ID: 0001  
MERCHANT #: 348400521285

VISA PURCHASE

# \*\*\*\*\*4637

CLK: CITYSALES EXP.: \*\*/\*\*

BOOK ORDER INVOICE: 04014133AL

BATCH: 353 SQ: 013660

DATE: 09/29/08 TIME: 12:40:39

APPROVED: 008129

MANUAL

REFERENCE #: 827317606020

TOTAL \$ 118.00

I AGREE TO PAY ABOVE  
TOTAL AMOUNT ACCORDING  
TO CARD ISSUER AGREEMENT  
(MERCHANT AGREEMENT  
IF CREDIT VOUCHER)

SIGN X \_\_\_\_\_  
CES ENVIROMENTAL

CUSTOMER COPY

EPAHO055003172

American Transport

EPAHQ055003173

**CES ENVIRONMENTAL SERVICES, INC.**

**41671**

American Transport, Inc

11/20/2008

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
9/27/2008	Bill	A589233B	1,065.75	1,065.75		1,065.75
9/27/2008	Bill	A589234B	1,065.75	1,065.75		1,065.75
				Check Amount		2,131.50

CES Environmental S

2,131.50

565369 (5/08)

EPAHO055003174




# American Transport, Inc

"A Member of The  
TII Family of Companies"  
100 Industry Drive  
Pittsburgh, PA 15275-1014  
www.thetii.com

NUMBER WHEN REMITTING

PRO. NO. A589233B



Shipper: KONO KOGS INC

Consignee: CES ENVIRONMENTAL SERVICES

Green Bay, WI 54300

BY: .....

Houston, TX 77000

Bill To: CES ENVIRONMENTAL  
4904 Griggs Rd  
Houston, TX 77021

Please  
Remit To: American Transport, Inc  
P O Box 640469  
Pittsburgh, PA 15264-0469  
412-788-8878  
Fax 412-788-8896

REFERENCE #	PROCESSOR	BILLING DATE	SHIP DATE	TRACTOR #	TRAILER #	AUTHORITY	COMMODITY
	DMJACKSO	9/23/2008	9/11/2008	171001	171001A	MC147734	


DESCRIPTION	ACTUAL QUANTITY	BILLING QUANTITY	RATE	CHARGES
Detention B		1. Flat	1,050.00 Flat	\$1,050.00

Total Due \$1,050.00

130009

REC

Memo: (stuff on 2nd page)



AFTER OCT 23 PAY ADDED INTEREST CHARGE OF \$15.75

Total Due \$1,065.75

This shipment was transported pursuant to the rates, classifications, rules and practices set forth in a tariff maintained at our General Office, unless transported under contract carrier authority. If there is any dispute concerning the freight charges, you must send written notification to the above fax number within 72 hours of receipt of this freight bill. Otherwise these rates and charges will be final and binding.

A SERVICE CHARGE OF 1.5% PER MONTH (ANNUAL PERCENTAGE RATE IS 18.0%) WILL BE APPLIED ON ACCOUNTS CARRIED PAST 30 DAYS.

# THIS SHIPPING ORDER

must be legibly filled in, in Indelible Pencil, or in Carbon, and retained by the Agent.

RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of issue of this Shipping Order.

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that any service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

BY TRUCK ☐ FREIGHT ☐

From **KONO KOGS, INC.**  
At **2508 Beaumont St. - Green Bay, WI 54301**  
(920) 432-2888

CONSIGNEE  
AND  
DESTINATION

Ces Environmental PH. (713) 676-1460  
4904 Griggs RD  
Houston, TX 77021

DATE

9-12-08

SHIPPER'S NO.

CARRIER

CARRIER'S NO.

589233

BY

American Transport

ROUTE

DELIVERING CARRIER

CAR OR VEHICLE  
INITIALS & NO.

NO. PACKAGES	HM	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	ERG	WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	✓	Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.
1		Pallet/Fan Base Frame		22,000			<p>Per _____ (Signature of Consignor)</p> <p>If charges are to be prepaid, write or stamp here, "To be Prepaid."</p> <p>Received \$ _____ to apply in prepayment of the charges on the property described hereon.</p> <p>Agent or Cashier _____</p> <p>Per _____ (The signature here acknowledges only the amount prepaid).</p> <p>Charges Advanced: _____</p>
1		Ladder Access		600			
1		Pallet, Access Doors (2)		300			
1		Pallet, Surplus/Spare Parts		200			
1		Pallet, Expansion joint frames (2 sets)		400			
1		Pallet, Left over Parts		400			

J. Hernandez American Transport  
PLACARDS SUPPLIED ☐ YES ☐ NO  
SHIPPER'S SIGNATURE  
EMERGENCY RESPONSE PHONE NO.  
SIGNATURE TITLE Project Coordinator

SHIPPER'S CERTIFICATION: This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.  
\* If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is a bill of lading for shipment by water or by land.  
† Shipper's Imprints in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission.  
Note - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.  
The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding  
THIS SHIPMENT IS CORRECTLY DESCRIBED.  
CORRECT WEIGHT IS \_\_\_\_\_ LBS.  
† The fibre boxes used for this shipment conform to the specifications set forth in the box makers certificate thereon, and all other requirements of the Consolidated Freight Classification.

KONO KOGS  
2508 Beaumont St. - Green Bay, WI 54301  
Shipper, Per  
Agent must detach and retain this Shipping Order and must sign the Original Bill of Lading.

Permanent post-office address of shipper  
FORM 1200, RAPIDFORMS, INC. THOROFARE, NJ 08066-9499  
A589233 2

EPAHQ0055003176

# THIS SHIPPING ORDER

must be legibly filled in, in Indelible Pencil, or in Carbon, and retained by the Agent.

RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of issue of this Shipping Order.

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that any service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

BY TRUCK ☐ FREIGHT ☐

From **KONO KOGS, INC.**  
At **2503 Beaumont St. • Green Bay, WI 54301**  
(920) 432-2889

CONSIGNEE  
AND  
DESTINATION

**Ces Environmental PH. (713) 676-1460**  
**4904 Briggs RD**  
**Houston, TX 77021**

DATE <b>9-12-08</b>	SHIPPER'S NO.
<b>CARRIER</b> ↓	CARRIER'S NO. <b>589233</b>
BY <b>American Transport</b>	
ROUTE	DELIVERING CARRIER
CAR OR VEHICLE INITIALS & NO.	

NO. PACKAGES	HM	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	ERG	WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	✓	Subject to Section 7 of Conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. Per _____ (Signature of Consignor) If charges are to be prepaid, write or stamp here, "To be Prepaid."  Received \$ _____ to apply in prepayment of the charges on the property described hereon.  Agent or Cashier  Per _____ (The signature here acknowledges only the amount prepaid).  Charges Advanced: \$ _____
1		Pallet/Fan Base Frame		22,000			
1		Ladder Access		600			
1		Pallet, Access Doors (2)		300			
1		Pallet, Surplus/Spare Parts		200			
1		Pallet, Expansion joint frames (2 sets)		400			
1		Pallet, Left over Parts		400			

PLACARDS SUPPLIED <input type="checkbox"/> YES <input type="checkbox"/> NO	DRIVER'S SIGNATURE <b>J. Hernandez</b>	EMERGENCY RESPONSE PHONE NO.
SHIPPER'S CERTIFICATION: This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation. * If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is a "C.O.D. SHIPMENT" or not. † Shipper's Imprints in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission. Note - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____		SIGNATURE <b>Project Coordinator</b>
THIS SHIPMENT IS CORRECTLY DESCRIBED.		TITLE <b>Project Coordinator</b>
CORRECT WEIGHT IS _____ LBS.	† The fibre boxes used for this shipment conform to the specifications set forth in the box makers certificate thereon, and all other requirements of the Consolidated Freight Classification.	
Shipper		Agent must detach and retain this Shipping Order and must sign the Original Bill of Lading.

**KONO KOGS**  
**2503 Beaumont St. • Green Bay, WI 54301**

Shipper, Per **[Signature]**

Permanent post-office address of shipper

FORM 1200, RAPIDFORMS, INC. THOROFARE, NJ 08066-9499

**A589233 2**

EPAHQ055003177



"A Member of The  
TII Family of Companies"  
100 Industry Drive  
Pittsburgh, PA 15275-1014  
www.thetii.com

# American Transport, Inc

RECEIVED  
SEP 27 2008

NUMBER WHEN REMITTING

PRO. NO. A589234B

Shipper: KONO KOGS INC

BY: \_\_\_\_\_ Consignee: CES ENVIRONMENTAL SERVICES

Green Bay, WI 54300

Houston, TX 77000

Bill To: CES ENVIRONMENTAL  
4904 Griggs Rd  
Houston, TX 77021

Please  
Remit To: American Transport, Inc  
P O Box 640469  
Pittsburgh, PA 15264-0469  
412-788-8878  
Fax 412-788-8896

REFERENCE #	PROCESSOR	BILLING DATE	SHIP DATE	TRACTOR #	TRAILER #	AUTHORITY	COMMODITY
	LAMAROVIC	9/23/2008	9/11/2008	175001	UNKNOWN	MC147734	

DESCRIPTION	ACTUAL QUANTITY	BILLING QUANTITY	RATE	CHARGES
Detention B		1. Flat	1,050.00 Flat	\$1,050.00

Total Due \$1,050.00

130009  
REC

Memo: "Stuff on 2nd page"

POSTED  
OCT 03 2008

AFTER OCT 23 PAY ADDED INTEREST CHARGE OF \$15.75

Total Due \$1,065.75

This shipment was transported pursuant to the rates, classifications, rules and practices set forth in a tariff maintained at our General Office, unless transported under contract carrier authority. If there is any dispute concerning the freight charges, you must send written notification to the above fax number within 72 hours of receipt of this freight bill. Otherwise these rates and charges will be final and binding.

A SERVICE CHARGE OF 1.5% PER MONTH (ANNUAL PERCENTAGE RATE IS 18.0%) WILL BE APPLIED ON ACCOUNTS CARRIED PAST 30 DAYS.

# THIS SHIPPING ORDER

must be legibly filled in, in Indelible Pencil, or in Carbon, and retained by the Agent.

DESIGNATE WITH AN (X)  
BY TRUCK ☐ FREIGHT ☐

RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of issue of this Shipping Order.

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that any service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

From **KONO KOGS, INC.**  
2503 Beaumont St. • Green Bay, WI 54301  
At (820) 432-2880

CONSIGNEE  
AND  
DESTINATION

Ces Environmental PH (713)  
4904 Griggs Rd. 676-  
Houston, TX 77021 1460

DATE 9-12-08	SHIPPER'S NO. A589234
CARRIER ↓	CARRIER'S NO.
BY	
ROUTE	DELIVERING CARRIER
CAR OR VEHICLE INITIALS & NO.	

NO. PACKAGES	HM	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	ERG #	"WEIGHT" (SUBJECT TO CORR.)	CLASS OR RATE	✓	Subject to Section 7 of Conditions of applicable bill of lading. If this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. Per _____ (Signature of Consignor) If charges are to be prepaid, write or stamp here, "To be Prepaid."  Received \$ _____ to apply in prepayment of the charges on the property described hereon.  Agent or Cashier Per _____ (The signature here acknowledges only the amount prepaid). Charges Advanced: \$ _____  C.O.D. SHIPMENT C.O.D. Amt _____ Collection Fee _____ Total Charges _____
1		Combustion Chamber		12,000			
1		Ceramic Media Chamber #1		22,000			
1		Platform, access		800			

PLACARDS SUPPLIED ☐ YES ☐ NO

DRIVER'S SIGNATURE

EMERGENCY RESPONSE PHONE NO.

SHIPPER'S CERTIFICATION: This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

SIGNATURE

TITLE

\* If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is a bill of lading for cargo or for cargo and passengers.  
+ Shipper's Imprints in lieu of stamp; not a part of Bill of Lading approved by the Interstate Commerce Commission.  
Note - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.  
The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

THIS SHIPMENT IS CORRECTLY DESCRIBED.

†The fibre boxes used for this shipment conform to the specifications set forth in the box makers certificate thereon, and all other requirements of the Consolidated Freight Classification.

CORRECT WEIGHT IS \_\_\_\_\_ LBS.

Per

**KONO KOGS**

2503 Beaumont St. • Green Bay, WI 54301

Shipper, Per

Agent must detach and retain this Shipping Order and must sign the Original Bill of Lading.

Permanent post-office address of shipper

A589234 2



**American ★★★★★  
Transport Inc.**

"A member of the TTI family of companies."

100 Industry Drive  
Pittsburgh, PA 15275-1014  
(412) 788-8878

## DELIVERY RECEIPT

BILL OF LADING NO.									
UNIT NO.									
175001									
ORDER NO. (INVOICE NO.)									
A	5	8	9	2	3	4	A		

FROM: (SHIPPER)				TO: (CONSIGNEE)			
Kono Kogs INC				ces Environmental			
STREET				STREET			
2503 Beaumont st				4904 Griggs Rd			
CITY, STATE		ZIP CODE		CITY, STATE		ZIP CODE	
Green Bay WI		54301		Houston TX		77021	
NUMBER SHIPPING UNITS	KIND OF PACKAGING, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS			WEIGHT (SUBJECT TO CORRECTION)		RATE	CHARGES (FOR CARRIER USE ONLY)
3	Pice Oxidizer			30000			
NOTE: American Transport, Inc. WILL NOT ACCEPT ANY RESPONSIBILITY FOR DAMAGE, SHORTAGE, ETC. NOTATION BY CONSIGNEE ON THIS DELIVERY RECEIPT WITHOUT APPROVAL OF GENERAL OFFICE AT PITTSBURGH, PA CALL 800-284-1900				Type or Print Driver's Name		Unit Number	
RECEIVED THE ABOVE DESCRIBED PROPERTY IN GOOD CONDITION EXCEPT AS NOTED				Driver's Signature			
FIRM				Date Delivered			
BY				Time Delivered			
Show Complete Company Name and Signature - Initials Not Accepted				AM			
				A589234			

Return to American Transport General Office

EP AHO055003180

# American water Systems

American Water Systems


Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
9/29/2008	Bill	16339	42.40	42.40		42.40
				Check Amount		42.40

11/20/2008

CES Environmental S CES ENV

42.40

565369 (5/08)



# AMERICAN WATER SYSTEMS

AMERICAN CLEANING/FILTRATION CONNECTION

P.O. BOX 266186

HOUSTON, TX 77207

Ph: (713) 641-1811

Fx: (713) 645-8226

# invoice

DATE

INVOICE #

9/23/2008

16339

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

**SHIP TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER

TERMS

REP.

SHIP

VIA

F.O.B.

PROJECT

PORT ARTHUR.

Net 30

ROSA

9/23/2008

WILL CALL

QUANTITY

ITEM CODE

DESCRIPTION

PRICE EACH

AMOUNT

1

SM 373038

SEWER NOZZLE #4.0 3/8"

34.00

34.00T


1

SM 331021

3/8" QUICK COUPLER FPT.

8.40

8.40T



130010 REC.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30 days are subject to 1.5% finance charge

Customer is responsible for collection fees, court cost and reasonable attorney fees to collect unpaid accounts

Subtotal

\$42.40

Tax

\$3.49

**TOTAL**

\$45.89

Recieved By:

*Lorey Thomas*

EPAHO055003183

**CES ENVIRONMENTAL SERVICES, INC.**

**41455**

American Water Systems

11/8/2008

Date	Type	Reference
9/5/2008	Bill	16195

Original Amt.
1,412.52

Balance Due	Discount
1,412.52	
Check Amount	

Payment
1,412.52
1,412.52

PAYMENT  
RECORD

CES Environmental S CES ENV

1,412.52

565369 (5/08)

EPAHO055003184



## AMERICAN WATER SYSTEMS

AMERICAN CLEANING/FILTRATION CONNECTION

P.O. BOX 266186

HOUSTON, TX 77207

Ph: (713) 641-1811

Fx: (713) 645-8226

DATE

8/26/2008

INVOICE #

16195


BILL TO:

CES ENVIROMENTAL SERVICES, INC.

4904 GRIGGS RD.

HOUSTON, TX 77021

ATTN: ACCOUNTS PAYABLES



RECEIVED

SEP 05 2008

BY:

6233 DSP

P.O. NUMBER	TERMS	REP.	SHIP	VIA	F.O.B.	PROJECT
375747	Net 30	ROSA	8/26/2008			

QUANTITY	ITEM CODE	DESCRIPTION	PRICE EACH	AMOUNT
1	SM 079030	FUEL PUMP 3 GPH 3450 RPM. R.H. ROT. SUNTEC A2VA7116	94.00	94.00T
1	HY 2510-0007	VAC SWITCH 2.5 HG	43.00	43.00T
1	SW 2509904	KOHLER IGNITION SWITCH	27.60	27.60T
2	SW 2535702-S	ENGINE OIL	3.34	6.68T
2	SW 1213202KH	SPARK PLUG RC12YC FOR KOHLER	4.67	9.34T
1	SW 4708303KH	AIR FILTER	11.90	11.90T
1	SW 2474306KH	AIR CLEANER COVER	31.26	31.26T
1	SM 341002	FUEL FILTER 1/4 METAL	6.00	6.00T
1	SM 079025	UNIVERSAL BURNER MOTOR 120 VOLT-	157.00	157.00T
1	SM 079341	2.50 - 80 A DEGREE FUEL NOZZLE	7.10	7.10T
1	SM 079052	ELECTRODE ASSEMBLY - PAIR	21.00	21.00T
1	SM 341042	RACOR ELEMENT FUEL FILTER	17.10	17.10T
1	SM 371100	CHEMICAL METER VALVE PANEL	46.40	46.40T
1	SM 340010	SOAP STRAINER W/ CHECK VALVE	4.00	4.00T
6	SM 121036	1/4 " CLEAR REINFORCED TUBING I.D.	0.65	3.90T
2	AO PUMP OIL	30 WT. NON DETERGENT PUMP OIL	6.50	13.00T
1	SM 142430	NIPPLE 1/2" X 1/2" M	2.10	2.10T
1	SW 2578601S	MUFFLER KIT GASKET AND FLANGE NUTS	3.74	3.74T
1	SW 2406806	MUFFLER STARTER SIDE OUTLET	108.66	108.66T
1	SW 1205001-S1	OIL FILTER MODEL CH 17-26	8.99	8.99T

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

Customer is responsible for collection fees, court cost and


reasonable attorney fees to collect unpaid accounts

Subtotal

Tax

**TOTAL**

# invoice



DATE **8/26/2008** INVOICE # **16195**

**BILL TO:**

**CES ENVIROMENTAL SERVICES, INC.**  
**4904 GRIGGS RD.**  
**HOUSTON, TX 77021**  
**ATTN: ACCOUNTS PAYABLES**

**SHIP TO:**

**CES ENVIROMENTAL SERVICES, INC.**  
**4904 GRIGGS RD.**  
**HOUSTON, TX 77021**

*633 DSP*

P.O. NUMBER	TERMS	REP.	SHIP	VIA	F.O.B.	PROJECT
<b>375747</b>	<b>Net 30</b>	<b>ROSA</b>	<b>8/26/2008</b>			

QUANTITY	ITEM CODE	DESCRIPTION	PRICE EACH	AMOUNT
2	WWG 6A127	BX-48 COG BELT	37.54	75.08T
1	AL R02-00748	AX37 BELT	11.60	11.60T
1	AR KIT2780	KIT 2780 VALVE KIT	117.99	117.99T
1	AR KIT2782	KIT 2782 WATER SEAL KIT	117.43	117.43T
6	LABOR-RATE	LABOR CHARGE PER HOUR	60.00	360.00T

**CALLED LAUREN 7/31/08 SAID HE WILL LET US KNOW HAD TO GET AN APPROVAL**

**ALKOTA MODEL 5405 S/N 203314**

*Thank you for your business.*

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge  
Customer is responsible for collection fees, court cost and reasonable attorney fees to collect unpaid accounts

Subtotal **\$1,304.87**

Tax **\$107.65**

**TOTAL \$1,412.52**

Recived By: \_\_\_\_\_

# Purchase Order Request Form

P.O. Number: 375747

Date: 8-12-08

Vendor: AMERICAN WATER

Contact: \_\_\_\_\_

Phone: \_\_\_\_\_

Item #	Description	Quantity	Cost
--------	-------------	----------	------

_____	<u>REPAIR HOT WATER WASHER 302</u>	_____	<u>1200<sup>00</sup></u>
-------	------------------------------------	-------	--------------------------

_____	_____	_____	_____
-------	-------	-------	-------

_____	_____	_____	_____
-------	-------	-------	-------

_____	_____	_____	_____
-------	-------	-------	-------

_____	_____	_____	_____
-------	-------	-------	-------

_____	_____	_____	_____
-------	-------	-------	-------

_____	_____	_____	_____
-------	-------	-------	-------

_____	_____	_____	_____
-------	-------	-------	-------

_____	_____	_____	_____
-------	-------	-------	-------

Submitted By: Loren Thomas

Approved By: \_\_\_\_\_

## For Office Use Only

Internal Expense:

- \_\_\_\_\_ CS
- \_\_\_\_\_ FS
- \_\_\_\_\_ Trans
- \_\_\_\_\_ SGA
- \_\_\_\_\_ MRI
- \_\_\_\_\_ DRM
- \_\_\_\_\_ DSP

Job Expense:

What Job? \_\_\_\_\_

\_\_\_\_\_ Give Vendor Re-Sale Certificate

\_\_\_\_\_ Vendor to Charge Sales Tax



**CES ENVIRONMENTAL SERVICES, INC.**

**41011**

American Water Systems

10/10/2008

Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
8/1/2008	Bill	15995	168.27	168.27		168.27
8/20/2008	Bill	16135	27.01	27.01		27.01
				Check Amount		195.28

PAYMENT  
RECORD

CES Environmental S CES ENV

195.28

565369 (5/08)

EPAHO055003188



# AMERICAN WATER SYSTEMS

AMERICAN CLEANING/FILTRATION CONNECTION

P.O. BOX 266186

HOUSTON, TX 77207

Ph: (713) 641-1811

Fx: (713) 645-8226

RECEIVED

JUL 25 2008

invoice

DATE  
7/23/2008

INVOICE #  
15995

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.

4904 GRIGGS RD.

HOUSTON, TX 77021

ATTN: ACCOUNTS PAYABLES

**SHIP TO:**

CES ENVIROMENTAL SERVICES, INC.

4904 GRIGGS RD.

HOUSTON, TX 77021

**POSTED**

AUG 23 2008

P.O. NUMBER	TERMS	REP.	SHIP	VIA	F.O.B.	PROJECT
200	Net 30	ROSA	7/23/2008	WILL CALL		

QUANTITY	ITEM CODE	DESCRIPTION	PRICE EACH	AMOUNT
1	SW 2535706	ENGINE OIL	3.58	3.58T
1	SW 2404101-S	INTAKE MANIFOLD GASKET	1.06	1.06T
1	SW 2404102	GAKSET	0.81	0.81T
2.5	LABOR-RATE	LABOR CHARGE PER HOUR	60.00	150.00T

489050 TRK 200  
TRA

*[Signature]*

*[Signature]*

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge  
Customer is responsible for collection fees, court cost and  
reasonable attorney fees to collect unpaid accounts

Subtotal **\$155.45**

Tax **\$12.82**

**TOTAL** **\$168.27**

EPAHO055003189



# AMERICAN WATER SYSTEMS

AMERICAN CLEANING/FILTRATION CONNECTION

P.O. BOX 266186

HOUSTON, TX 77207

Ph: (713) 641-1811

Fx: (713) 645-8226

invoice

DATE

7/23/2008

INVOICE #

15995

**BILL TO:**

**CES ENVIROMENTAL SERVICES, INC.**

**4904 GRIGGS RD.**

**HOUSTON, TX 77021**

**ATTN: ACCOUNTS PAYABLES**

**SHIP TO:**

**CES ENVIROMENTAL SERVICES, INC.**

**4904 GRIGGS RD.**

**HOUSTON, TX 77021**

P.O. NUMBER	TERMS	REP.	SHIP	VIA	F.O.B.	PROJECT
200	Net 30	ROSA	7/23/2008	WILL CALL		

QUANTITY	ITEM CODE	DESCRIPTION	PRICE EACH	AMOUNT
1	SW 2535706	ENGINE OIL	3.58	3.58T
1	SW 2404101-S	INTAKE MANIFOLD GASKET	1.06	1.06T
1	SW 2404102	GAKSET	0.81	0.81T
2.5	LABOR-RATE	LABOR CHARGE PER HOUR	60.00	150.00T

*X Arthur*

*ARTHUR*

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

Customer is responsible for collection fees, court cost and  
reasonable attorney fees to collect unpaid accounts

Subtotal **\$155.45**

Tax **\$12.82**

**TOTAL** **\$168.27**

EPAHO055003190

## Order Request Form

P.O. Number: 375531

Date: 7-23-08

Vendor: American Water Systems

**Contact:** \_\_\_\_\_

Phone: 713 641-1811

[illegible]

Submitted By: DA Olik

Approved By: [Signature]

## Office Use Only

**Internal Expense:**

Class

CS

FS

Trans

SGA

MRT

DRIVE

**Job Expense:**

## What Job?

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

**AMERICAN WATER SYSTEMS**  
 AMERICAN CLEANING/FILTRATION CONNECTION  
 P.O. BOX 266186  
 HOUSTON, TX 77207  
 Ph: (713) 641-1811  
 Fx: (713) 645-8226

**RECEIVED**  
 'AUG 20 2008  
 BY:.....

invoice

DATE  
 8/14/2008

INVOICE #  
 16135

**BILL TO:**  
 CES ENVIROMENTAL SERVICES, INC.  
 4904 GRIGGS RD.  
 HOUSTON, TX 77021  
 ATTN: ACCOUNTS PAYABLES

**SHIP TO:**  
 CES ENVIROMENTAL SERVICES, INC.  
 4904 GRIGGS RD.  
 HOUSTON, TX 77021

**POSTED**  
 AUG 23 2008

P.O. NUMBER	TERMS	REP.	SHIP	VIA	F.O.B.	PROJECT
375783	Net 30	ROSA	8/14/2008	WILL CALL		
QUANTITY	ITEM CODE	DESCRIPTION			PRICE EACH	AMOUNT
1	SM 480149	WHEEL 10			24.95	24.95T
678 Supplies DSP						
<b>Thank you for your business.</b> \$25.00 Charge on Return Checks No refunds on special orders No refunds on electrical parts 30% restock fee on returnable items Invoices past 30 days are subject to 1.5% finance charge Customer is responsible for collection fees, court cost and reasonable attorney fees to collect unpaid accounts					Subtotal	\$24.95
					Tax	\$2.06
					<b>TOTAL</b>	<b>\$27.01</b>

Recieved By: \_\_\_\_\_

EPAHO055003192



P.O. BOX 266186  
HOUSTON, TX 77207  
Ph: (713) 641-1811  
Fx: (713) 645-8226

# PACKING SLIP

DATE  
8/14/2008

INVOICE #  
16135

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

**SHIP TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	REP.	SHIP	VIA	F.O.B.	PROJECT
100	Net 30	ROSA	8/14/2008	WILL CALL		

QUANTITY	ITEM CODE	DESCRIPTION	PRICE EACH	AMOUNT
1	SM 480149	WHEEL 10	24.95	24.95

*Thank you for your business.*

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30 days are subject to 1.5% finance charge

Customer is responsible for collection fees, court cost and  
reasonable attorney fees to collect unpaid accounts

Subtotal **\$24.95**

Tax **\$2.06**

**TOTAL \$27.01**

Recieved By: Arthur

EPAHO055003193

## Order Request Form

P.O. Number: 375783

Date: 8-14-08

Vendor: American Water Systems

**Contact:**

Phone: 713 641 1811

**Item #**

### Description

**Quantity**

**Cost \$**

1

## Wheel for Roper Pumps



27.의

Submitted By:

**Approved By:**

**Office Use Only**

**Internal Expense:**

**Job Expense:**

Class

## What Job?

CS

FS

Trans

SGA

MRI

DRM

☐ Give Vendor Re-Sale Certificate☐ Vendor to Charge Sales Tax

American Water Systems

1/18/2008

Date	Type	Reference
12/19/2007	Bill	14721

Original Amt.
92.01

Balance Due	Discount
92.01	
Check Amount	

Payment
92.01
92.01

PAYMENT  
RECORD

CES Environmental S CES ENV

92.01





AMERICAN WATER SYSTEMS  
6422 LONG DR.  
HOUSTON TX 77087  
PH# 713-641-1811

DATE	INVOICE NO.
12/12/2007	14721

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

**SHIP TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021



PURCHASE ORDER NUMBER	TERMS
373888	Net 30

QTY.	ITEM NUMBER	DESCRIPTION	PRICE EACH	AMOUNT
1	RENTAL 443...	RENTAL UNIT 4435H13C SERIAL NO: 20070484  MACHINE OUT 11/2/07  <i>Return 5:14 PM</i>	85.00	85.00
Thank you for your business.			<div data-bbox="1179 1001 1526 1218" data-label="Image"></div>	

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30 days are subject to 1.5% finance charge  
Customer is responsible for collection fees, court cost and  
reasonable attorney fees to collect unpaid accounts


Subtotal	\$85.00
Sales Tax (8.25%)	\$7.01
Total	\$92.01

RECEIVED BY:

*Loren Thomas*

PRINT NAME:

*LOREN THOMAS*



**AMERICAN WATER SYSTEMS**  
6422 LONG DR.  
HOUSTON TX 77087  
PH# 713-641-1811

**POSTED**

DATE	INVOICE NO.
12/12/2007	1471

**BILL TO:**

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

**SHIP TO:**

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021

PURCHASE ORDER NUMBER	TERMS
373888	Net 30

QTY.	ITEM NUMBER	DESCRIPTION	PRICE EACH	AMOUNT
1	RENTAL 443...	RENTAL UNIT 4435H13C SERIAL NO: 20070484  MACHINE OUT 11/24/07  <i>Return 5:14 PM</i>  <i>Thank you for your business.</i>	85.00	85.00T

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30 days are subject to 1.5% finance charge  
Customer is responsible for collection fees, court cost and  
reasonable attorney fees to collect unpaid accounts

<b>Subtotal</b>	<b>\$85.00</b>
<b>Sales Tax (8.25%)</b>	<b>\$7.01</b>
<b>Total</b>	<b>\$92.01</b>

RECIVED BY: Loren Thomas

PRINT NAME: LOREN THOMAS

EPAHO055003197

# Order Request Form

P.O. Number: 515088

Date: 12-12-07

Vendor: American water

**Contact:** \_\_\_\_\_

Phone: \_\_\_\_\_

[illegible]

Submitted By: Alex Shuman

Approved By: \_\_\_\_\_

## Office Use Only

**Internal Expense:**

**Job Expense:**

- ☐ CS
- ☐ FS
- ☐ Trans
- ☐ SGA
- ☐ MRI
- ☐ DRM
- ☐ DSG

What Job? Re Ctrl seg

- ☐ Give Vendor Re-Sale Certificate  
☐ Vendor to Charge Sales Tax

American Water Systems

Date	Type	Reference
11/19/2007	Bill	14511

Original Amt.
30.94


Balance Due	Discount	Check Amount
30.94		
		30.94

Payment
30.94
30.94

PAYMENT  
RECORD

CES Environmental S CES ENV

30.94



AMERICAN WATER SYSTEMS  
6422 LONG DR.  
HOUSTON TX 77087  
PH# 713-641-1811

DATE	INVOICE NO.
10/29/2007	14511

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

**SHIP TO:**


CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

			PURCHASE ORDER NUMBER	TERMS
				Net 30
QTY.	ITEM NUMBER	DESCRIPTION	PRICE EACH	AMOUNT
1	LB 17210ZE3505	AIR FILER	28.57	28.57
<div>POSTED</div> <div>RECEIVED OCT 31 2007 BY: _____</div>			Subtotal	\$28.57
			Sales Tax (8.25%)	\$2.37
			Total	\$30.94

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30 days are subject to 1.5% finance charge  
Customer is responsible for collection fees, court cost and reasonable attorney fees to collect unpaid accounts

RECEIVED BY: \_\_\_\_\_

PRINT NAME: \_\_\_\_\_



**AMERICAN WATER SYSTEMS**  
6422 LONG DR.  
HOUSTON TX 77037  
PH# 713-641-1811

DATE	INVOICE NO.
10/29/2007	14511

**BILL TO:**

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

**SHIP TO:**

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021

		PURCHASE ORDER NUMBER	TERMS	
			Net 30	
QTY.	ITEM NUMBER	DESCRIPTION	PRICE EACH	AMOUNT
1	LB 17210ZE3505	AIR FILER	28.57	28.57
<b>\$25.00 Charge on Return Checks</b> No refunds on special orders No refunds on electrical parts 30% restock fee on returnable items Invoices past 30 days are subject to 1.5% finance charge Customer is responsible for collection fees, court cost and reasonable attorney fees to collect unpaid accounts			<b>Subtotal</b>	<b>\$28.57</b>
			<b>Sales Tax (8.25%)</b>	<b>\$2.37</b>
			<b>Total</b>	<b>\$30.94</b>

RECIVIED BY: *[Signature]*

PRINT NAME: Savier R

American Water Systems				8/25/2008		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
6/20/2008	Bill	15639	28.19	28.19		28.19
				Check Amount		28.19

PAYMENT  
RECORD

CES Environmental S CES ENV

28.19

# AMERICAN WATER SYSTEMS

P.O. BOX 266186  
HOUSTON, TX 77207  
www.american-water-systems.com

Ph: (713) 641-1811  
Fx: (713) 645-8226

RECEIVED

MAY 31 2008

BY: \_\_\_\_\_

DATE  
5/21/2008

INVOICE #  
15639

BILL TO:  
CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

SHIP TO:  
CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	REP.	SHIP	VIA	F.O.B.	PROJECT
LOREN.	Net 30	ROSA	5/21/2008	WILL CALL		

QUANTITY	ITEM CODE	DESCRIPTION	PRICE EACH	AMOUNT
1	SM 373027	BUTTON NOZZLE #4.5	21.20	21.20T
1	TRI 1273 6X4	BELL REDUCER 1/4" FPT X 3/8" FPT	4.84	4.84T

POSTED

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30 days are subject to 1.5% finance charge  
Customer is responsible for collection fees, court cost and  
reasonable attorney fees to collect unpaid accounts

*Loren Howard*

Subtotal \$26.04

Tax \$2.15

**TOTAL** \$28.19

EPAHO055003203



# AMERICAN WATER SYSTEMS

P.O. BOX 266186  
HOUSTON, TX 77207

www.american-water-systems.com

Ph: (713) 641-1811

Fx: (713) 645-8226

# PACKING SLIP

DATE  
5/21/2008

INVOICE  
15639

BILL TO:  
CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

SHIP TO:  
CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	REP.	SHIP	VIA	F.O.B.	PROJECT
LOREN.	Net 30	ROSA	5/21/2008	WILL CALL		

QUANTITY	ITEM CODE	DESCRIPTION	PRICE EACH	AMOUNT
1	SM 373027	BUTTON NOZZLE #4.5	21.20	21.20T
1	TRI 1273 6X4	BELL REDUCER 1/4' FPT X 3/8' FPT	4.84	4.84T

SIB -  
p/w repair  
633 - eg repair  
DSP

Loren Shum

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30 days are subject to 1.5% finance charge

Customer is responsible for collection fees, court cost and  
reasonable attorney fees to collect unpaid accounts

Subtotal \$26.04

Tax \$2.15

**\$28.19**

EPAHO055003204

# Invoice

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087-3408  
PH: (713) 641-1811  
FX: (713) 645-8226

DATE

INVOICE #

11/18/2005

11261

BILL TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

# PAST DUE!!!!

P.O. NUMBER

TERMS

PROJECT


368572

Net 30

QUANTITY		DESCRIPTION	RATE	AMOUNT
3	SM 368436	LANCE 36" SS	36.00	108.00T
3	SM 331121	COUPLER PLUG QC 3/8' FPT	2.29	6.87T
3	TRI 1273 4X4	1/4' PIPE COUPLING	1.25	3.75T
2	SM 353010	AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	45.00	90.00T

pd 12/19/05  
ck# 18918

AMERICAN WATER SYSTEM  
NEW REMIT TO ADDRESS  
PO BOX 266186  
HOUSTON TX 77207



Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

Subtotal \$208.62

Sales Tax (8.25%) \$17.22

**TOTAL** \$225.84

PO# 368572

Company -

*American Water Systems*

## AMERICAN WATER SYSTEMS

6422 LONG DR.  
HOUSTON TX 77087  
PH# 713-641-1811

## Statement

Date
3/31/2007

To:
CES ENVIROMENTAL SERVICES, INC. 4904 GRIGGS RD. HOUSTON, TX 77021 ATTN: ACCOUNTS PAYABLES

		Amount Due	Amount Enc.		
		\$3,021.17			
Date	Transaction	Amount	Balance		
01/28/2004	INV #8706. Due 02/27/2004. Orig. Amount \$84.01. — SM 084400X, 2 @ \$25.00 = 50.00 — SM 331162, 2 @ \$5.00 = 10.00 — SM 255160, 1 @ \$8.80 = 8.80 — SM 255161, 1 @ \$8.80 = 8.80 — Tax: HOUSTON @ 8.25% = 6.41	84.01	84.01		
02/06/2004	INV #8742. Due 03/07/2004. Orig. Amount \$798.84. — SM 337441, 1 @ \$576.00 = 576.00 — SM 153570, 2 @ \$80.98 = 161.96 — Tax: HOUSTON @ 8.25% = 60.88	798.84	882.85		
11/18/2005	INV #11261. Due 12/18/2005. Orig. Amount \$225.84. — SM 368436, 3 @ \$36.00 = 108.00 — SM 331121, 3 @ \$2.29 = 6.87 — TRI 1273 4X4, 3 @ \$1.25 = 3.75 — SM 353010, 2 @ \$45.00 = 90.00 — Tax: HOUSTON @ 8.25% = 17.22	225.84	1,108.69		
12/21/2006	INV #12940. Due 01/20/2007. Orig. Amount \$156.30. — WWG 1A107, 1 @ \$26.64 = 26.64 — WWG 6A126, 2 @ \$44.82 = 89.64 — GC MISC., 6 @ \$4.67 = 28.02 — TRI 1273 8X6, 1 @ \$6.94 = 6.94 — TRI 1243 6X6, 1 @ \$5.06 = 5.06 — Tax: HOUSTON @ 8.25% = 0.00	156.30	1,264.99		
02/19/2007	INV #13186. Due 03/21/2007. Orig. Amount \$429.61. — SM 103062, 1 @ \$110.00 = 110.00 — SM 462650, 1 @ \$69.00 = 69.00 — SM 15300-27, 1 @ \$25.90 = 25.90 — #16, 1 @ \$4.65 = 4.65 — TRI 1273 6X6, 1 @ \$3.32 = 3.32 — TRI 1252 6X6, 2 @ \$2.00 = 4.00 — LABOR-RATE, 2 @ \$60.00 = 120.00 — SERVICE CALL, 1 @ \$60.00 = 60.00 — Tax: HOUSTON @ 8.25% = 32.74	429.61	1,694.60		
CURRENT	1-30 DAYS PAST DUE	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE	OVER 90 DAYS PAST DUE	Amount Due
911.25	844.94	0.00	156.30	1,108.68	\$3,021.17

## AMERICAN WATER SYSTEMS

6422 LONG DR.  
HOUSTON TX 77087  
PH# 713-641-1811

## Statement

Date

3/31/2007

To:

CES ENVIRONMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

		Amount Due	Amount Enc.		
		\$3,021.17			
Date	Transaction	Amount	Balance		
02/22/2007	INV #13212. Due 03/24/2007. Orig. Amount \$94.81. — SM 411060, 1 @ \$31.98 = 31.98 — SM 347092, 1 @ \$22.00 = 22.00 — SM 259710, 2 @ \$16.80 = 33.60 — Tax: HOUSTON @ 8.25% = 7.23 ✓	94.81	1,789.41		
02/22/2007	INV #13215. Due 03/24/2007. Orig. Amount \$268.94. — SM 153008, 1 @ \$42.20 = 42.20 — AO PUMP OIL, 5 @ \$5.25 = 26.25 ✓ — LABOR-RATE, 2 @ \$60.00 = 120.00 — SERVICE CALL, 1 @ \$60.00 = 60.00 — Tax: HOUSTON @ 8.25% = 20.49	268.94	2,058.35		
02/27/2007	INV #13229. Due 03/29/2007. Orig. Amount \$51.58. — CC P05050A, 1 @ \$8.64 = 8.64 ✓ — CC PA1712, 2 @ \$19.50 = 39.00 — Tax: HOUSTON @ 8.25% = 3.94	51.58	2,109.93		
CURRENT	1-30 DAYS PAST DUE	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE	OVER 90 DAYS PAST DUE	Amount Due
911.25	844.94	0.00	156.30	1,108.68	\$3,021.17

## Statement

## AMERICAN WATER SYSTEMS

6422 LONG DR.  
HOUSTON TX 77087  
PH# 713-641-1811

Date
3/31/2007

To:
CES ENVIROMENTAL SERVICES, INC.
4904 GRIGGS RD.
HOUSTON, TX 77021
ATTN: ACCOUNTS PAYABLES

Amount Due	Amount Enc.
\$3,021.17	

Date	Transaction	Amount	Balance		
03/15/2007	CREDMEM #13304. — SM 368736, 3 @ \$29.00 = -87.00 — SM 353010, 3 @ \$45.00 = -135.00 — SM 331016, 3 @ \$4.78 = -14.34 — SM 331160, 3 @ \$2.18 = -6.54 --- SM 462650 \$-69.00 --- SM 341042 \$-17.50 — SM 413001 \$-40.38 — AR KIT2782 \$-111.84 — AR KIT2780 \$-112.39 — SM 374210 \$-99.08 — SM 331116V \$-1.22 --- GI 22532A \$-27.10 --- LABOR-RATE, 3.5 @ \$60.00 = -210.00 — SERVICE CALL \$-60.00 —  SALES TAX CREDIT REFER TO INVOICE # 13087 — Tax: HOUSTON @ 8.25% = -81.78	-0.01	2,109.92		
03/16/2007	INV #13312, Due 04/15/2007, Orig. Amount \$398.32. --- SM 353010, 4 @ \$45.00 = 180.00 — SM 368436, 4 @ \$36.00 = 144.00 — SM 331116, 4 @ \$4.78 = 19.12 — SM 331162, 4 @ \$5.00 = 20.00 — SM 255280, 4 @ \$8.80 = 35.20 — Tax: HOUSTON @ 8.25% = 0.00	398.32	2,508.24		
CURRENT	1-30 DAYS PAST DUE	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE	OVER 90 DAYS PAST DUE	Amount Due
911.25	844.94	0.00	156.30	1,108.68	\$3,021.17

## AMERICAN WATER SYSTEMS

6422 LONG DR.  
HOUSTON TX 77087  
PH# 713-641-1811

## Statement

Date

3/31/2007

To:

CES ENVIRONMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

		Amount Due	Amount Enc.		
		\$3,021.17			
Date	Transaction	Amount	Balance		
03/21/2007	INV #13335, Due 04/20/2007, Orig. Amount \$494.93. --- SM 353010, 2 @ \$45.00 = 90.00 --- SM 368436, 2 @ \$36.00 = 72.00 --- SM 331116, 2 @ \$4.78 = 9.56 --- SM 331160, 2 @ \$2.18 = 4.36 --- SM 374210, 3 @ \$99.08 = 297.24 --- SM 331116, 3 @ \$4.78 = 14.34 --- Tax: HOUSTON @ 8.25% = 7.43	494.93	3,003.17		
03/28/2007	INV #13361, Due 04/27/2007, Orig. Amount \$18.00. --- SM 251280, 3 @ \$6.00 = 18.00 --- Tax: HOUSTON @ 8.25% = 0.00	18.00	3,021.17		
CURRENT	1-30 DAYS PAST DUE	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE	OVER 90 DAYS PAST DUE	Amount Due
911.25	844.94	0.00	156.30	1,108.68	\$3,021.17

\*\*\*\*\* FACSIMILE COVER SHEET \*\*\*\*\*

APR 02 2007 11:27

Message To:

97136761676

Message From:

EPAHO055003211



RIOPELLE ENTERPRISES, INC. D/B/A

**AMERICAN  
WATER  
SYSTEMS**

JAN 12 2007

January 10, 2007

Attn: Accounts Payables

Please accept our apologies for the delay in getting this invoice(s) to you. We have experienced some major delays in invoicing due to a total change in office personnel and a major glitch in our accounting software. We would appreciate your putting this invoice in line for payment as soon as possible. If you have any questions, please contact Rosa Morin in accounts receivables. Please honor these charges in spite the late invoice date.

Thank You,

Rosa Morin  
American Water Systems  
Accounting Department Manager

HOUSTON, TEXAS 77087

(713) 641-1811

FAX (713) 641-0941

EPAHO055003212

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

8700

1/28/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

2	SM 084400X	ROTOMAX REPAIR KIT	25.00	50.00T
2	SM 331162	3/8 QUICKPLUG FPT.	5.00	10.00T
1	SM 255160	#4-0 NOZZLE MEG B-3- S-3- R1	8.80	8.80T
1	SM 255161	4-15 DEGREE NOZZLE 1/4" MEG B-3 S-3 RW-1	8.80	8.80T

Subtotal

\$77.60

Sales Tax (8.25%)

\$6.41

TOTAL

\$84.01

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

# INVOICE

## AMERICAN WATER SYSTEMS

4108 WESLOW ST.  
HOUSTON, TX 77087  
(713) 641-1811

6/2004

8742

### SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLES

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1	SM 337441	GENERATOR 2500 WATT	576.00	576.00T
2	SM 153570	3/8 X 50 FT HOSE 3000 PSI	80.98	161.96T

Subtotal \$737.96

Sales Tax (8.25%) \$60.88

TOTAL

\$798.84

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge



**AMERICAN WATER SYSTEMS**  
P.O. BOX 266186  
HOUSTON, TX 77207  
(713) 641-1811 (713) 645-8226 FAX  
www.american-water-systems.com

# Invoice

DATE	INVOICE #
9/26/2006	12530

**BILL TO:**

**CES ENVIROMENTAL SERVICES, INC.**  
**4904 GRIGGS RD.**  
**HOUSTON, TX 77021**  
**ATTN: ACCOUNTS PAYABLES**

**CES ENVIROMENTAL SERVICES, INC.**  
**4904 GRIGGS RD.**  
**HOUSTON, TX 77021**

P.O. NUMBER	TERMS	PROJECT
370165	Net 30	

QUANTITY	DESCRIPTION	RATE	AMOUNT
4	WWG 6L235 AX 37 BELT	21.89	87.56
1	SM 462575 HM REGULATOR/UNLOADER VALVE MULTIPLE GUN SYSTEMS	84.00	84.00

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal	\$171.56
Sales Tax (8.25%)	\$0.00
<b>TOTAL</b>	<b>\$171.56</b>

EPAHO055003215

# Invoice

**AMERICAN WATER SYSTEMS**  
6422 LONG DR  
HOUSTON, TX 77087-3408  
PH: (713) 641-1811  
FX: (713) 645-8226

DATE

INVOICE #

11/18/2005

11261

**BILL TO:**

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER

TERMS


PROJECT

368572

Net 30

QUANTITY		DESCRIPTION	RATE	AMOUNT
3	SM 368436	LANCE 36" SS	36.00	108.00T
3	SM 331121	COUPLER PLUG QC 3/8' FPT	2.29	6.87T
3	TRI 1273 4X4	1/4' PIPE COUPLING	1.25	3.75T
2	SM 353010	AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	45.00	90.00T

pd



Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal \$208.62

Sales Tax (8.25%) \$17.22

**TOTAL \$225.84**

EPAHO055003216

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

8706  
INVOICE DATE:

1/28/2004

SOLD TO

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

## PAST DUE!!!!

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

2	SM 084400X	ROTOMAX REPAIR KIT	25.00	50.00T
2	SM 331162	3/8 QUICKPLUG FPT.	5.00	10.00T
1	SM 255160	#4-0 NOZZLE MEG B-3- S-3- R1	8.80	8.80T
1	SM 255161	4-15 DEGREE NOZZLE 1/4' MEG B-3 S-3 RW-1	8.80	8.80T

AMERICAN WATER SYSTEM  
NEW REMIT TO ADDRESS  
PO BOX 266186  
HOUSTON TX 77207

*Deleted per  
Rose*

*4/11/07*

*Sherry R. Kattap*

Subtotal

\$77.60

Sales Tax (8.25%)

\$6.41

TOTAL

\$84.01

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

**AMERICAN WATER SYSTEMS**4108 WESLOW ST.  
HOUSTON, TX 77087  
(713) 641-1811**INVOICE**

INVOICE NUMBER:

INVOICE DATE:

2/6/2004

8742

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
ATTN: ACCOUNTS PAYABLECES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021**PAST DUE!!!!**

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1

SM 337441

GENERATOR 2500 WATT

576.00

576.00T

2

SM 153570

3/8 X 50 FT HOSE 3000 PSI

80.98

161.96T

Deleted per  
Rose

4/11/07

Thank you for your business.

AMERICAN WATER SYSTEM  
NEW REMIT TO ADDRESS  
PO BOX 266186  
HOUSTON TX 77207

Subtotal

\$737.96

Sales Tax (8.25%)

\$60.88

TOTAL

\$798.84

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

American Water Systems  
 Date ~~11/24/2005~~ Type Bill Reference 11261

Original Amt.  
225.84

12/19/2005  
 Balance Due 225.84  
 Discount  
 Check Amount

Payment  
 225.84  
 225.84

PAYMENT  
 RECORD

CES Environmental S CES ENV

225.84

521563 (5/05)

368572

Net 30

QUANTITY		DESCRIPTION	RATE	AMOUNT
3	SM 368436	LANCE 36" SS	36.00	108.00T
3	SM 331121	COUPLER PLUG QC 3/8' FPT	2.29	6.87T
3	TRI 1273 4X4	1/4' PIPE COUPLING	1.25	3.75T
2	SM 353010	AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	45.00	90.00T

678 - Supplies, Parts, Bols

(TW)

POSTED  
 11-21-05

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

Subtotal \$208.62

Sales Tax (8.25%) \$17.22

**TOTAL** \$225.84

EPAHO055003219



American Water Systems					1/30/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
01/06/2004	Bill	8617	30.36	30.36		30.36
01/22/2004	Bill	8668	800.42	800.42		800.42
					Check Amount	830.78

PAYMENT  
RECORD

CES Environmental S

830.78

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

8617

INVOICE DATE:

1/5/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366422	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
3	AH 6 X 6	3/8' X 3/8' HOSE END SWIVEL H.P	8.50	25.50T
1	TRI 1273 6X6	3/8' X 3/8' PIPE COUPLING	2.55	2.55T

PRESSURE HOSE REPAIR  
TANK WASH

POSTED  
1-6-04

RECEIVED  
1-5-04

Subtotal \$28.05

Sales Tax (8.25%) \$2.31

**TOTAL** \$30.36

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
1/5/2004	366422

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
CS-Equipment Repair  pressure hose repair		30.36	30.36
ordered by Loren		<b>Total</b>	\$30.36

EPAHO055003222

# INVOICE

**AMERICAN WATER SYSTEMS**  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

8668

INVOICE DATE:

1/20/2004

SOLD TO:

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021


CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366457

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SM 102327	GENERAL PUMP EZ 4040G 4.0 GPM @ 4000 PSI 13 HP REG. 3400 RPM	510.00	510.00T
5	FUEL DIESEL	DIESEL FUEL # 2	2.34	11.70
1	AL C0400144	1/2" GENERAL PUMP DURAVIEW INLET FILTERS	27.00	27.00T
4	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	184.00T
10	SM 075035	O'RING 1/4' HIGH TEMP	0.40	4.00T
10	SM 075036	O'RING 3/8	0.36	3.60T

# 325



RECEIVED  
1-21-04

POSTED  
1-22-04

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal \$740.30

Sales Tax (8.25%) \$60.12

**TOTAL** \$800.42

Irvin got PO  
for this after the  
fact. Said it  
was "his screw up"  
that he didn't get  
PO 1st.

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
1/21/2004	366457

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
Repairs #325 Pressure Washer  new pump and misc. repairs to pressure washer		800.42	800.42
Ordered by Irvin		<b>Total</b>	\$800.42

EPAHO055003225

# INVOICE

**AMERICAN WATER SYSTEMS**  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:  
**8635**  
INVOICE DATE:  
**1/12/2004**


SOLD TO:

**CES ENVIROMENTAL SERVICES, INC.**  
**4904 GRIGGS RD.**  
**HOUSTON, TX 77021**

**CES ENVIROMENTAL SERVICES, INC.**  
**4904 GRIGGS RD.**  
**HOUSTON, TX 77021**

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366437	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	KAR K 2400 ...	KARCHER MODEL K 2400 HH	289.00	289.00T



*Loren Thomas' personal check*

*[Handwritten signatures and scribbles]*

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal \$289.00

Sales Tax (8.25%) \$23.84

**TOTAL** \$312.84

EPAHO055003226

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

8635

INVOICE DATE:

1/12/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021


CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366437	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	KAR K 2400 ...	KARCHER MODEL K 2400 HH	289.00	289.00T

*new cold water  
pressure washer*

Thank you for your business.



Subtotal \$289.00

Sales Tax (8.25%) \$23.84

**TOTAL** \$312.84

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge



**S Environmental Services, Inc.**

4904 Griggs Rd.  
Houston, TX 77021  
Phone: (713) 676-1460  
Fax: (713) 676-1676

**Purchase Order**

Date	P.O. No.
1/14/2004	366437

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
SGA-Cold Water Pressure Washer for FS cold water pressure washer for Field Services		312.84	312.84
ordered by Loren		<b>Total</b>	\$312.84

EPAHO055003228

American Water Systems				2/19/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount
02/09/2004	Bill	8722	522.94	522.94	
				Check Amount	
					Payment
					522.94
					522.94

PAYMENT  
RECORD

CES Environmental S #303 Pressure washer repair

522.94

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

8722  
INVOICE DATE:

2/6/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021


CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366485

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	AL S2001500N	DEFLECTOR, EXHAUST - 7 15/16	15.60	15.60T
1	AR KIT2780	KIT 2780 VALVE KIT	85.74	85.74T
1	AR KIT2782	KIT 2782 WATER SEAL KIT	92.43	92.43T
2	SW 2535706	ENGINE OIL	4.30	8.60T
1	SM 331060	3/8 QUICKCOULPER MPT.	7.00	7.00T
1	SW 5205002...	OIL FILTER FOR KOHLER COMMAND 12.5 HP	10.00	10.00T
1	SW 4708303...	AIR FILTER	11.90	11.90T
3	FUEL GASO...	CHEVRON GASOLINE	1.90	5.70T
2	SW 2413201S	SPARK PLUG	5.06	10.12T
1	SM 251200	# 5 - 15 DEGREE NOZZLE	6.00	6.00T
5	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	230.00T



#303

Thank you for your business.

CS - Egrepar

Subtotal \$483.09

Sales Tax (8.25%) \$39.85

**TOTAL** \$522.94

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
2/4/2004	366485

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
CS Equipment Repairs #303 Pressure Washer pressure washer which sits in bay 2 in tank wash		522.94	522.94
Ordered by Loren		<b>Total</b>	\$522.94

EPAHO055003231

American Water Systems				2/20/2004		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
02/13/2004	Bill	8748	1,217.81	1,217.81		1,217.81
				Check Amount		1,217.81

PAYMENT  
RECORD

CES Environmental S Equipment rental

1,217.81

200410 (11/03)

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

8748

INVOICE DATE:

2/9/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366485

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

3	RENTAL SD...	RENTAL MACHINE M/N SDC355 S/N 20020321 MOUNTED ON TRAILER W/ WATER TANK. HOSE REEL W/ 100FT HOSE. 3 WEEK RENTAL 01-01-04 THRU 01-22-04	200.00	600.00T
3	RENTAL 443...	RENTAL MACHINE SN 2000184 3 WEEK RENTAL 01/08/2004 THRU 01/29/04	175.00	525.00T

*CS - Rental of Pressure Washer  
while tank wash pressure  
washer being repaired*

**POSTED**  
2-13-04

*568.31  
FS-EQ Rental  
(Acw)*

Thank you for your business.

*FS-EQ rental  
649.50  
2-12-04*

Subtotal \$1,125.00

Sales Tax (8.25%) \$92.81

**TOTAL** \$1,217.81

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

American Water Systems			2/27/2004		
Date	Type	Reference	Original Amt.	Balance Due	Discount
02/17/2004	Bill	8767	146.14	146.14	
02/17/2004	Bill	8757	43.30	43.30	
02/17/2004	Bill	8756	601.81	601.81	
				Check Amount	
					791.25

PAYMENT  
RECORD

CES Environmental S

791.25

200410 (11/03)

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR.  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

8756  
INVOICE DATE:

2/12/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366485

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

1	WIP 267-623...	CARBUERTOR	135.86	135.86T
1	SM 462650	UNLOADER VALVE REGULATOR PULSAR 3200 BLUE SPRING	82.75	82.75T
1	AR KIT1857	SEAL REPAIR KIT FOR AR PUMP	83.20	83.20T
1	SM 342010	GREEN CAP FILTER	22.00	22.00T
2	TRI 1243 4X4	1/4" X 1/4" ST ELBOW	2.50	5.00T
1	TRI 1243 6X6	3/8' MPT X 3/8' FPT ST ELBOW	2.40	2.40T
1	SM 140052	ADAPTER HOSE 3/4' FGH X 1/2' FPT	4.98	4.98T
1	TRI 1252 8X8	1/2' X 1/2' HEX CLOSE NIPPLE	2.25	2.25T
2	GC 1/4 CL	1/4 HOSE CLAMP	1.00	2.00T
1	SM 331120	3/8" QUICK COUPLINGS MPT	7.00	7.00T
1	TRI 1252 6X6	3/8' X 3/8' CLOSE NIPPLE HEX	1.50	1.50T
4.5	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	207.00T

RECEIVED  
2-12-04

#304

CS-EQ rep.

PAID  
2-19-04

Thank you for your business.

Subtotal \$555.94

Sales Tax (8.25%) \$45.87

**TOTAL** \$601.81

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge



# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR.  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

INVOICE DATE: <sup>8767</sup>

2/12/04

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1	SM 411060	PRESSURE SWITCH 15 AMP 115-220 V.	32.00	32.00T
1	SM 353010	AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	40.00	40.00T
0.5	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	23.00T
1	SERVICE C...	SERVICE CALL CHARGE	40.00	40.00T

REFER TO WORK ORDER 319877

**MAILED**  
2/12/04

#325  
**POSTED**  
2-19-04  
FS-  
Am. Can

Thank you for your business.

**RECEIVED**  
2-17-04

Subtotal \$135.00

Sales Tax (8.25%) \$11.14

**TOTAL** \$146.14

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

AMERICAN WATER SYSTEMS  
 4422 LONG DR  
 HOUSTON, TX 77057  
 TEL: (713) 641-1011  
 FAX: (713) 641-0104

319877

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE 2-12-04	
NAME C.E.S.					
ADDRESS					
CITY, STATE, ZIP					
SOLD BY JQ		CASH	C.O.D.	CHARGE	ON ACCT.
		MDSE RETD	PAID OUT		
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	911260 Pressure switch			32.00
2	1	Gun jet			40.00
3		Twins mobile unit			
4		Burner stays on			
5		causes safety valve			
6		to release.			
7		Found bad pressure switch			
8		replace switch and			
9		test total operation			
10		Adj. pressure operation			
11		OPS - GOOD			
12					
13					
14					
15	.5	LABOR			23.00
16	1	SERV. CALL			40.00
17					
18		Sub Total			135.00
19		Tax			11.14
20		Total			146.14
RECEIVED BY <i>[Signature]</i>					

5805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003237

AMERICAN WATER SYSTEMS  
 8422 LONG DR  
 HOUSTON, TX 77087  
 PH: (713) 641-1811  
 FX: (713) 641-0194

319877

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE	
				2 - - 04	
NAME C.E.S.					
ADDRESS #325					
CITY, STATE, ZIP					
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE RETD PAID OUT
JQ.					
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	911060 Pressure switch			32.00
2	1	Gun jet			40.00
3		Irwin's mobile unit			
4		Burner stays on			
5		causes safety valve			
6		to release.			
7		Found bad pressure switch			
8		replace switch and			
9		test total operation			
10		Adj. pressure operation			
11		OPS - GOOD			
12					
13					
14					
15	.5	LABOR			23.00
16	1	SERV. CALL			40.00
17					
18		Sub Total			135.00
19		Tax			11.14
20		Total			146.14
RECEIVED BY					

5805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003238

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

8757  
INVOICE DATE:

2/11/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

~~366485~~ 366470

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

2

SM 341042

RACOR ELEMENT FUEL FILTER  
RACOR # R12T

20.00

40.00T

Rental  
Pressure  
Washer  
2-19-04  
Acm

2-17-04

Subtotal

\$40.00

Sales Tax (8.25%)

\$3.30

TOTAL

\$43.30

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

American Water Systems				3/8/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount
02/17/2004	Bill	8772	649.50	649.50	
02/17/2004	Bill	8771	284.17	284.17	
				Check Amount	
					Payment
					649.50
					284.17
					933.67

PAYMENT  
RECORD

CES Environmental S

933.67

200410 (11/03)

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

8771  
INVOICE DATE:

2/13/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366485

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

2	RENTAL 443...	RENTAL MACHINE SN 2000184 RENTAL DROP OFF 02/13/04	131.25	262.50T
---	---------------	---	--------	---------

X \_\_\_\_\_

RENTAL 01/29/04 THRU 02/13/04

*Tate Walsh*  
*Am claw*  
**PAID**  
*2-19-04*

**PAID**  
*2-17-04*

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal \$262.50

Sales Tax (8.25%) \$21.67

**TOTAL** \$284.17

# INVOICE

**AMERICAN WATER SYSTEMS**

6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

8772  
INVOICE DATE:

2/13/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366485	Net 30	
QUANTITY	ITEM NUMBER	DESCRIPTION	EXTENSION

3	RENTAL SD...	RENTAL MACHINE M/N SDC355 S/N 20020321 MOUNTED ON TRAILER W/ WATER TANK. HOSE REEL W/ 100FT HOSE.	200.00	600.00T
---	--------------	---	--------	---------

DROP OFF DATE: 02-13-04  
TIME: 10:43 AM

X \_\_\_\_\_

Am. Can

RECEIVED  
2-17-04PAID  
2-19-04

Subtotal \$600.00

Sales Tax (8.25%) \$49.50

**TOTAL** \$649.50

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

American Water Systems				3/22/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount
02/25/2004	Bill	8809	815.67	815.67	
02/25/2004	Bill	8817	89.37	89.37	
02/27/2004	Bill	8829	34.75	34.75	
				Check Amount	
					939.79

PAYMENT  
RECORD

CES Environmental S

939.79



# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:  
**8817**  
INVOICE DATE:  
**2/24/2004**

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021


CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366528

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

2	SW 2404102	GAKSET	0.81	1.62T
4	SW M-0841080	NUT	0.24	0.96T
2	SW M-0650012	SCREW	1.16	2.32T
1	SW 2406807	CANISTER MUFFLER	77.65	77.65T



#315

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

Subtotal \$82.55

Sales Tax (8.25%) \$6.82

**TOTAL**

\$89.37

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
2/24/2004	366528

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
Repairs #315 muffler for heated pressure washer #315		89.37	89.37
ordered by Loren		<b>Total</b>	<b>\$89.37</b>

EPAHO055003245

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

8809  
INVOICE DATE:

2/23/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366515

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SM 337441	GENERATOR 2500 WATT	519.00	519.00T
1	DD MISC. B...	V BELTS ALL SIZES AUTOMOTIVE	15.50	15.50T
1	SM 352820	DUMP GUN INDUSTRIAL DUTY 36'	150.00	150.00T
1.5	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	69.00T
1	SERVICE C...	SERVICE CALL CHARGE	0.00	0.00T

REFER TO WORK ORDER 366515

#315  
POSTED  
2-25-04

RECEIVED  
2-24-04

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal \$753.50

Sales Tax (8.25%) \$62.17

TOTAL \$815.67

WATER SYSTEMS  
 1400 LAMAR ST  
 HOUSTON, TX 77007  
 (713) 544-1151  
 (713) 544-1152

319890

CUSTOMER'S ORDER NO. 366515		DEPARTMENT		DATE 2-19-04	
NAME CES Environmental					
ADDRESS GRISS UNIT 315					
CITY, STATE, ZIP Houston TX.					
SOLD BY DQ		CASH	C.O.D.	CHARGE	ON ACCT.
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	33741 GENERATOR 2500 WATT			519.00
2	1	B42 V BELT FRACTIONAL			15.50
3	1	352820 Industrial Dump Gun			150.00
4					
5		RED SKID UNIT - Burner			
6		not working - Troubleshoot			
7		found GENERATOR SHORTED			
8		OUT - Replace Generator and			
9		worn out Gen. V BELT			
10		Supplied new Dump Gun			
11		TEST MACHINE OPERATION			
12		VERY GOOD			
13					
14	1.5	LABOR			69.00
15	1	(\$4500) SERVICE CALL (neighborhood)			NC
16					
17					
18		Sub Total			753.50
19		TAX			62.17
20		Total			815.67
RECEIVED BY Loren Thomas					

5805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003247

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
2/19/2004	366515

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
Pressure washer #315 repair generator, dump gun, belts		815.67	815.67
Ordered by Loren		<b>Total</b>	<b>\$815.67</b>

EPAHO055003248

AMERICAN WATER SYSTEMS  
 8422 LONG DR  
 HOUSTON, TX 77087  
 PH: (713) 641-1811  
 FX: (713) 641-0194

319890

CUSTOMER'S ORDER NO. 1 366515		DEPARTMENT		DATE 2-19-04	
NAME CES Environmental					
ADDRESS GALISS UNIT 315					
CITY, STATE, ZIP Houston, TX					
SOLD BY D.Q.	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE RETD PAID OUT
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	337441 GENERATOR 2500 WATT			519.00
2	1	B42 V BELT FRACTURAL			15.50
3	1	352880 Industrial Dump Gun			150.00
4					
5		RED SKID UNIT - Burner			
6		not working - Troubleshoot			
7		FOUND GENERATOR SHUTTED			
8		OUT - Replace Generator and			
9		worn out Gen. V BELT			
10		Supplied new Dump Gun			
11		TEST MACHINE OPERATION			
12		VERY GOOD			
13					
14	1.5	LABOR			69.00
15	1	(45.00) SERVICE CALL (neighborhood)			NC
16					
17					
18		Sub Total			753.00
19		TAX			62.12
20		Total			815.12
RECEIVED BY Loren Thomas					

adams  
 6805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003249

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR.  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:  
**8829**  
INVOICE DATE:  
**2/26/2004**

**SOLD TO:**


CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366534	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SM 331120	3/8" QUICK COUPLINGS MPT	7.00	7.00T
1	SM 331121	COUPLER PLUG QC 3/8' FPT	4.00	4.00T
1	SM 331021	3/8' QUICK COUPLER FPT.	5.60	5.60T
1	SM 331020	COUPLER SOCKET QC 3/8' MPT	7.00	7.00T
1	AH 6 X 6	3/8' X 3/8' HOSE END SWIVEL H.P	8.50	8.50T

interchangable  
w/ all pressure  
w/ 1/2" NPT  
not spec'd



Thank you for your business.



Subtotal \$32.10

Sales Tax (8.25%) \$2.65

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

**TOTAL**

\$34.75

**CES Environmental Services, Inc.**

**4904 Griggs Rd.**  
**Houston, TX 77021**  
**Phone: (713) 676-1460**  
**Fax: (713) 676-1676**

**Purchase Order**

Date	P.O. No.
2/26/2004	366534

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
CS-Equipment Repairs  new hose end for pressure washer hose		34.75	34.75
ordered by Loren		<b>Total</b>	\$34.75

EPAHO055003251



American Water Systems					4/5/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
03/12/2004	Bill	8845	649.50	649.50		649.50
03/17/2004	Bill	8929	15.58	15.58		15.58
				Check Amount		665.08

PAYMENT  
RECORD

CES Environmental S

665.08

200410 (11/03)

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:  
**8845**  
INVOICE DATE:  
**3/1/2004**

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366547	Net 30	


QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	RENTAL SD...	RENTAL MACHINE M/N SDC355 S/N 20020321 MOUNTED ON TRAILER W/ WATER TANK. HOSE REEL W/ 100FT HOSE.	600.00	600.00T

1 WEEK RENTAL  
PICK UP DATE: 03-03-04  
TIME: 9:38 AM

X \_\_\_\_\_

DROP OFF DATE: 03-09-04  
TIME: 5:30 PM

X \_\_\_\_\_



Refam  
RECEIVED  
3-10-04  
American Can

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal \$600.00

Sales Tax (8.25%) \$49.50

**TOTAL** \$649.50

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
3/2/2004	366547

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
FS-Equipment Rental rental of pressure washer for approximately 1 week FOR AMERICAN CAN JOB!!!!		649.50	649.50
Ordered by Irvin		<b>Total</b>	\$649.50

EPAHO055003254

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

8929

INVOICE DATE:

3/18/2004

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021


CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366585

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

1	SM 15300-27'	HIGH PRESSURE HOSE CUSTOM 3/8' X 27' LONG	14.40	14.40T
---	--------------	--	-------	--------



Thank you for your business.


\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal \$14.40

Sales Tax (8.25%) \$1.18

**TOTAL** \$15.58

713 444 0103



**CES Environmental Services, Inc. . . .****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
3/18/2004	366585

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
#303 pressure washer  hose for pressure washer		15.58	15.58
ordered by Loren		<b>Total</b>	\$15.58

EPAHO055003257

American Water Systems				4/26/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount
04/02/2004	Bill	8948	200.53	200.53	
04/09/2004	Bill	9006	169.06	169.06	
				Check Amount	
					Payment
					200.53
					169.06
					369.59

PAYMENT  
RECORD

CES Environmental S

369.59

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:  
**8948**  
INVOICE DATE:  
**3/23/2004**

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366593	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SM 430058	REMOTE TEMP. CONTROL PANEL	49.50	49.50T
1	SM 341002	FUEL FILTER 1/4 METAL	5.00	5.00T
3	AO PUMP OIL	30 WT. NON DETERGENT PUMP OIL QT.	5.25	15.75T
2.5	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	115.00T

**RECEIVED**  
4-2-04  
FS #325 repair

**RECEIVED**  
3-23-04

Thank you for your business.

Subtotal \$185.25

Sales Tax (8.25%) \$15.28

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

**TOTAL**

\$200.53



**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
3/23/2004	366593

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
Repairs - #325 temp control panel, fuel filter, pump oil, labor		200.53	200.53
ordered by Irvin		<b>Total</b>	\$200.53

EPAHO055003260

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:  
**9006**  
INVOICE DATE:  
**4/5/2004**

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366632	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SM 352820	DUMP GUN INDUSTRIAL DUTY 36'	148.00	148.00T
1	SM 331160	Q. PLUG 3/8 MPT	2.18	2.18T
1	SM 251161	#4 - 15 DEGREE NOZZLE B-3 S-3 RW-1	6.00	6.00T

POSTED  
4-9-04

RECEIVED  
4-5-04

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

CS- #315 repairs

Subtotal \$156.18

Sales Tax (8.25%) \$12.88

**TOTAL** \$169.06

**CES Environmental Services, Inc.**

4904 Griggs Rd.  
Houston, TX 77021  
Phone: (713) 676-1460  
Fax: (713) 676-1676

**Purchase Order**

Date	P.O. No.
4/5/2004	366632

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
CS-Equipment Repair  new dump gun for #315 pressure washer		169.06	169.06
ordered by Loren approved verbally by Sean		<b>Total</b>	\$169.06

EPAHO055003262

American Water Systems				6/3/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount
05/10/2004	Bill		269.54	269.54	
05/10/2004	Bill	9187	401.08	401.08	
				Check Amount	
					670.62

PAYMENT  
RECORD

CES Environmental S

670.62

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

9187  
INVOICE DATE:

5/13/2004

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366724

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

4	SM 153570	3/8 X 50 FT HOSE 3000 PSI	80.98	323.92T
1	AH 6 X 6	3/8' X 3/8' HOSE END SWIVEL H.P	8.50	8.50T
4	SM 331162	3/8 QUICKPLUG FPT.	5.00	20.00T
4	SM 331062	3/8 QUICKCOULPER FPT.	4.52	18.08T

CS - pressure washer hoses

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

Subtotal \$370.50

Sales Tax (8.25%) \$30.58

**TOTAL** \$401.08

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
5/13/2004	366724

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
CS-Tools/supplies  pressure washer hoses		401.08	401.08
ordered by Loren		<b>Total</b>	\$401.08

EPAHO055003265

American Water Systems

INVOICE #
9154
DATE
5/6/2004

BILL TO
CES ENVIROMENTAL SERVICES, INC. 4904 GRIGGS RD. HOUSTON, TX 77021

SHIP TO
CES ENVIROMENTAL SERVICES, INC. 4904 GRIGGS RD. HOUSTON, TX 77021

P.O. NUMBER
366707

TERMS
Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	PRICE EACH	AMOUNT
1	SM 462575	HM REGULATOR/UNLOADER VALVE	98.00	98.00T
1	SM 348255	MULTIPLE GUN SYSTEMS		
1	SM 15300-21	GAUGE 0---4000 PSI	40.00	40.00T
1	SERVICE C...	HIGH PRESSURE CUSTOM HOSE	19.00	19.00T
1	LABOR - RA...	SERVICE CALL CHARGE	0.00	0.00T
2		LABOR CHARGE PER HOUR	46.00	92.00T
REFER TO WORK ORDER# 335558				
CS- Stationary Pressure Washer				
RECEIVED 5-14-04				

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal	\$249.00
Sales Tax	\$20.54
Total	\$269.54

AMERICAN WATER SYSTEMS  
6422 LONG DR.  
HOUSTON, TX 77087

INVOICE #	DUE DATE	AMOUNT DUE
9154	June 05, 2004	\$269.54

Page: 1 of 1

ADDRESS SERVICE REQUESTED

AMOUNT ENCLOSED	\$
-----------------	----



CES ENVIROMENTAL SERVICES,  
4904 GRIGGS RD.  
HOUSTON, TX 77021-3208

MAKE CHECKS PAYABLE TO:



AMERICAN WATER SYSTEMS  
6422 LONG DR.  
HOUSTON, TX 77087-3408

☐ Check box and see reverse for name or address correction

30641-INTU\*18C0D4UVD000052



EPAHO055003266

**CES Environmental Services, Inc.**

4904 Griggs Rd.  
Houston, TX 77021  
Phone: (713) 676-1460  
Fax: (713) 676-1676

**Purchase Order**

Date	P.O. No.
5/4/2004	366707

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
CS-Equipment Repairs repairs to stationary pressure washer in tank wash		269.54	269.54
ordered by Loren		<b>Total</b>	\$269.54

EPAHO055003267



AMERICAN WATER SYSTEMS  
6422 LONG DR.  
HOUSTON, TX 77087  
PH: (713) 641-1811  
FX: (713) 641-0194

335558

CUSTOMER'S ORDER NO. <b>366707</b>		DEPARTMENT		DATE <b>5-4-04</b>	
NAME <b>CES</b>					
ADDRESS <b>Griggs</b>					
CITY, STATE, ZIP					
SOLD BY <b>G.W.</b>		CASH	C.O.D.	CHARGE	ON ACCT.
		MDSE RETD	PAID OUT		
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	MULTI-GUN UNLOADER VALVE			98.00
2	1	3000 PSI PANEL MOUNTED GAUGE			40.00
3	1	2' Custom Pressure HOSE			19.00
4					
5		Replace Faulty leaking unloader			
6		valve, gauge and gauge pressure			
7		hose (stripped & leaking) on stationary			
8		at Tank WASH - Troubleshoot			
9		crane's machine - (unloader			
10		misadjusted - readjust and			
11		lock in place - Test total			
12		ops - GOOD			
13	2	LABOR			98.00
14		(4500) SERVICE CALL (No. labor comp)			NC
15					
16					
17		Stationary P/W tank			
18		Wash			249.00
19					20.54
20					269.54
RECEIVED BY <b>[Signature]</b>					

adams  
5805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003268

American Water Systems			6/14/2004		
Date	Type	Reference	Original Amt.	Balance Due	Discount
05/28/2004	Bill		333.41	333.41	
06/11/2004	Bill	9300	36.78	36.78	
				Check Amount	
					370.19

PAYMENT  
RECORD

CES Environmental S

370.19

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

9300

INVOICE DATE:

6/10/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

366774

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1

SM 154216

3/8" X 6' GORILLA HOSE

33.98

33.98T

RECEIVED  
6-10-04

PAID  
6-11-04

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

Subtotal

\$33.98

Sales Tax (8.25%)

\$2.80

TOTAL

\$36.78

**CES Environmental Services, Inc.**

4904 Griggs Rd.  
Houston, TX 77021  
Phone: (713) 676-1460  
Fax: (713) 676-1676

**Purchase Order**

Date	P.O. No.
6/10/2004	366774

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
CS-Equipment Repairs  hose for stationary pressure washer		36.78	36.78
ordered by Loren		<b>Total</b>	\$36.78

EPAHO055003271

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

9230  
INVOICE DATE:

5/25/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366742 366741

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
		TANK WASH.		
2	SM 352820	DUMP GUN INDUSTRIAL DUTY 36"	148.00	296.00T
2	SM 251180	# 4.5 - 15 DEGREE NOZZLE B-3 S-3 RW-1	6.00	12.00T

#303-315

CS  
EP  
Again  
#303  
315  
166.70  
166.71

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

Subtotal \$308.00

Sales Tax (8.25%) \$25.41

TOTAL \$333.41

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
5/25/2004	366742

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
CS-Equipment Repairs  2 dump guns and 2 nozzles		333.41	333.41
ordered by Loren		<b>Total</b>	\$333.41

EPAHO055003273

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

9230

INVOICE DATE:

5/25/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

366741

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

2	SM 352820	DUMP GUN INDUSTRIAL DUTY 36'	148.00	296.00T
2	SM 251180	# 4.5 - 15 DEGREE NOZZLE B-3 S-3 RW-1	6.00	12.00T

RECEIVED  
5-27-04

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal \$308.00

Sales Tax (8.25%) \$25.41

TOTAL \$333.41

EPAHO055003274

American Water Systems				7/21/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount
07/02/2004	Bill	9403	41.56	41.56	
07/14/2004	Bill	9448	165.62	165.62	
07/20/2004	Bill	9487	51.92	51.92	
				Check Amount	
					259.10

PAYMENT  
RECORD

CES Environmental S

259.10



AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

9403

INVOICE DATE:

6/30/2004

**SOLD TO:**



CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366824	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SM 153003	HIGH PRESSURE HOSE 3/8' X 3'	38.40	38.40T

303



Thank you for your business.

**\$25.00 Charge on Return Checks**  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal \$38.40

Sales Tax (8.25%) \$3.16

**TOTAL** \$41.56

**CES Environmental Services, Inc.**

4904 Griggs Rd.  
Houston, TX 77021  
Phone: (713) 676-1460  
Fax: (713) 676-1676

**Purchase Order**

Date	P.O. No.
6/30/2004	366824

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
Hose for #303 pressure washer		41.56	41.56
ordered by Loren		<b>Total</b>	\$41.56

EPAHO055003277

no po#  
issud

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:  
**9448**  
INVOICE DATE:  
**7/12/2004**

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1	SM 410308A	AP 500 FLOW SWITCH	50.00	50.00T
2	SM 353010	AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	40.00	80.00T
0.5	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	23.00T
1	SERVICE C...	SERVICE CALL CHARGE	0.00	0.00T

REFER TO WORK ORDER 335623

**PAID**  
7-16-04  
Stationary  
Pressure  
Washer

**RECEIVED**  
JUL 14 2004  
BY: \_\_\_\_\_

Thank you for your business.

Subtotal \$153.00

Sales Tax (8.25%) \$12.62

**TOTAL**

\$165.62

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

AMERICAN WATER SYSTEMS  
 6422 LONG DR  
 HOUSTON, TX 77097  
 PH: (713) 641-1811  
 FX: (713) 641-0194

335623

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE 7-9-04	
NAME CES					
ADDRESS					
CITY, STATE, ZIP					
SOLD BY JQ		CASH	C.O.D.	CHARGE	ON ACCT.
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	410308A Flow switch			50.00
2	2	GUN Jet			40.00
3					
4					
5		low pressure - restriction			
6		at bad flow switch -			
7		replace Flow switch -			
8		supply with new guns.			
9		Test system operation			
10		- Good -			
11					
12					
13					
14					
15	.5	CABON			23.00
16	1	(452') SERV. CALL (comp neighbor)			PC
17					
18		Sub Total			153.00
19		Tax			12.62
20		Total			165.62
RECEIVED BY Jesus Lara					

adams  
5805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003280

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

9487

INVOICE DATE:

7/19/2004


**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366859	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SW 2509904	KOHLER IGNITION SWITCH	22.06	22.06T
1	SW 5205002...	OIL FILTER FOR KOHLER COMMAND 12.5 HP	10.00	10.00T
1	SW 5208301...	PRECLEANER ELEMENT	4.00	4.00T
1	SW 4708303...	AIR FILTER	11.90	11.90T



**POSTED**  
7-19-04  
# 303  
FS EQ rep.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

Subtotal \$47.96

Sales Tax (8.25%) \$3.96

**TOTAL** \$51.92

**CES Environmental Services, Inc. .****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
7/19/2004	366859

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
FS-Equipment Repair #303  #303 pressure washer filters		51.92	51.92
ordered by Loren		<b>Total</b>	\$51.92

EPAHO055003282

American Water Systems				8/19/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount
07/29/2004	Bill	9529	154.80	154.80	
08/02/2004	Bill	9549	490.14	490.14	
				Check Amount	
					644.94

PAYMENT  
RECORD

CES Environmental S

644.94



AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:  
**9529**  
INVOICE DATE:  
**7/26/2004**

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366870	Net 30	


QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SM 079115	BURNER TRANSFORMER MN. 20358 SIDE/EH - EHA 115 VOLT	69.00	69.00T
1	SM 341042	RACOR ELEMENT FUEL FILTER RACOR # R12T	22.00	22.00T
1	SM 251220	# 5.5 - 15 DEGREE NOZZLE	6.00	6.00T
1	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	46.00T

REFER TO WORK ORDER 335640

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

**POSTED**  
7-29-04  
# 303 pressure  
washer  
repair



Subtotal \$143.00

Sales Tax (8.25%) \$11.80

**TOTAL**

**\$154.80**

AMERICAN WATER SYSTEMS  
 6422 LONG DR  
 HOUSTON, TX 77087  
 PH: (713) 641-1811  
 EX: (713) 641-9194

335640

CUSTOMER'S ORDER NO. 366870		DEPARTMENT		DATE 7-22-04	
NAME CES ENVIRONMENTAL					
ADDRESS					
CITY, STATE, ZIP					
SOLD BY 20-	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE RETD PAID OUT
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	079125 120V TRANSFORMER			69.00
2	1	SPIN ON FUEL FILTER			22.00
3	1	150SS SPRAY TIP			6.00
4					
5		Troubleshoot burner as			
6		file - Replace shorted			
7		igniter transformer - inspect			
8		burner assembly - burn off			
9		over fuel - Test ops			
10		GOOD			
11					
12					
13					
14					
15					
16	1	LABOR			46.00
17					
18		Sub Total			143.00
19		TAX			11.80
20		Total			154.80
RECEIVED BY Loren Thomas					

adams  
5805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003285

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
7/20/2004	366870

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
#303 pressure washer repair == transformer, tip for gun and filter.		154.80	154.80
ordered by Loren		<b>Total</b>	<b>\$154.80</b>

EPAHO055003286

AMERICAN WATER SYSTEMS  
 6422 LONG DR  
 HOUSTON, TX 77087  
 PH: (713) 641-1811  
 FX: (713) 641-2194

335640

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE	
				7-22-04	
NAME CES ENVIRONMENTAL					
ADDRESS 366870					
CITY, STATE, ZIP #303					
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE RETD PAID OUT
JO					
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	079115 120V Transformer			69.00
2	1	SPIN ON Fuel Filter			22.00
3	1	15255 Spray Tip			6.00
4					
5		Troubleshoot burner no			
6		fire - Replace shorted			
7		igniter transformer - inspect			
8		burner assembly - burn off			
9		over fuel - Test ops			
10		GOOD			
11					
12					
13					
14					
15					
16	1	LABOR			46.00
17					
18		Sub Total			143.00
19		TAX			11.80
20		Total			154.80
RECEIVED BY Lora Thomas					

adams  
5805

KEEP THIS SLIP FOR REFERENCE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

9549

INVOICE DATE:

7/29/2004

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021


CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	366883	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
4	SM 153570	3/8 X 50 FT HOSE 3000 PSI	80.98	323.92T
4	SM 331062	3/8 QUICKCOULPER FPT.	4.52	18.08T
5	SM 331162	3/8 QUICKPLUG FPT.	5.00	25.00T
1	SM 353010	AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	45.00	45.00T
1	SM 368736	LANCE 36' STAINLESS STEEL INSULATED	36.00	36.00T
1	SM 331016	1/4" QUICK COUPLINGS FPT	4.78	4.78T

**POSTED**  
8-4-04

CS-#304  
lg. rep.



Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

Subtotal \$452.78

Sales Tax (8.25%) \$37.36

**TOTAL** \$490.14

**CES Environmental Services, Inc.****4904 Griggs Rd.****Houston, TX 77021****Phone: (713) 676-1460****Fax: (713) 676-1676****Purchase Order**

Date	P.O. No.
7/29/2004	366883

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
hoses, pressure washer gun		490.14	490.14
ordered by Loren		<b>Total</b>	\$490.14

EPAHO055003289

American Water Systems				10/27/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount
10/20/2004	Bill	9848	360.06	360.06	
				Check Amount	
					Payment
					360.06
					360.06

PAYMENT  
RECORD

CES Environmental S CS equipment repairs

360.06

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

9848

INVOICE DATE:

10/14/2004

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

367116

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

2	AH 6 X 6	3/8' X 3/8' HOSE END SWIVEL H.P	9.50	19.00T
1	TRI 1273 4X4	1/4' PIPE COUPLING	1.25	1.25T
2	SM 251220	# 5.5 - 15 DEGREE NOZZLE	6.00	12.00T
2	SM 352820	DUMP GUN INDUSTRIAL DUTY 36'	148.00	296.00T
2	SM 331160	Q. PLUG 3/8 MPT	2.18	4.36T

**POSTED**  
10-20-04  
CS EQ NP.

RECEIVED

OCT 19 2004

Thank you for your business.

Subtotal \$332.61

Sales Tax (8.25%) \$27.45

**TOTAL**

\$360.06

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge



**CES Environmental Services, Inc.**

4904 Griggs Rd.  
Houston, TX 77021  
Phone: (713) 676-1460  
Fax: (713) 676-1676

**Purchase Order**

Date	P.O. No.
10/14/2004	367116

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
CS-Equipment Repairs 2 dump guns; 1 for #303 and 1 for #315		360.06	360.06
ordered by Loren approved by Marlin		<b>Total</b>	\$360.06

EPAHO055003292

American Water Systems				11/17/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount
10/31/2004	Bill	9910	238.89	238.89	
				Check Amount	
					Payment
					238.89
					238.89

PAYMENT  
RECORD

CES Environmental S #304 FS repairs

238.89

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

9910

INVOICE DATE:

10/26/2004

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

367149

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1	SM 259711	NOZZLE PACK #4	31.50	31.50T
1	SM 353010	AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	45.00	45.00T
1	SM 368736	LANCE 36' STAINLESS STEEL INSULATED	36.00	36.00T
1	SM 374126	VIPER ROTATING NOZZLE	99.00	99.00T
1	SM 331055	1/4 QUICK COUPLER MPT.	7.00	7.00T
1	SM 331160	Q. PLUG 3/8 MPT	2.18	2.18T

POSTED  
10-31-04

FS  
sm. pressure washer  
#304

Thank you for your business.

Subtotal \$220.68

Sales Tax (8.25%) \$18.21

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

TOTAL

\$238.89

American Water Systems					12/6/2004	
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
11/30/2004	Bill	9961	591.98	591.98		591.98
				Check Amount		591.98

PAYMENT  
RECORD

CES Environmental S #304 pressure washer repair

591.98

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:  
9961

INVOICE DATE:  
11/10/2004

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

367190

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1	AR KIT2741	SEAL KIT <i>Pump</i>	63.47	63.47T
1	AR KIT1828	VALVE ASSEMBLY KIT <i>Pump</i>	38.80	38.80T
1	LB 17210ZE1...	AIR FILTER ELEMENT <i>Pump</i>	21.00	21.00T
1	GEN 105121	NOZZLE PACK # 4.0	31.50	31.50T
2	AO PUMP OIL	30 WT. NON DETERGENT PUMP OIL <i>Pump.</i>	5.25	10.50T
1	DD 527-6123	MOTOR OIL AMALIE 30WT HD <i>Pump</i>	2.29	2.29T
1	SM 153590	HOSE 3/8' X 100 FEET 3000 PSI	146.00	146.00T
1	SM 353010	AP.-1000 TRIGGER GUN	45.00	45.00T
1	SM 368736	LANCE 36' STAINLESS STEEL	36.00	36.00T
1	SM 331062	3/8 QUICKCOULPER FPT.	4.52	4.52T
1	SM 331162	3/8 QUICKPLUG FPT.	5.00	5.00T
1	SM 331016	1/4" QUICK COUPLINGS FPT	4.78	4.78T
3	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	138.00T

**POSTED**

BY:  
DATE:

11-30-04

FS

# 304  
Pressure  
Washer

Thank you for your business.

Subtotal \$546.86

Sales Tax (8.25%) \$45.12

**TOTAL**

\$591.98

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 45 days are subject to 1.5% late charge

**CES Environmental Services, Inc.**

4904 Griggs Rd.  
Houston, TX 77021  
Phone: (713) 676-1460  
Fax: (713) 676-1676

**Purchase Order**

Date	P.O. No.
11/10/2004	367190

Vendor
American Water Systems 6422 Long Drive Houston, TX 77087

Ship To
CES Environmental Services, Inc. 4904 Griggs Rd. Houston, TX 77021 Phone: (713) 676-1460 Fax: (713) 676-1676

Description	Qty	Rate	Amount
FS-Equipment Repair-#304 Cold Water Pressure Washer w/Honda Motor pump parts, trigger gun, lance		591.98	591.98
ordered by Loren		<b>Total</b>	\$591.98

EPAHO055003297

**American Water Systems**

EPAHO055003298

American Water Systems				12/28/2005		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
12/6/2005	Bill	11293	525.16	525.16		525.16
				Check Amount		525.16

PAYMENT  
RECORD


CES Environmental S CES ENV

525.16

521563 (5/05)



AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087-3408  
PH: (713) 641-1811  
FX: (713) 645-8226



# Invoice

DATE	INVOICE #
11/29/2005	11293

BILL TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	PROJECT
368608	Net 30	

QUANTITY	DESCRIPTION	RATE	AMOUNT
2	SM 353010 AP.-1000 TRIGGER GUN 12. GPM	45.00	90.00T
2	SM 368436 LANCE 36" SS	36.00	72.00T
2	SM 331160 Q. PLUG 3/8 MPT	2.18	4.36T
2	SM 153570 3/8 X 50 FT HOSE 3000 PSI	80.98	161.96T
2	SM 331062 3/8 QUICKCOULPER FPT.	4.52	9.04T
2	SM 331162 3/8 QUICKPLUG FPT.	5.00	10.00T
2	TRI 1273 4X4 1/4' PIPE COUPLING	1.25	2.50T
2	SM 251161 #4 - 15 DEGREE NOZZLE	6.00	12.00T
1	LB 18330ZE2W00 PIPE EX.	34.42	34.42T
1	LB 18381ZE2W10 GASKET	12.50	12.50T
1	LB 18333ZE3800 PIPE GASKET	2.46	2.46T
1	SM 374205 ROTO MAX I NOZZLE	73.90	73.90T

540-Job Material  
GEO Specialty  
Tank Cleaning  
@ US Gypsum

POSTED  
12-6-05

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal \$485.14  
Sales Tax (8.25%) \$40.02  
**TOTAL \$525.16**

American Water Systems			12/19/2005		
Date	Type	Reference	Original Amt.	Balance Due	Discount
11/21/2005	Bill	11261	225.84	225.84	
				Check Amount	
					Payment
					225.84
					225.84

PAYMENT  
RECORD

CES Environmental S CES ENV

225.84

521563 (5/05)

# Invoice

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087-3408  
PH: (713) 641-1811  
FX: (713) 645-8226

DATE	INVOICE #
11/18/2005	11261

BILL TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	PROJECT
368572	Net 30	

QUANTITY	DESCRIPTION	RATE	AMOUNT
3	SM 368436 LANCE 36" SS	36.00	108.00T
3	SM 331121 COUPLER PLUG QC 3/8' FPT	2.29	6.87T
3	TRI 1273 4X4 1/4' PIPE COUPLING	1.25	3.75T
2	SM 353010 AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	45.00	90.00T

678 - Supplies, Parts, Tools  
TW

POSTED  
11-21-05

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal \$208.62  
Sales Tax (8.25%) \$17.22  
**TOTAL \$225.84**

American Water Systems				11/28/2005	
Date	Type	Reference	Original Amt.	Balance Due	Discount
11/4/2005	Bill	11192	109.32	109.32	
11/4/2005	Bill	11183	109.32	109.32	
				Check Amount	
					218.64

PAYMENT  
RECORD

CES Environmental S CES ENV

218.64

521563 (5/05)

# Invoice

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087-3408  
PH: (713) 641-1811  
FX: (713) 645-8226

DATE	INVOICE #
10/27/2005	11183

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	PROJECT
368500	Net 30	

QUANTITY	DESCRIPTION		RATE	AMOUNT
1.5	LABOR-RATE	LABOR CHARGE PER HOUR	56.00	84.00T
3	FUEL GASOLINE	GASOLINE	2.45	7.35T
3	FUEL DIESEL	DIESEL FUEL # 2	3.48	10.44

MACHINE 303

633- Equip Repair

Pressure Washer FS

**POSTED**  
11-4-05

Thank you for your business.

**\$25.00 Charge on Return Checks**

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

Subtotal \$101.79

Sales Tax (8.25%) \$7.53

**TOTAL** \$109.32

# Invoice

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087-3408  
PH: (713) 641-1811  
FX: (713) 645-8226

DATE	INVOICE #
10/31/2005	11192

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	PROJECT
368501	Net 30	

QUANTITY	DESCRIPTION		RATE	AMOUNT
1.5	LABOR-RATE	LABOR CHARGE PER HOUR	56.00	84.00T
3	FUEL DIESEL	DIESEL FUEL # 2	3.48	10.44
3	FUEL GASOLINE	GASOLINE	2.45	7.35T

GASOLINE AND DIESEL MIXTURE IN  
ENGINE  
MACHINE 325

633- Equip Repair  
Pressure Washer

FS

POSTED  
11-4-05

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal \$101.79

Sales Tax (8.25%) \$7.53

**TOTAL** \$109.32

EPAHO055003305

American Water Systems				11/7/2005	
Date	Type	Reference	Original Amt.	Balance Due	Discount
10/25/2005	Bill	11148	100.10	100.10	
11/1/2005	Bill	11135	2,035.86	2,035.86	
				Check Amount	
					Payment
					100.10
					2,035.86
					2,135.96

PAYMENT  
RECORD

CES Environmental S CES ENV

2,135.96



521563 (5/05)



# Invoice

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087-3408  
PH: (713) 641-1811  
FX: (713) 645-8226

DATE	INVOICE #
10/8/2005	11148

BILL TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	PROJECT
368439	Net 30	

QUANTITY	DESCRIPTION	RATE	AMOUNT
1	SM 353010 AP.-1000 TRIGGER GUN 12. GPM X	45.00	45.00T
1	SM 368436 LANCE 36" SS	36.00	36.00T
1	SM 331116 1/4" QUICK COUPLING FPT	4.78	4.78T
1	SM 331160 Q. PLUG 3/8 MPT	2.18	2.18T
1	SM 331062 3/8 QUICKCOULPER FPT.	4.52	4.52T

540-Job Material  
Trimac  
Tank Pressure Washing

POSTED  
10-15-05

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

Subtotal \$92.48

Sales Tax (8.25%) \$7.62

**TOTAL** \$100.10



# Invoice

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087-3408  
PH: (713) 641-1811  
FX: (713) 645-8226

RECEIVED  
OCT 27 2005  
BY: \_\_\_\_\_

DATE	INVOICE #
10/18/2005	11135

BILL TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

633-Equip. Repair

Unit # 325 (FS)  
Pressure Washer

P.O. NUMBER	TERMS	PROJECT
368457	Net 30	

QUANTITY	DESCRIPTION	RATE	AMOUNT
1	SM 153570 3/8 X 50 FT HOSE 3000 PSI	80.98	80.98T
1	SM 353010 AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	45.00	45.00T
1	SM 368436 LANCE 36" SS	36.00	36.00T
1	SM 331116 1/4" QUICK COUPLING FPT	4.78	4.78T
2	SM 331062 3/8 QUICKCOULPER FPT.	4.52	9.04T
1	SM 331160 Q. PLUG 3/8 MPT	2.18	2.18T
1	SM 259711 NOZZLE PACK #4	31.50	31.50T
1	LB GX390QNE2 HONDA GX390 13HP W/ 18 CHARGING AMP	1,289.00	1,289.00T
1	SM 079363 1.75 - 80 B DEGREE FUEL NOZZLE	6.00	6.00T
1	SM 341002 FUEL FILTER 1/4 METAL	5.00	5.00T
1	SM 103153 KIT # 153	101.97	101.97T
1	SM 331060 3/8 QUICKCOULPER MPT.	4.50	4.50T
4	FUEL DIESEL DIESEL FUEL # 2	3.45	13.80
4.5	LABOR-RATE LABOR CHARGE PER HOUR	56.00	252.00T

POSTED  
OCT 11 - 05

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal \$1,881.75  
Sales Tax (8.25%) \$154.11  
**TOTAL \$2,035.86**

**SECRET**

GSC  
96+82

EPAHQ055003309

American Water Systems				10/10/2005	
Date	Type	Reference	Original Amt.	Balance Due	Discount
9/12/2005	Bill	10954	28.85	28.85	
9/16/2005	Bill	11014	144.33	144.33	
9/17/2005	Bill	11003	1,261.93	1,261.93	
				Check Amount	
					Payment
					28.85
					144.33
					1,261.93
					1,435.11


PAYMENT  
RECORD

CES Environmental S CES ENV

1,435.11



**AMERICAN WATER SYSTEMS**  
6422 LONG DR  
HOUSTON, TX 77087  
PH (713) 641-1811 FX (713) 645-8226  
E-MAIL: AWS@WT.NET  
WWW.AMERICAN-WATER-SYSTEMS.COM



# Invoice

DATE	INVOICE #
9/6/2005	10954

## BILL TO:

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021

**CES ENVIROMENTAL SERVICES, INC.**  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	PROJECT
368258	Net 30	

QUANTITY	DESCRIPTION	RATE	AMOUNT
1	SM 342116 FILTER 3/4"	26.64	26.64T

633 EQ repair  
~~678 - Supplies, parts, tools~~  
TW



Subtotal \$26.64

Sales Tax (8.25%) \$2.21

**TOTAL** \$28.85

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge



AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH (713) 641-1811 FX (713) 645-8226  
E-MAIL: AWS@WT.NET  
WWW.AMERICAN-WATER-SYSTEMS.COM

# Invoice

DATE

INVOICE #

9/14/2005

11003

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER

TERMS

PROJECT

Net 30

QUANTITY	DESCRIPTION		RATE	AMOUNT
1	AR KIT2782	KIT 2782 WATER SEAL KIT	92.43	92.43T
1	SM 341042	RACOR ELEMENT FUEL FILTER	17.10	17.10T
1	SM 331060	3/8 QUICKCOULPER MPT.	4.50	4.50T
1	SM 079367	2.75 - 80B FUEL NOZZLE	6.00	6.00T
2	AO PUMP OIL	30 WT. NON DETERGENT PUMP OIL	5.25	10.50T
1	SM 079034	BURNER GASKET	8.12	8.12T
4	SM 121036	1/4 ' CLEAR REINFORCED TUBING	0.40	1.60T
1	AL V00-17379-2	OIL BURNER ASSEMBLY 115 V WAYNE MODEL EHA	689.50	689.50T
6	LABOR-RATE	LABOR CHARGE PER HOUR	56.00	336.00T

633 - Equip Repair  
Pressure Washer #303

FS?  
**POSTED**

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal \$1,165.75

Sales Tax (8.25%) \$96.18


**TOTAL** \$1,261.93

EE2585

EPAHO055003312



AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH (713) 641-1811 FX (713) 645-8226  
E-MAIL: AWS@WT.NET  
WWW.AMERICAN-WATER-SYSTEMS.COM



# Invoice

DATE	INVOICE #
9/16/2005	11014

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

*Calpine*

P.O. NUMBER	TERMS	PROJECT
-------------	-------	---------

Net 30

QUANTITY	DESCRIPTION		RATE	AMOUNT
1	AL J06-B026-45	ROTATING NOZZLE 4.5	100.00	100.00T
1	SM 331062	3/8 QUICKCOULPER FPT.	4.52	4.52T
1	SM 331162	3/8 QUICKPLUG FPT.	5.00	5.00T
1	SM 331016	1/4" QUICK COUPLINGS FPT	4.78	4.78T
1	SM 331155	1/4 QUICKPLUG MPT.	1.44	1.44T
2	SM 255195	#5-O DEGREE NOZZLE MEG	8.80	17.60T

*540- Job Material*

**POSTED**  
*9-28-05*

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal	\$133.34
Sales Tax (8.25%)	\$10.99
<b>TOTAL</b>	<b>\$144.33</b>

EPAHO055003313

American Water Systems			9/17/2005		
Date	Type	Reference	Original Amt.	Balance Due	Discount
8/24/2005	Bill	10886	1,787.84	1,787.84	
				Check Amount	
					Payment
					1,787.84
					1,787.84

PAYMENT  
RECORD

CES Environmental S CES ENV


1,787.84

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:  
**10886**

INVOICE DATE:  
**8/15/2005**



**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1	SM 102086	GENERAL PUMP M/N TS1531 (Under Warranty Consideration)	1,495.80	1,495.80T
2	WWG 6L235	AX 37 BELT	21.89	43.78T
2	LABOR-RATE	LABOR CHARGE PER HOUR	56.00	112.00T
1	SERVICE C...	SERVICE CALL CHARGE	0.00	0.00T

REFER TO WORK ORDER 445997

633-Equip Repair  
TW  
(Pressure washer)

POSTED  
8-24-05

Thank you for your business.

Subtotal \$1,651.58

Sales Tax (8.25%) \$136.26

TOTAL

\$1,787.84

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge



445997

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77082  
PH: (713) 641-1811  
FX: (713) 641-8194

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE	
NAME		CES ENVIRONMENTAL			
ADDRESS					
CITY, STATE, ZIP					
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE RETD PAID OUT
90.					
QUANTITY	DESCRIPTION	PRICE	AMOUNT		
1*	WS 153 Pump 8GPM @ 210	1495.80	1495.80		
2	6235 cog belt	21.67	43.78		
3					
4	* (Will submit Pump for warranty consideration)				
5	Pressure pump shaft bearing		45.75		
6	gave way causing crankshaft lock up.				
7	Replace Pressure Pump on				
8	Pressure WASHER Tank WASH				
9					
10					
11					
12					
13					
14	2 LABOR	56.00	112.00		
15	1 (50.00) SERVICALL (Neighbour comp)	50.00	NC		
16					
17					
18	Sub Total		1651.58		
19	Tax		136.26		
20	Total		1787.84		
RECEIVED BY					

adams  
5805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003316

American Water Systems				8/22/2005	
Date	Type	Reference	Original Amt.	Balance Due	Discount
8/2/2005	Bill	10831	409.82	409.82	
8/2/2005	Bill	10837	239.66	239.66	
				Check Amount	
					649.48

PAYMENT  
RECORD

CES Environmental S CES ENV

649.48

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

10831

INVOICE DATE:

7/28/2005

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

PO 368111

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

1	GC MISC.	FUEL TANK	156.00	156.00T
2	DD 527-6123	MOTOR OIL AMALIE 30WT HD	2.29	4.58T
1	AO PUMP O...	30 WT. NON DETERGENT PUMP OIL	5.25	5.25T
1	SM 331060	3/8 QUICKCOULPER MPT.	4.50	4.50T
5	FUEL GASO...	GASOLINE	2.45	12.25T
3.5	LABOR-RATE	LABOR CHARGE PER HOUR	56.00	196.00T

633- Equip Repair  
# 304 Cold water washer  
Shell Service (FS)

POSTED  
8-2-05

Thank you for your business.

Subtotal \$378.58

Sales Tax (8.25%) \$31.24

**TOTAL**

\$409.82

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30 days are subject to 1.5% finance charge

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

10837

INVOICE DATE:

8/1/2005

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	368112	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SM 462575	HM REGULATOR/UNLOADER VALVE MULTIPLE GUN SYSTEMS	102.50	102.50T
1	SM 331062	3/8 QUICKCOULPER FPT.	5.00	5.00T
1	SM 331120	3/8" QUICK COUPLINGS MPT	3.00	3.00T
3	SM 251240	#6-15 DEGREE NOZZLE 1/4'	6.00	18.00T
10	SM 121037	CLEAR POLYBRAID SOAP & FUEL	0.89	8.90T
1.5	LABOR-RATE	LABOR CHARGE PER HOUR	56.00	84.00T
1	SERVICE C...	SERVICE CALL CHARGE	0.00	0.00T

REFER TO ATTACHED WORK ORDER# 445987

*Equip Repair #  
TW  
Stationary Press Washer*

**POSTED**  
8-2-05

Thank you for your business.

Subtotal \$221.40

Sales Tax (8.25%) \$18.26

**TOTAL**

\$239.66

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

368 112.

AMERICAN WATER SYSTEMS  
6422 LONG DP  
HOUSTON, TX 77067  
PH: (713) 641-1811  
FX: (713) 641-0194

445987

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE	
				7-29-05	
NAME CES ENVIRONMENTAL					
ADDRESS					
CITY, STATE, ZIP					
SOLD BY		CASH	C.O.D.	CHARGE	ON ACCT.
20.					
MDSE RETD		PAID OUT			
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	Mult. gun UN/Loader Valve			102 50
2	1	3/8" Quick Coupler FPP			5 00
3	1	3/8" Quick Plug MP7			3 00
4	3	1506 SPRAY TIP			6 00 18 00
5	10'	WASH BYPASS HOSE			.89 8 90
6		Replaced leaking multigun			
7		unloader valve - replaced			
8		spray tips, replaced bypass			
9		hose, replaced leaking and			
10		worn out quick connect. Test			
11		operation - Good			
12		* (STATIONARY Pressure)			
13		Washer at Tank Wash			
14					
15	1.5	LABOR			84 00
16	1	(50%) SERVICE CALL (comp Neighbors Assoc. Fund)			NC
17					
18		Sub Total			221 40
19		Tax			18 27
20		Total			239 67
RECEIVED BY <i>[Signature]</i>					

adams  
5805

KEEP THIS SLIP FOR REFERENCE

American Water Systems			8/2/2005			
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
7/19/2005	Bill	10770	2,742.38	2,742.38		2,742.38
				Check Amount		2,742.38

PAYMENT  
RECORD

CES Environmental S CES ENV

2,742.38

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:

10770  
INVOICE DATE:

7/7/2005

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

368029

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

303 -	1	SW 2478612-S MUFFLER KIT	119.86	119.86T
5 -	1	SW CH20S/6... KOHLER MODEL CH 20S SPEC 64595	1,795.00	1,795.00T
	4	LABOR-RATE LABOR CHARGE PER HOUR	50.00	200.00T
1-PW	2	SM 353010 AP.-1000 TRIGGER GUN 12. GPM X 4500 PS	45.00	90.00T
New Jersey	2	SM 368736 LANCE 36' STAINLESS STEEL INSULATED	29.00	58.00T
1 -	2	SM 331120 3/8" QUICK COUPLINGS MPT	2.28	4.56T
1 -	2	SM 331116 1/4" QUICK COUPLING FPT	4.78	9.56T
303 -	1	SM 352820 DUMP GUN INDUSTRIAL DUTY 36'	163.40	163.40T
303 -	1	SM 154250 VICTOR ULTIMA 4500 - 3/8 X 50 FT. HOSE	93.00	93.00T

338

633 - Equip Repair #303 = \$2566.89 (FS)

Pressure Washer #338 = \$87.74 (FS)

678 - Supplies Parts Tools = 87.75

Thank you for your business.

PRESSURE  
WASHER TO  
New Jersey

(FS)

Subtotal \$2,533.38

Sales Tax (8.25%) \$209.00

TOTAL \$2,742.38

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

POSTED  
7-19-05

American Water Systems				7/11/2005		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
6/8/2005	Bill	10643	169.42	169.42		169.42
6/17/2005	Bill	10658	832.86	832.86		832.86
				Check Amount		1,002.28

PAYMENT  
RECORD

CES Environmental S CES ENV

1,002.28



# INVOICE

**AMERICAN WATER SYSTEMS**  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

**10643**

INVOICE DATE:

**6/6/2005**

**SOLD TO:**

**CES ENVIROMENTAL SERVICES, INC.**  
**4904 GRIGGS RD.**  
**HOUSTON, TX 77021**

**CES ENVIROMENTAL SERVICES, INC.**  
**4904 GRIGGS RD.**  
**HOUSTON, TX 77021**

**CUSTOMER ID**

**PURCHASE ORDER**

**PAYMENT TERMS**

**PAGE**

**367885**

**Net 30**

**QUANTITY**

**ITEM NUMBER**

**DESCRIPTION**

**UNIT PRICE**

**EXTENSION**

3	LABOR - RA...	LABOR CHARGE PER HOUR	50.00	150.00T
1	LB 9807956846	SPARK PLUG	6.50	6.50T

**REPLACE PLUG AND ADJUSTED VALVES ON  
13 HP HONDA EPPS M/N 4435 H13**

Thank you for your business.

**POSTED**  
6-8-05

**Subtotal \$156.50**

**Sales Tax (8.25%) \$12.92**

**TOTAL \$169.42**

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge


# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

**10658**  
INVOICE DATE:

**6/10/2005**



**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021  
281-798-4430

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

367923

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

1	SW 2401210	CAMSHAFT FOR M/N CH20S	116.78	116.78T
2	SW 2535706	ENGINE OIL	4.30	8.60T
2	SW 1213202...	SPARK PLUG RC12YC	4.02	8.04T
1	SW 2408303-S	AIR FILTER	11.10	11.10T
1	SW 2475566-S	VALVE KIT	23.80	23.80T
4	SW 2535101-S	LIFTERS	10.67	42.68T
1	SW 5203208S	OIL SEAL PTO	14.44	14.44T
1	SW 5205002...	OIL FILTER FOR KOHLER	10.00	10.00T
1	SW 2408305-S	PRECLEANER	3.85	3.85T
1	SM 360132	AMERIMAX INJECTOR #2 3-5	22.00	22.00T
5	SM 121036	1/4 ' CLEAR REINFORCED TUBING	0.40	2.00T
1	SM 331020	COUPLER SOCKET QC 3/8' MPT	4.50	4.50T
1	SM 331120	3/8" QUICK COUPLINGS MPT	2.28	2.28T
1	SM 340010 X	BRASS CHEMICAL FILTER	4.00	4.00T
2	SW 2404149S	MUFFLER GASKET	1.15	2.30T
1	SM 331060	3/8 QUICKCOULPER MPT.	4.50	4.50T
1	SM 413007	VACUUM SWITCH ELEC. MOTOR	38.52	38.52T
9	LABOR - RA...	LABOR CHARGE PER HOUR	50.00	450.00T

*633-Equip Repair*

*#315 Pressure Washer*

Thank you for your business.

Subtotal \$769.39

Sales Tax (8.25%) \$63.47


\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge



**TOTAL**

**\$832.86**

American Water Systems			6/3/2005			
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
5/10/2005	Bill	10552	183.19	183.19		183.19
5/19/2005	Bill	10576	122.32	122.32		122.32
					Check Amount	305.51

PAYMENT  
RECORD

CES Environmental S CES ENV

305.51

516710 (1/05)

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

10552  
INVOICE DATE:

5/6/2005

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

367765

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

1	SM 353010	AP.-1000 TRIGGER GUN 12.	45.00	45.00T
1	SM 368736	LANCE 36' STAINLESS STEEL	36.00	36.00T
1	SM 251305	#7.5-15 DEGREE NOZZLE 1/4'	6.00	6.00T
1	TRI 1273 4X4	1/4' PIPE COUPLING	1.25	1.25T
1	SM 153570	3/8 X 50 FT HOSE 3000 PSI	80.98	80.98T

POSTED  
5-10-05

633- Equip. Repair  
Pressure Washer (DF)

Thank you for your business.

Subtotal \$169.23

Sales Tax (8.25%) \$13.96

TOTAL

\$183.19

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30 days are subject to 1.5% finance charge


# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

10576

INVOICE DATE:



SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

367794

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1	SM 410305	FLOW SWITCH ST5	50.00	50.00T
1	SM 353010	AP-1000 TRIGGER GUN 12. GPM X 4500 PS	38.00	38.00T
1	SERVICE C...	SERVICE CALL CHARGE	0.00	0.00T
0.5	LABOR - RA...	LABOR CHARGE PER HOUR	50.00	25.00T

REFER TO WORK ORDER# 445912

678- Supplies, Parts, Tools  
POSTED (TW)  
5-19-05

Thank you for your business.

Subtotal \$113.00

Sales Tax (8.25%) \$9.32

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30 days are subject to 1.5% finance charge

TOTAL

\$122.32

AMERICAN WATER SYSTEMS  
 6422 LONG DP  
 HOUSTON, TX 77082  
 PH: (713) 641-1811  
 FX: (713) 641-0194

445912

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE 5-16-05	
NAME CES Environmental Services					
ADDRESS					
CITY, STATE, ZIP					
SOLD BY G.Q.		CASH	C.O.D.	CHARGE	ON ACCT.
		MDSE RETD	PAID OUT		
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	STS-FLOW SWITCH			50 <sup>00</sup>
2	1	GUN JET			38 <sup>00</sup>
3		WASH BAYS - STATIONARY			
4		Reported no pressure			
5		at guns - Found damaged			
6		flow switch causing restriction			
7		Found leaking gun jet (worn out)			
8		Replaced flow switch and gun			
9		jet - Test total operative			
10		- Good -			
11					
12					
13					
14					
15	1	(45 <sup>00</sup> ) SERV CALL CHARGE (month. comp)			45 <sup>00</sup>
16	15	LABOR			50 <sup>00</sup>
17					
18		Sub Total			113 <sup>00</sup>
19		Tax			9 <sup>32</sup>
20		Total			122 <sup>32</sup>
RECEIVED BY					

adams  
5805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003329

PO 367794

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77085  
PH: (713) 641-1811  
FX: (713) 641-0194

445022

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE	
				5-16-05	
NAME CES Environmental Services					
ADDRESS					
CITY, STATE, ZIP					
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE RETD PAID OUT
G.W.					
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	STS-FLOW SWITCH			50 <sup>00</sup>
2	1	GUN JET			38 <sup>00</sup>
3		WASH BAYS - STATIONARY			
4		Reported no pressure			
5		at guns - found damaged			
6		flow switch causing restriction			
7		found leaking gun jet (worn out)			
8		Replaced flow switch and gun			
9		jet test total operation			
10		Good			
11					
12					
13					
14					
15	1	(45 <sup>00</sup> ) SERVICE CHARGE (Neighbor Comp)			45 <sup>00</sup> NC
16	1.5	LABOR			50 <sup>00</sup> 25 <sup>00</sup>
17					
18		Sub Total			113 <sup>00</sup>
19		Tax			9 <sup>32</sup>
20		Total			122 <sup>32</sup>
RECEIVED BY					

adams  
5805

KEEP THIS SLIP FOR REFERENCE

EPAHO055003330

American Water Systems			5/9/2005			
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
4/25/2005	Bill	10500	477.23	477.23		477.23
5/4/2005	Bill	10536	14.07	14.07		14.07
				Check Amount		491.30

PAYMENT  
RECORD

CES Environmental S

491.30

516710 (1/05)



# INVOICE

**AMERICAN WATER SYSTEMS**

6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

**10536**

INVOICE DATE:

**5/2/2005****SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

367748

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION


1

SM 342010

GREEN CAP FILTER

13.00

13.00T

**POSTED**  
5-4-05

633- Equip. Repair  
Pressure Washer #325  
(TW) they used, they broke

Subtotal

\$13.00

Sales Tax (8.25%)

\$1.07

**TOTAL****\$14.07**

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30 days are subject to 1.5% finance charge

# INVOICE

**AMERICAN WATER SYSTEMS**

6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

**10500**

INVOICE DATE:

**4/20/2005**

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

**367712****Net 30**

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

2	SM 352820	DUMP GUN INDUSTRIAL DUTY 36'	163.40	326.80T
1	SM 353010	AP-1000 TRIGGER GUN	45.00	45.00T
1	SM 368736	LANCE 36' STAINLESS STEEL	36.00	36.00T
1	SM 341042	RACOR ELEMENT FUEL FILTER	17.10	17.10T
2	SM 251161	#4 - 15 DEGREE NOZZLE	6.00	12.00T
1	SM 331157	1/4 QUICK PLUG FPT	1.78	1.78T
1	SM 331160	Q. PLUG 3/8 MPT	2.18	2.18T

**PAID**  
4-25-05*678-Supplies Parts, Tools**TW = 238.61**Drum Facility = 238.61**(Drum  
Accrual)*

Thank you for your business.

Subtotal

**\$440.86**

Sales Tax (8.25%)

**\$36.37**

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30 days are subject to 1.5% finance charge

**TOTAL****\$477.23**

American Water Systems				4/25/2005		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
4/4/2005	Bill	10397	2,223.85	2,223.85		2,223.85
				Check Amount		2,223.85

PAYMENT  
RECORD

CES Environmental S Equip repair

2,223.85

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

10397

INVOICE DATE:

3/29/2005

SOLD TO:

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

367566

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1	SM 079613	21699U BURNER MOTOR 13.5 V 3400 RPM	187.12	187.12T
1	SM 079518	FAN BURNER	16.14	16.14T
1	GC MISC.	INLINE FUSE	9.87	9.87T
1	GI 22532A	3/8" ORANGE RING	27.10	27.10T
7	LABOR - RA...	LABOR CHARGE PER HOUR	50.00	350.00T

POSTED  
4-4-05

633- Equip Repair  
#325 Pressure WASH  
(FS)

Thank you for your business.

Subtotal \$2,054.37

Sales Tax (8.25%) \$169.48

TOTAL

\$2,223.85

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

Page 2

# INVOICE

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:  
**10397**  
INVOICE DATE:  
**3/29/2005**

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

367566

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION

1	EPPS 40055	HEATING COIL	926.00	926.00T
3	TC 250045X	INSULATION WRAP LINEAR FT.	19.00	57.00T
1	SM 462650	UNLOADER VALVE REGULATOR PULSAR 3200 BLUE SPRING	69.00	69.00T
1	SM 342010	GREEN CAP FILTER	13.00	13.00T
1	SM 430058	REMOTE TEMP. CONTROL PANEL	49.50	49.50T
1	JS G22-388	2 POSITION TOGGLE SWITCH	12.40	12.40T
2	AO PUMP OIL	30 WT. NON DETERGENT PUMP OIL QT.	5.25	10.50T
2	DD 527-6123	MOTOR OIL AMALIE 30WT HD	2.29	4.58T
1	SM 411060	PRESSURE SWITCH 15 AMP 115-220 V.	31.98	31.98T
1	SM 079363	1.75 - 80 B DEGREE FUEL NOZZLE	6.00	6.00T
1	SM 079052	ELECTRODE ASSEMBLY - PAIR WITH BUSS BARS	21.00	21.00T
1	SM 341002	FUEL FILTER 1/4 METAL	5.00	5.00T
2	SM 331062	3/8 QUICKCOULPER FPT.	4.52	9.04T
2	SM 331162	3/8 QUICKPLUG FPT.	5.00	10.00T
1	LB 9807954846	SPARK PLUG	3.98	3.98T
1	LB 28400ZE3...	RECOIL STARTER	80.48	80.48T
1	LB 17210ZE3...	AIR FILER	28.18	28.18T
1	SM 079671	12 VOLT IGNITOR KIT	126.50	126.50T

Thank you for your business.

Subtotal

Sales Tax (8.25%)

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30days are subject to 1.5% finance charge

**TOTAL**

Page 1

~~367566~~  
~~LOREN~~

AW SYSTEM

3/23/05

Time  
713-641-  
1811

PAST Due?

9154 5/6/04

\$269.54

PO# 366707

9187 5/13/04

PO# 366724

\$401.08

PR  
CK 10827  
6/3/04

\$670.62

~~Circle~~  
~~Texture fine and.~~  
~~Letter for~~  
~~Change of~~  
~~instrument~~

American Water Systems			3/14/2005		
Date	Type	Reference	Original Amt.	Balance Due	Discount
2/18/2005	Bill	10276	600.58	600.58	
				Check Amount	
					Payment
					600.58
					600.58

PAYMENT  
RECORD

CES Environmental S supplies

600.58



# INVOICE

**AMERICAN WATER SYSTEMS**

6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

10276  
INVOICE DATE:

2/17/2005

**SOLD TO:**


CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	367500	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
4	SM 153570	3/8 X 50 FT HOSE 3000 PSI	80.98	323.92T
8	SM 331062	3/8 QUICKCOULPER FPT.	4.52	36.16T
8	SM 331162	3/8 QUICKPLUG FPT.	5.00	40.00T
1	SM 352820	DUMP GUN INDUSTRIAL DUTY 36'	148.00	148.00T
12	SM 075035	O'RING 1/4' HIGH TEMP	0.28	3.36T
12	SM 075036	O'RING 3/8	0.28	3.36T

678-Supplies, Parts, Tools (TW)  
Dumpguns + hoses



\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal	\$554.80
Sales Tax (8.25%)	\$45.78
<b>TOTAL</b>	<b>\$600.58</b>

American Water Systems				1/5/2005		
Date	Type	Reference	Original Amt.	Balance Due	Discount	Payment
12/22/2004	Bill	10068	404.86	404.86		404.86
				Check Amount		404.86

PAYMENT  
RECORD

CES Environmental S

404.86

510461 (8/04)

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

# INVOICE

INVOICE NUMBER:  
**10068**  
INVOICE DATE:  
**11/23/2004**

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID

PURCHASE ORDER

PAYMENT TERMS

PAGE

Net 30

QUANTITY

ITEM NUMBER

DESCRIPTION

UNIT PRICE

EXTENSION


1	SM 462629	MULTI GUN UNLOADER VALVE	102.00	102.00T
1	GC MISC.	MICRON TRANSFORMER	75.00	75.00T
5	GC MISC.	KTK-T FUSE	16.00	80.00T
1	FREIGHT	SHIPPING CHARGES UPS COST	25.00	25.00T
2	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	92.00T
1	SERVICE C...	SERVICE CALL CHARGE	0.00	0.00T

REFER TO WORK ORDER 756820

*Stationary  
Pressure Washer  
No P.O.#*

Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge



Subtotal \$374.00

Sales Tax (8.25%) \$30.86

**TOTAL**

**\$404.86**

AMERICAN WATER SYSTEMS  
 8422 LONG DR  
 HOUSTON, TX 77027  
 (713) 641-1311  
 (713) 641-0194

756820

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE 12-17-04	
NAME <b>CES Enviromental</b>					
ADDRESS					
CITY, STATE, ZIP					
SOLD BY JQ.		CASH	C.O.D.	CHARGE	ON ACCT.
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	Multigun Unloader Valve			102.00
2	1	Micron Transformer 480V-24V FUSED			75.00
3	5	KTK-R 1/2 A FUSE			16.00 80.00
4	1	SPECIAL ORDER SHIPPING & HANDLE			25.00
5					
6		Troubleshoot and Repair - Low Pressure			
7		and Remote Stations not working.			
8		Replaced worn unloader valve.			
9		Track down and isolate short			
10		causing (Transformer meltdown short)			
11		; found bad Transformer and			
12		water damage at 1 remote station			
13		isolated bad remote for dry out and			
14		further repair - installed new trans			
15		and Test total operation - Good			
16	2	LABOR			46.00 92.00
17	1	{ 50.00 } Serv Call (Neighbo-Comp)			NC
18		Sub Total			374.00
19		Tax			30.86
20		Total			404.86
RECEIVED BY Jesus Lora					

edwards  
5805

KEEP THIS SLIP FOR REFERENCE

EPAHQ055003343

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH: (713) 641-1811  
FX: (713) 641-0194

756820

CUSTOMER'S ORDER NO.		DEPARTMENT		DATE 12-17-04	
NAME CES					
ADDRESS STATIONARY PRESSURE WASHER					
CITY, STATE, ZIP					
SOLD BY gq		CASH	C.O.D.	CHARGE	ON ACCT.
		MDSE RETD	PAID OUT		
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	1	Multigun Unloader Valve			102.00
2	1	Micron Transformer 480V-24V FUSED			75.00
3	5	KTK-R 1/2 A FUSE			16.00 80.00
4	1	SPECIAL ORDER SHIPPING - HANDLE			25.00
5					
6		Troubleshoot and Repair - Low Pressure			
7		and Remote Stations not working.			
8		Replaced worn unloader valve.			
9		Track down and isolate short			
10		causing (Transformer meltdown short)			
11		; found bad Transformer and			
12		water damage at 1 remote stat. -			
13		isolated bad remote for dry out and			
14		further repair - installed new trans			
15		and Test total operation - Good			
16	2	LABOR			46.00 92.00
17		50.00 Sec. Call (Neighbor Come)			NC
18		Sub Total			374.00
19		Tax			30.86
20		Total			404.86
RECEIVED BY Jesus Lora					

adams  
5805

KEEP THIS SET FOR REFERENCE

12-22-04

EPAHO055003344

6422 LONG DRIVE  
HOUSTON, TX 77087  
PH: 713-641-1811  
FX: 713-645-8226

# American Water Systems

# FAX

To: *Juanita* From: ROSA MORIN  
Fax: *713-676-1676* Pages:  
Phone: Date: 2/8/2006  
Re: *Invoices* CC:

☐ Urgent ☒ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

*Per our phone conversation.  
Here is the information requested.  
If you have any questions  
please give me a call.*

*Thanks, /  
Rosa*

**INVOICE**

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

8948

INVOICE DATE:

3/23/2004

**SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------


366593

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

1	SM 430058	REMOTE TEMP. CONTROL PANEL	49.50	49.50T
1	SM 341002	FUEL FILTER 1/4 METAL	5.00	5.00T
3	AO PUMP OIL	30 WT. NON DETERGENT PUMP OIL QT.	5.25	15.75T
2.5	LABOR - RA...	LABOR CHARGE PER HOUR	46.00	115.00T

*Pol et #  
10391  
4/26/04*



Thank you for your business.

Subtotal \$185.25

Sales Tax (8.25%) \$15.28

**TOTAL** \$200.53

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 45 days are subject to 1.5% late charge

**INVOICE****AMERICAN WATER SYSTEMS**

6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-1811 FAX (713) 641-0194

INVOICE NUMBER:

10831

INVOICE DATE:

7/28/2005

**SOLD TO:**

CES ENVIRONMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIRONMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
-------------	----------------	---------------	------

368111

Net 30

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
----------	-------------	-------------	------------	-----------

1	GC MISC.	FUEL TANK	156.00	156.00T
2	DD 527-6123	MOTOR OIL AMALIE 30WT ID	2.29	4.58T
1	AO PUMP O...	30 WT. NON DETERGENT PUMP OIL	5.25	5.25T
1	SM 331060	3/8 QUICKCOULPER MPT.	4.50	4.50T
5	FUEL GASO...	GASOLINE	2.45	12.25T
3.5	LABOR-RATE	LABOR CHARGE PER HOUR	56.00	196.00T

pd on ck # 17009  
8/22/05

mailed  
8-1-05

Thank you for your business.

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30 days are subject to 1.5% finance charge



Subtotal \$378.58

Sales Tax (8.25%) \$31.24

**TOTAL****\$409.82**



**INVOICE****AMERICAN WATER SYSTEMS**

6422 LONG DR  
HOUSTON, TX 77087  
PH. (713) 641-2811 FAX (713) 641-0194

INVOICE NUMBER:

**10837**

INVOICE DATE:

**8/1/2005****SOLD TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CUSTOMER ID	PURCHASE ORDER	PAYMENT TERMS	PAGE
	368112	Net 30	

QUANTITY	ITEM NUMBER	DESCRIPTION	UNIT PRICE	EXTENSION
1	SM 462575	HM REGULATOR/UNLOADER VALVE MULTIPLE GUN SYSTEMS	102.50	102.50T
1	SM 331062	3/8 QUICKCOULPER FPT.	5.00	5.00T
1	SM 331120	3/8" QUICK COUPLINGS MPT	3.00	3.00T
3	SM 251240	#6-15 DEGREE NOZZLE 1/4"	6.00	18.00T
10	SM 121037	CLEAR POLYBRAID SOAP & FUEL	0.89	8.90T
1.5	LABOR-RATE	LABOR CHARGE PER HOUR	56.00	84.00T
1	SERVICE C...	SERVICE CALL CHARGE	0.00	0.00T

REFER TO ATTACHED WORK ORDER# 445987

*pd on  
ck # 17009  
8/22/05*

*mailed  
8-1-05*

Thank you for your business.

Subtotal \$221.40

Sales Tax (8.25%) \$18.26

**TOTAL****\$239.66**

\$25.00 Charge on Return Checks

No refunds on special orders

No refunds on electrical parts

30% restock fee on returnable items

Invoices past 30 days are subject to 1.5% finance charge

# Invoice

AMERICAN WATER SYSTEMS  
6422 LONG DR  
HOUSTON, TX 77087-3408  
PH: (713) 641-1811  
FX: (713) 645-8226

DATE	INVOICE #
11/18/2005	11261

**BILL TO:**

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

CES ENVIROMENTAL SERVICES, INC.  
4904 GRIGGS RD.  
HOUSTON, TX 77021

P.O. NUMBER	TERMS	PROJECT
368572	Net 30	

QUANTITY		DESCRIPTION	RATE	AMOUNT
3	SM 368436	LANCE 36" SS	36.00	108.00T
3	SM 331121	COUPLER PLUG QC 3/8' FPT	2.29	6.87T
3	TRI 1273 4X4	1/4' PIPE COUPLING	1.25	3.75T
2	SM 353010	AP-1000 TRIGGER GUN 12. GPM X 4500 PS	45.00	90.00T

*Pd on  
ck# 18918  
12/19/05*



Thank you for your business.

\$25.00 Charge on Return Checks  
No refunds on special orders  
No refunds on electrical parts  
30% restock fee on returnable items  
Invoices past 30days are subject to 1.5% finance charge

Subtotal	\$208.62
Sales Tax (8.25%)	\$17.22
<b>TOTAL</b>	<b>\$225.84</b>